## **BOSTON REGION METROPOLITAN PLANNING ORGANIZATION**



Monica Tibbits-Nutt, Acting MassDOT Secretary and CEO and MPO Chair Tegin L. Teich, Executive Director, MPO Staff

## TECHNICAL MEMORANDUM

- DATE: November 2, 2023
- TO: Aaron Clausen, City of Lynn
- FROM: Julie Dombroski, Boston Region MPO Seth Asante, Boston Region MPO
- RE: Multimodal Mobility Improvement Program (MMIP): Lynn Intersections Study

This memorandum summarizes the analyses and improvement strategies for two intersections in the City of Lynn—the intersection of Route 129 (Washington Street) at Hanover Street and Beacon Hill Avenue and the intersection known as Freeman Square.

This memorandum contains the following sections:

- 1. Study Background
- 2. Existing Conditions
- 3. Issues and Concerns
- 4. Crash Data Analysis
- 5. Existing Conditions Analysis
- 6. Proposed Short-term Improvements
- 7. Long-term Improvement Alternatives
- 8. Recommendations

This memorandum also includes technical appendices that contain data and methods applied in the study.

## 1 STUDY BACKGROUND

The Boston Region Metropolitan Planning Organization (MPO) conducts studies of intersections with safety and mobility concerns as part of the Multimodal Mobility Infrastructure Program (MMIP). The outcome of these studies is recommended improvements that focus on all roadway users within a Complete Streets framework, including people walking, biking, driving, using assistive mobility devices, and taking transit. Municipalities in the region and the Massachusetts Department of Transportation (MassDOT) have been receptive to these studies, which provide the opportunity to review conceptual options to improve a specific intersection before committing design and engineering funds

Civil Rights, nondiscrimination, and accessibility information is on the last page.

to a project. If a proponent initiates a project that qualifies for state and federal funds, the study's documentation may be useful to both MassDOT and the project proponent for completing MassDOT Highway Division's project initiation forms, identifying problems at the intersection, justifying the need for improvements, and providing improvement concepts to advance into the preliminary design and engineering stages.


The MPO identified several intersections that should be prioritized based on the following criteria: safety conditions, multimodal significance, regional significance, transportation equity, geographical distribution, and implementation potential. The intersections selected for study in 2023 were Route 129 (Washington Street) at Hanover Street and Beacon Hill Avenue, and Freeman Square (Union, Buffum, Baldwin, and Silsbee Streets) in the City of Lynn. Lynn, the largest city in Essex County and an urban manufacturing and commercial center, has a need for a variety of roadway improvements to accommodate its growing population.

Washington Street was identified in the Lynn Safe Streets for People Playbook as a priority street for improvement, and safety is one of the major concerns at both intersections. The crash rate at each intersection is significantly higher than the MassDOT District 4 rate, and the intersection of Washington and Hanover Streets falls within the top-five percent of crash clusters statewide.

Both intersections can better serve the most vulnerable roadway users. The intersection of Washington and Hanover Streets includes a bus stop (Route 435) and is located near a school and housing for older adults. Freeman Square is in a more commercial area with many businesses on Union Street and includes two bus stops on Union Street serving Routes 436, 455, and 456). This intersection could be improved to better accommodate people accessing nearby businesses by foot or public transport. According to the Fall 2022 bus ridership data, this stop has 37 boardings on an average weekday.

## 2 EXISTING CONDITIONS

The intersections studied are both located in the city of Lynn. The first, the intersection of Route 129 (Washington Street) and Hanover Street and Beacon Hill Avenue, is located northwest of downtown Lynn. The second is Freeman Square—the intersection of Union, Buffum, Baldwin, and Silsbee Streets—which is located east of the downtown area of Lynn within the city center. Figure 1 shows each location within the city of Lynn. There are numerous safety issues at each intersection.



BOSTON REGION MPO

Ń

FIGURE 1 Study Areas

Route 129 (Washington Street) is an important connector in the city of Lynn. It connects the center of the city to Route 107 (Western Avenue). It runs mostly in a northwest-southeast direction and is a two-lane roadway. Most of the land use around the route is residential, but there is primarily commercial development at the northern and southern ends of the route—near Western Avenue and downtown, respectively. The study intersection is in the middle of the residential section of Washington Street. Hanover Street and Beacon Hill Avenue are residential connectors that run primarily northeast-southwest. These roads do not carry as high a volume of traffic as Washington Street.

The Louis Barret Residences—an apartment complex for those 55 years of age or older—is located on the corner of Washington Street and Hanover Street. In addition to other single- and multi-family housing surrounding the intersection, there is also a barber shop (Menor da Barber Studio) and a funeral home (Goodrich Funeral Home) within the study area. The intersection is near Cobbet Elementary School and the Boys and Girls Club of Lynn. It is widely used by students walking to and from school and older populations who live in the Louis Barret apartments.

Union Street is the primary route that travels through Freeman Square. It is a two-lane mostly north-south roadway that connects the center of the city to residential areas east of downtown Lynn. The other streets that meet at the intersection of Freeman Square are Buffum Street, Baldwin Street, and Silsbee Street. Buffum is a two-way east-west connector between Freeman Square and Liberty Street. Baldwin and Silsbee Streets are one-way routes. Both carry traffic out of the intersection—Baldwin Street northwest-bound and Silsbee Street eastbound.

Most of the land use near the intersection is commercial or mixed-use. There are numerous businesses and restaurants around Freeman Square, but one of the anchors of the neighborhood is the Lynn Community Health Center (LCHC). The LCHC provides primary care services to more than 40 percent of Lynn residents.<sup>1</sup> Because the LCHC is located in Freeman Square, many people traveling through the intersection are traveling to the health center, whether they are patients or employees. Other notable destinations near Freeman Square include the Greater Lynn Senior Services Center, Family Dollar, and a variety of restaurants and stores.

<sup>&</sup>lt;sup>1</sup> <u>https://www.lynnchc.org/about-lynn-community-health-center/</u>

## 2.1 Engagement Activities

MPO staff coordinated with the City of Lynn and the LCHC to establish dates for in-person public engagement opportunities. After discussions with stakeholders, it was determined that a short survey would be prepared for each study intersection and distributed via in-person methods. Staff provided incentives (\$5 Dunkin Donuts gift cards) to recognize the participation of people who engaged with staff to discuss the intersections and answer survey questions. The survey questions for each intersection can be found in Appendix A.

The survey prepared for the intersection of Route 129 (Washington Street) at Hanover Street and Beacon Hill Avenue included five questions regarding user safety. The residents at the Louis Barrett Residences were one of the major groups of stakeholders who were intended to be reached by this survey. MPO staff made multiple attempts to contact the management of the Louis Barrett Residences in order to set up a time to distribute surveys to residents; but unfortunately, staff were unable to make progress on that front. In lieu of setting up a formal survey distribution, staff visited the study intersection on Tuesday, August 1, and Tuesday, August 8, 2023, to chat with residents and other people in the neighborhood. Staff spoke to a number of people each day, including residents of the Louis Barrett Residences and others in the neighborhood, and recorded their responses to the survey.

A similar survey was prepared for the Freeman Square intersection, but staff were better able to engage with the public via four days of tabling in the study area. After coordinating with the City of Lynn and LCHC, MPO staff were able to set up outside of the LCHC between 3:00 PM and 5:00 PM on Monday, July 31, Tuesday, August 1, Monday, August 7, and Tuesday, August 8. At each of these events, a posterboard with an aerial image of the intersection was available for people to note areas of the intersection where they felt safe, unsafe, and neither safe nor unsafe. Figure 2 is an image of the posterboard with stickers and notes about safety issues and improvements placed by members of the public. (The photo was taken on Tuesday, August 8.) In addition to the posterboard, staff brought tablets with the survey questions and were able to fill them out based on how participants responded.




FIGURE 2 Freeman Square Engagement Posterboard

REGION

MPO

An interpreter provided by the City of Lynn was in attendance on Monday, July 31, and Monday, August 7, to assist in better engagement with the Spanish-speaking participants and Spanish-speaking MPO staff were also present on Monday, July 31, Tuesday, August 1, and Tuesday, August 8.

For both intersections, staff engaged roughly the same number of English and Spanish speakers. Staff collected demographic information from survey respondents, and the majority of respondents identified as being Hispanic or Latino/a and having a household income that MPO staff classify as low income (less than 200 percent of the federal poverty line). Nearly half of respondents identified as having a disability.

#### Feedback: Washington Street at Hanover Street

In addition to reaching out to management at the Louis Barrett Residences at Washington Street and Hanover Street, and other businesses in the area, staff visited the intersection and canvassed residents of the Louis Barrett residences and other people passing through the area to discuss the study and collect survey responses. Survey responses can be found in Appendix A. Many respondents reported witnessing car collisions in the intersection and knowing people who had been involved in accidents. One respondent reported being hit in the intersection while crossing on foot. Most respondents reported feeling very unsafe in the intersection and raised several specific safety concerns, especially regarding vehicle speed and driver behavior.

When asked about possible safety improvements for the intersection, respondents suggested better signage and signalization for the pedestrian crossings, including full signal lights, a crossing guard (especially during the school year), and signage to indicate the presence of children, older adults, and/or people with disabilities in the area. Respondents also suggested moving the light and crossing on Washington Street by the Louis Barrett Residences entrance to the Hanover Street intersection. Below are summaries of additional comments that staff recorded:

- Speeding along Washington Street is an issue.
- Witnesses have seen multiple people crossing the street hit by vehicles.
- Many school-aged children walk through the intersection.
- Drivers do not obey the red light at the mid-block crossing.
- There is interest in a bench and/or shelter at each of the bus stops on Washington Street.
- Many respondents felt that there are a lot of "near-miss" accidents.
- Distracted driving is an issue.

#### Feedback: Freeman Square

Staff collected 40 survey responses while tabling at Freeman Square; several other people also participated in the interactive intersection safety mapping activity (Figure 2). Twenty-one respondents completed the survey in English, and 17 respondents completed the survey in Spanish. Staff also collected one response in Haitian Creole and one in Arabic.

The majority of respondents to the Freeman Square intersection (30) indicated that they usually crossed the intersection and traveled through the area on foot or using a mobility device, while many respondents (13) also indicated that they drove, and a small number took the bus or used a rideshare/ride-hailing service. Visiting LCHC was the most commonly cited reason for traveling through the area (25), followed by visiting stores or restaurants (13), then working (6) and living nearby (6). A few respondents also indicated that they traveled through the area for recreation or fitness purposes and to access other social services.

The overwhelming majority of respondents indicated that they feel unsafe crossing or traveling through Freeman Square. Figure 3 illustrates the frequency of specific problems respondents cited. Among additional comments respondents provided under the "other" category (shown in Figure 3), several responses expanded on infrastructure condition, citing the excessive length of the crosswalks, poor visibility of crosswalk markings, and poor lighting in the square at night. Several other responses expanded on driver behavior, sharing stories of "near-miss" collisions with drivers who were distracted (using phones) and drivers who pulled out into the intersection quickly and aggressively, often cutting off other pedestrians and vehicles and blocking the crosswalks. Responses also indicated some general confusion about (or disregard of) right-of-way in the intersection, parking regulations near the intersection, and direction of traffic flow on the streets leading into and out of the intersection.




FIGURE 3						
<b>Respondent Selections of</b>						
Specific Problems in Freeman Square						

REGION

MPO

When asked about possible safety improvements to Freeman Square, the majority of respondents supported improvements to pedestrian accommodations, such as crosswalks and sidewalks. Respondents also supported general safety improvements for all road users and interventions to reduce traffic congestion in the area. Below are summaries of specific responses about intersection improvements:

- Increase driver awareness.
- Add lights, flashing signs, or other infrastructure for pedestrian crossings; and make the crossings more visible.
- Improve parking enforcement (especially for double parking and large vehicles at the entrances and exits of the intersection) and potentially reduce some parking spaces and/or institute loading zones and rideshare drop-off zones around the intersection.
- Slow traffic entering the intersection, especially from Union Street; reduce speed limits, add signage, and/or add flashing speed signs.
- Improve visibility of stop signs, possibly with lights or signals.
- Create a rotary.
- Add more flowers and trees.
- Improve bus frequency and accommodations at bus stops.

#### 3 ISSUES AND CONCERNS

Based on staff's field observations, discussions with City officials, public engagement results, stakeholder interviews, and analyses of crash data and existing operations, major issues at each intersection were identified as the following:

High-crash location

The crash rate at each intersection is significantly higher than the MassDOT District 4 rate, and the intersection of Washington and Hanover Streets falls within the top-five percent of crash clusters statewide.

Pedestrian accessibility and safety concerns
 Existing pedestrian infrastructure at both intersections is relatively
 adequate and meets Americans with Disability Act (ADA) standards.
 However, field observations and survey results note that long crossing
 distances, obstructed visibility of crossings, and vehicle speeds endanger
 people walking in both intersections.

## 4 CRASH DATA ANALYSIS

Crash data analysis is essential to identify safety and operational problems at an intersection. Analyzing data on the frequency of crashes, types and patterns of collisions, and the circumstances under which crashes occur, such as the time of day and roadway surface conditions, also helps to develop improvement strategies.

### 4.1 Crash Statistics

MPO staff used the most recent six-year crash reports (January 2016–December 2021) for this study. Data was obtained using MassDOT's IMPACT Crash Portal. Typically, five years of crash data is used, but an additional year of crash data was collected to account for the COVID-19 pandemic effects on vehicular travel in 2020. It should be noted that these are just reported crashes. Feedback from the community indicates that there likely could be unreported crashes at both intersections.

#### Washington Street at Hanover Street and Beacon Hill Avenue

There were 50 crashes in the six-year period at the intersection of Washington and Hanover Streets. The majority of crashes in the area occurred directly at the intersection, but there were a few crashes along Washington Street approaching the intersection. This intersection fell within the top-five percent of crash clusters statewide. The predominant crash type was the angle crash (37 crashes). The others included six rear-end crashes, four crashes involving a single vehicle only, two in which vehicles sideswiped each other while traveling in the same direction, and one sideswipe of vehicles traveling in opposite directions.

Table 1 summarizes the 50 crashes in terms of severity, collision type, pedestrian or bicycle involvement, time of the day, and weather and pavement conditions. Eighteen crashes (36 percent) caused personal injuries with no fatalities. Nearly half (48 percent) of all crashes occurred during peak periods (6:00 AM–10:00 AM and 2:00 PM–6:00 PM). More than a third (38 percent) of the collisions occurred during dark conditions.

Statistics Period	2016	2017	2018	2019	2020	2021	6-Year Total	Annual Average
Total number of crashes	16	4	6	6	8	10	50	8.3
Severity								
Property damage only	9	2	3	3	5	9	31	5.2
Non-fatal injury	7	2	3	3	2	1	18	3.0
Fatality	0	0	0	0	0	0	0	0.0
Not reported/unknown	0	0	0	0	1	0	1	0.2
Collision type								
Single vehicle	0	2	2	0	0	0	4	0.7
Rear-end	2	0	1	0	1	2	6	1.0
Angle	13	2	3	6	6	7	37	6.2
Sideswipe, same direction	0	0	0	0	1	1	2	0.3
Sideswipe, opposite direction	1	0	0	0	0	0	1	0.2
Head-on	0	0	0	0	0	0	0	0.0
Rear-to-rear	0	0	0	0	0	0	0	0.0
Not reported/unknown	0	0	0	0	0	0	0	0.0
Involved pedestrian(s)	0	1	2	0	0	0	3	0.5
Involved cyclist(s)	1	0	0	0	0	0	1	0.2
Occurred during weekday peak periods* Wet or icy pavement	7	3	2	3	4	5	24	4.0
conditions	3	0	2	2	1	2	10	1.7
Dark conditions (lit or unlit)	6	0	3	3	3	4	19	3.2

Table 1Crash Summary at the Intersection of Washington Street, Hanover Street,and Beacon Hill Avenue

\* Peak periods are defined as 6:00 AM–10:00 AM and 2:00 PM–6:00 PM Source: Central Transportation Planning Staff.

#### Freeman Square

There were 70 crashes in the six-year period in the area of Freeman Square. Most crashes in the area occurred at the intersection and along Union Street. The predominant crash types were sideswipes of vehicles traveling in the same direction (24 crashes), and rear-end (15), angle (14), and single-vehicle crashes (11). There were also three crashes not reported or of unknown type, two sideswipes of vehicles traveling in opposite directions, and one head-on crash. Table 2 summarizes the 70 crashes in terms of severity, collision type, pedestrian or bicycle involvement, time of the day, and weather and pavement conditions.

Eleven crashes (17 percent) caused personal injuries with no fatalities. There was one fatality in March of 2018. It involved a pedestrian in the crosswalk on

Silsbee Street and a vehicle turning from Union Street. Twenty-six crashes occurred during peak periods (6:00 AM–10:00 AM and 2:00 PM–6:00 PM). Less than a third (30 percent) of the collisions occurred during dark conditions.

Statistics Period	2016	2017	2018	2019	2020	2021	6-Year Total	Annual Average
Total number of crashes	15	24	6	5	8	12	70	11.7
Severity								
Property damage only	13	20	4	2	7	10	56	9.3
Non-fatal injury	1	4	1	3	1	1	11	1.8
Fatality	0	0	1	0	0	0	1	0.2
Not reported/unknown	1	0	0	0	0	1	2	0.3
Collision type								
Single vehicle	0	5	2	1	3	0	11	1.8
Rear-end	2	5	2	3	2	1	15	2.5
Angle	3	4	1	0	3	3	14	2.3
Sideswipe, same direction	8	9	0	1	0	6	24	4.0
Sideswipe, opposite direction	0	1	0	0	0	1	2	0.3
Head-on	1	0	0	0	0	0	1	0.2
Rear-to-rear	0	0	0	0	0	0	0	0.0
Not reported/unknown	1	0	1	0	0	1	3	0.5
Involved pedestrian(s)	2	5	2	1	1	1	12	2.0
Involved cyclist(s)	0	0	0	0	0	0	0	0.0
Occurred during weekday peak periods* Wet or icy pavement	4	14	0	1	3	4	26	4.3
conditions	1	7	2	1	1	1	13	2.2
Dark conditions (lit or unlit)	4	7	2	3	1	2	19	3.2

Table 2Crash Summary at Freeman Square


\* Peak periods are defined as 6:00 AM-10:00 AM and 2:00 PM-6:00 PM

Source: Central Transportation Planning Staff.

## 4.2 Collision Diagrams and Crash Pattern Analysis

Based on the police reports, staff constructed collision diagrams (Figures 4 and 5) that show the locations and patterns of all the crashes at each intersection. The information about each crash, including date, time, severity, collision type, most harmful event, weather conditions, and driver contributing code are summarized in Appendix B.





## 5 EXISTING CONDITIONS ANALYSIS

To examine the existing conditions, MPO staff requested MassDOT's assistance in collecting Automatic Traffic Recorder (ATR) counts on the approaching roadways and intersection turning movement counts (TMCs) for this study. The ATR counts were performed during the week of April 10–16, 2023. The TMCs were collected Thursday, April 13, and Saturday, April 15, 2023. Further detail of the ATR counts can be found in Appendix C.

Additional data was collected near the intersection of Washington Street and Hanover Street. Due to comments from City staff about speeding concerns along Washington Street, speed data was collected at a location northwest of the intersection. Pedestrian count data was also collected at the mid-block crossing on Washington Street, located southeast of the intersection, directly in front of the Louis Barrett apartments (included in Appendix C).

## 5.1 Washington Street at Hanover Street and Beacon Hill Avenue Daily Traffic Volumes

Based on the data, staff estimated the average weekday traffic volumes in roadway sections near the intersection as follows:

- Washington Street, northwest of Hanover Street and Beacon Hill Avenue—13,300 vehicles, with a split of 7,315 (55 percent) southeastbound vehicles and 5,985 (45 percent) northwest-bound vehicles
- Washington Street, southeast of Hanover Street and Beacon Hill Avenue—15,600 vehicles, with a split of 7,644 (49 percent) northwestbound vehicles and 7,956 (51 percent) southeast-bound vehicles
- Hanover Street, south of —4,400 vehicles, with a split of 2,244 (51 percent) northbound vehicles and 2,156 (49 percent) southbound vehicles
- Beacon Hill Avenue, north of Washington Street—3,800 vehicles<sup>2</sup>

#### Turning Movement Counts

MassDOT collected turning movement counts at the study intersection on Thursday, April 13, 2023, during the morning peak period (6:00 AM–10:00 AM) and the evening peak period (2:00 PM–6:00 PM), and on Saturday, April 15, 2023, during the midday peak period (10:00 AM–2:00 PM). Figure 6 summarizes the 2023 AM and PM peak-hour traffic turning volumes by approach at the intersection.

<sup>&</sup>lt;sup>2</sup> Beacon Hill Avenue is a one-way street, so there is no split between directions of travel.

# LEGEND

Vehicle turning movements

116

00

AM peak-hour traffic volume

(00) PM peak-hour traffic volume

Data was collected on Thursday, 04/13/2023 AM Peak Hour: 7:30 AM-8:30 AM PM Peak Hour: 4:00 PM-5:00 PM

Route 129 Mashington St.

BOSTON REGION MPO

Route 129 Washington St.

FIGURE 6 Weekday Peak-Hour Turning Movement Counts Washington Street at Hanover Street/Beacon Hill Avenue in Lynn

tanover St

#### Speed Data

Speeding was noted as an issue along Washington Street. City staff have commented that many drivers use the street as a cut-through between downtown Lynn and Western Avenue. Residents of the Louis Barrett apartments also commented that they notice vehicles speeding and have witnessed near-miss crashes due to speeding.

The speed limit along Washington Street in the study area is 25 miles per hour. Speed data was collected by MassDOT between April 10 and April 18, 2023. The data show that the estimated 85<sup>th</sup> percentile speed of southeast-bound vehicles ranges between 29.2 miles per hour and 32.1 miles per hour. In the northwestbound direction, the speed was 28.6 miles per hour and 33.7 miles per hour for each of the days speeds were collected. Further detail of the speed collection can be found in Appendix C.

#### Intersection Capacity Analysis

Based on the 2023 AM and PM peak-hour turning movements, staff conducted the intersection capacity analysis for the intersection of Washington Street at Hanover Street by using the Synchro traffic analysis and simulation program.<sup>3</sup>

Staff conducted traffic operations analyses consistent with the Highway Capacity Manual (HCM) methodologies (included in Appendix D). HCM methodology demonstrates driving conditions at signalized and unsignalized intersections in terms of level-of-service (LOS) ratings from A through F. LOS A represents the best operating conditions (little to no delay), while LOS F represents the worst operating conditions (very long delay). LOS E represents operating conditions at capacity (limit of acceptable delay). The Synchro capacity analysis can be found in Appendix E. Table 3 summarizes the delays, LOS, and queue lengths for the existing conditions. Traffic on Hanover Street experiences LOS E during the morning peak hours and LOS F during the evening peak hours. Traffic on Washington Street operates at LOS A during the same hours.

## Traffic Signal Warrant Analysis

Investigating the need for a traffic control signal at an unsignalized intersection involves analyzing factors related to the existing traffic operations and safety conditions at the intersection, as well as the potential to improve these conditions. Such an investigation is called a traffic signal warrant analysis. The Manual on Uniform Traffic and Control Devices (MUTCD) lists nine traffic signal warrants that justify installing a traffic signal. Using the methodology outlined in

<sup>&</sup>lt;sup>3</sup> Staff used Synchro Version 10.3, developed and distributed by Trafficware Ltd. It can perform capacity analysis and traffic simulation (when combined with SimTraffic) for an individual intersection or a series of intersections in a roadway network.

the 2009 edition of the MUTCD, staff performed detailed traffic signal warrant analyses to determine whether the installation of a traffic control signal at the intersection of Washington Street and Hanover Street/Beacon Hill Avenue is justified and if signalizing the intersection would improve safety and traffic operations. Existing conditions at the intersection of Washington Street and Hanover Street/Beacon Hill Avenue satisfy two of the warrants: Warrant 2, Four-Hour Vehicular Volumes and Warrant 3, Peak Hour Vehicular Volume. Detailed traffic signal warrant analysis worksheets are included in Appendix D.

	АМ		AM	РМ		РМ
Approach	Delay (cocondo)	AM L OS	Queue	Delay	PM LOS	Queue
Approach Existing Conditions	(seconds)	LOS	(feet)	(seconds)	L03	(feet)
Hanover St. NB	48.1	Е	105	74.4	F	225
Washington St. EB	1.7	A	7	2.3	A	10
Washington St. WB	3.7	A	10	2.1	A	10
All approaches	7.6	А		16	С	
2030 No Build						
Hanover St. NB	48.9	Е	112.5	72.5	F	230
Washington St. EB	2	А	7	2.4	А	8
Washington St. WB	4	А	13	2.1	А	9
All approaches	7.7	А		15.6	С	
2030 Alternative One						
Hanover St. NB	12.4	В	30	18.1	С	82.5
Washington St. EB	31.6	D	253	35.8	Е	243
Washington St. WB	26	D	200	71.1	F	427.5
All approaches	26.9	D		47.8	Е	
2030 Alternative Two						
Hanover St. NB	19.9	В	106	27.5	С	250
Washington St. EB	13.7	В	228	15.2	В	306
Washington St. WB	17.1	В	238	19.2	В	452
All approaches	15.9	В		10.4	В	

# Table 3Intersection Capacity AnalysisWashington Street at Hanover Street/Beacon Hill Avenue

EB = eastbound. LOS = level of service. NB = northbound. SB = southbound. WB = westbound. Source: Central Transportation Planning Staff.

## 5.2 Freeman Square

#### Daily Traffic Volumes

Based on the data, staff estimated the average weekday traffic volumes in roadway sections near the intersection as follows:

- Buffum Street, west of Union Street—7,900 vehicles, with a split of 4,977 (63 percent) eastbound vehicles and 2,923 (36 percent) westbound vehicles
- Silsbee Street, east of Union Street—4,100 vehicles
- Baldwin Street, northwest of Union Street—1,400 vehicles<sup>4</sup>
- Union Street, north of Silsbee Street—17,100 vehicles, with a split of 8,379 (49 percent) northbound vehicles and 8,721 (51 percent) southbound vehicles
- Union Street, south of Buffum Street—13,200 vehicles, with a split of 7,392 (56 percent) northbound vehicles and 5,808 (44 percent) southbound vehicles.

#### Turning Movement Counts

MassDOT collected turning movement counts at the study intersection on Thursday, April 13, 2023, during the morning peak period (6:00 AM–10:00 AM) and the evening peak period (2:00 PM–6:00 PM), and on Saturday, April 15, 2023, during the midday peak period (10:00 AM–2:00 PM). Figure 7 summarizes the 2023 AM and PM peak-hour traffic turning volumes by approach at the intersection (included in Appendix C).

#### Intersection Capacity Analysis

Based on the 2023 AM and PM peak-hour turning movements, staff conducted the intersection capacity analysis for the Freeman Square intersection by using the Synchro traffic analysis and simulation program. During the morning peak hours, traffic at all approaches to the intersection experiences LOS B. During the evening peak hours, traffic at all approaches experiences LOS D. The Synchro capacity analysis can be found in Appendix F. Table 4 summarizes the delays, LOS, and queue lengths. Traffic on Buffum Street and Union Street operate at LOS B during the morning peak hours and LOS C or D during the evening peak hours.

<sup>&</sup>lt;sup>4</sup> Baldwin and Silsbee Streets are one-way, so there are no splits between directions of travel.



BOSTON REGION MPO

Ν

FIGURE 7 Weekday Peak-Hour Turning Movement Counts Freeman Square in Lynn

Freeman Square									
Approach	AM Delay (seconds )	AM LOS	AM Queue (feet)	PM Delay (seconds )	PM LOS	PM Queue (feet)			
Existing Conditions	-			-					
Union St. NB	12.2	В	60	26.6	D	182.5			
Union St. SB	14	В	7	25.5	D	175			
Buffum St. EB	12	В	88	19.3	С	100			
All approaches	12.8	В		24.3	С				
2030 No Build									
Union St. NB	12.3	В	57.5	35.5	Е	242.5			
Union St. SB	17.9	С	132.5	24.9	С	162.5			
Buffum St. EB	12.2	В	42.5	22	С	122.5			
All approaches	14.9	В		28.3	D				
2030 Alternative One									
Union St. NB	12.3	В	57.5	35.5	Е	242.5			
Union St. SB	17.9	С	132.5	24.9	С	165			
Buffum St. EB	12.2	В	42.5	22	С	122.5			
All approaches	14.9	В		28.3	D				
2030 Alternative Two									
Union St. NB	6.8	А	25	13.5	В	100			
Union St. SB	6.3	А	50	6.1	А	50			
Buffum St. EB	6.9	А	25	8.2	А	50			
All approaches	6.6	А		9.6	А				

#### Table 4 Intersection Capacity Analysis Freeman Square

EB = eastbound. LOS = level of service. NB = northbound. SB = southbound. WB = westbound. Source: Central Transportation Planning Staff.

### 6 PROPOSED SHORT-TERM IMPROVEMENTS

Based on the above analyses, MPO staff developed a series of short- and longterm improvements to address safety and operational problems at the intersections. The proposed short-term improvements generally can be implemented within a few years at a low cost. The proposed long-term improvements cover larger areas, require intensive planning and design, and require more significant funding. These improvements are analyzed in the next section.

## 6.1 Route 129 (Washington Street) at Hanover Street and Beacon Hill Avenue

The proposed short-term improvements are summarized below and shown in Figure 8.

- Repaint the crosswalk on Hanover Street as continental-style stripes to be consistent with the other crossings at the intersection.
- Replace the pedestrian signal heads and install ADA-accessible pedestrian push buttons at the mid-block crossing on Washington Street.
- Trim tree branches to improve visibility of the mid-block pedestrian signals.
- Extend the curb on the southern corner of the intersection (Hanover Street at Washington Street) with a painted pedestrian zone and flexible bollards or flex posts.
- Consider reducing the speed limit on Washington Street, especially in the residential section, to 25 miles per hour.
- Post speed limit signs along the Washington Street corridor.
- Prohibit parking at the approaches to increase visibility of people using crosswalks at the intersection.
- Add shared lane pavement markings on Washington Street.
- Evaluate and improve streetlights.

The proposed short-term improvements would increase safety for people using the intersection (walking, biking, driving, or using assistive mobility devices). These improvements are estimated to cost between \$20,000 and \$30,000.

#### 6.2 Freeman Square

The proposed short-term improvements are summarized below and shown in Figure 9.

- Repaint crosswalks at the intersection to improve visibility.
- Install Manual of Uniform Traffic Control Devices (MUTCD) standard pedestrian warning signs (MUTCD W11-2) on Union Street and Buffum Street approaching the intersection.


- Prohibit parking at the approaches to increase visibility of people using crosswalks at the intersection.
- Paint pedestrian zones and install flexible bollards or flex posts to extend the curb at the following areas:
  - The corner of Union Street and Baldwin Street
  - The corner of Union Street and Silsbee Street

The short-term improvements would increase safety for people using the intersection (walking, biking, or using assistive mobility devices). The improvements are estimated to cost between \$30,000 and \$40,000.



BOSTON REGION MPO

FIGURE 8 Short-Term Improvements Washington Street at Hanover Street/Beacon Hill Avenue in Lynn





N

FIGURE 9 Short-Term Improvements Freeman Square in Lynn

## 7 LONG-TERM IMPROVEMENT ALTERNATIVES

The proposed long-term improvements would require additional planning and design and more significant funding. Staff identified two alternatives for each intersection, based on the goals of maximizing safety and operational benefits for all transportation modes and minimizing construction impacts.

Staff also analyzed traffic operations for the alternatives and the base case (nobuild scenario) under projected 2030 traffic conditions. For comparison purposes, the analysis included future-year no-build scenarios for each intersection that contain no geometric modifications and no changes to intersection controls (included in Tables 3 and 4). Future-year no build Synchro analyses for each intersection can be found in Appendix G.

Key elements of the two alternatives for each intersection are summarized below. Route 129 at Hanover Street and Beacon Hill Avenue future-year Synchro analyses for Alternatives One and Two can be found in Appendix H. Freeman Square future-year Synchro analyses for Alternatives One and Two can be found in Appendix I.

## 7.1 Route 129 (Washington Street) at Hanover Street and Beacon Hill Avenue

#### Alternative One

Alternative One would change the intersection control to an all-way stop. It also includes geometric modifications to the right-of-way. Figure 10 illustrates these changes. Key elements of the alternative include the following:

- Removing the overhead flashing red and flashing yellow signals and installing stop signs on each approach
- Painting stop bars on the Washington Street approaches
- Repainting each crosswalk to standard continental, ladder, or zebra-style markings to aid in visibility
- Making upgrades to the existing mid-block crossing on Washington Street, including the following:
  - Signal heads with retroreflective backplates
  - Checking timings for appropriate length
  - Installing ADA-accessible push-buttons
  - Raising the crossing to aid in visibility<sup>5</sup>
- Tightening the turning radii with curb extensions
- Removing parking close to the intersection to improve safety and visibility of people walking

<sup>&</sup>lt;sup>5</sup> National Association of City Transportation Officials guidance on mid-block crossings: <u>https://nacto.org/publication/urban-street-design-guide/intersection-design-elements/crosswalks-and-crossings/midblock-crosswalks/</u>

- Installing ADA-compliant curb ramps (two per corner), eight per intersection
- Improving street lighting
- Adding bus shelters to the Washington Street stops
- Adding shared lane pavement markings on Washington Street (existing right-of-way with on-street parking does not have space for separated bike lanes)


The improvements in Alternative One would increase safety for people using the intersection. The improvements are estimated to cost between \$50,000 and \$60,000.

#### Alternative Two


Alternative Two would change the intersection control to a traffic signal that controls the flow of vehicles and provides sufficient time for safe and efficient pedestrian crossings. Existing conditions at the intersection of Washington Street and Hanover Street/Beacon Hill Avenue satisfy two of the warrants. Geometric modifications to the right-of-way are the same as in Alternative One. Figure 11 illustrates the changes listed below. Key elements of the alternative include the following:

- Upgrading the flashing signals to standard three-bulb signal heads with retroreflective backplates
- Painting stop bars on the Washington Street approaches
- Repainting each crosswalk to standard continental, ladder, or zebra-style markings to aid in visibility
- Installing ADA-compliant curb ramps (two per corner), eight per intersection
- Removing the mid-block signal and crosswalk
- Tightening the turning radii with curb extensions
- Removing parking close to the intersection to improve safety and visibility of people walking
- Adding bus shelters to the Washington Street stops
- Improving street lighting

The improvements in Alternative Two would increase safety for people using the intersection. The improvements are estimated to cost between \$1.2 million and \$1.5 million. The results presented in Table 3 indicate that Alternative Two produces less delay during the morning and evening peak hours than Alternative One.



BOSTON REGION MPO FIGURE 10 Alternative One: Pedestrian Safety Enhancements Washington Street at Hanover Street/Beacon Hill Avenue in Lynn



BOSTON REGION MPO FIGURE 11 Alternative Two: Signalized Intersection Washington Street at Hanover Street/Beacon Hill Avenue in Lynn

## 7.2 Freeman Square

#### Alternative One

Alternative One for the Freeman Square intersection would keep the intersection control the same but add geometric modifications to the right-of-way, in addition to other installations, to promote safer travel through the intersection. Figure 12 displays the geometric changes listed below. Key elements of the alternative include the following:

- Repaint crosswalks to continental, ladder, or zebra-style markings
- Install MUTCD standard pedestrian warning signs (MUTCD W11-2) on Union Street and Buffum Street approaching the intersection
- Reinforce the existing island at Buffum Street
- Reinforce and extend the median on Union Street into the crosswalk to provide a pedestrian refuge
- Add shared-lane pavement markings on Union Street (existing right-ofway with on-street parking does not have space for separated bike lanes)
- Install curb extension to extend the curb at
  - The corner of Union Street and Baldwin Street
  - The corner of Union Street and Silsbee Street
- Consider adding bus shelters with benches to the Union Street stops at Silsbee Street and Buffum Street
- Improve street lighting

The improvements in Alternative One would increase safety for people using the intersection and enhance bus stop amenities. The improvements are estimated to cost between \$70,000 and \$80,000.

## Silsbee Street (Two-Way, Two-Lane) Option

Silsbee Street is currently a one-way street that carries traffic eastbound out of the intersection. Its pavement width from curb to curb is about 32 feet and there is on-street parking on both sides. Converting it into a two-way, two-lane operation will improve connections to the commuter rail station.

Analysis indicates that two-way, two-lane traffic may be feasible if parking is allowed on only one side of the street. This would allow space for two ten-foot travel lanes, pavement striping, and an eight-foot on-street parking area on one side. However, additional evaluation on how much traffic this conversion would divert through the intersection and its impact on traffic safety and operations is necessary. This evaluation is beyond the scope of this study.

#### Alternative Two


Alternative Two for the Freeman Square intersection would modify the intersection to a small roundabout, changing the geometry and control of the existing intersection. A 30-foot central island with painted or raised truck apron and a 17-foot circulating lane would fit the existing space. Figure 13 illustrates the changes described below. Key elements of the alternative include the following:

- Install a roundabout at the intersection, while keeping the current operation of each street the same—two-ways and one-ways will not change
- Install MUTCD standard pedestrian warning signs (MUTCD W11-2) on Union Street and Buffum Street approaching the intersection
- Install MUTCD standard yield signs on Union Street and Buffum Street approaching the roundabout/traffic circle
- Add shared-lane pavement markings on Union Street to accommodate people who bike (existing right-of-way with on-street parking does not have space for separated bike lanes)
- Consider adding a curb extension at the corner of Union Street and Silsbee Street
- Consider adding bus shelters with benches to the Union Street stops at Silsbee Street and Buffum Street
- Evaluate and improve street lighting

The improvements in Alternative Two would increase safety for people using the intersection and enhance bus stop amenities. Roundabouts have proved effective in reducing traffic speeds, crash frequency and severity, traffic delays, and long-term operational costs. In addition, they are environmentally friendly and more aesthetically pleasing with landscaping improvements. This small roundabout retrofit is estimated to cost approximately \$500,000.

The results presented in Table 4 show that Alternatives One and Two produce acceptable delays and LOS during the morning and evening peak hours. However, Alternative Two produces less delay during the morning and evening peak hours than Alternative One. Alternative Two would reduce travel speeds and crash severity and provide a welcoming environment at Freeman Square.


Staff submitted this memorandum to stakeholders for comments on the shortand long-term alternatives. Comments received from stakeholders are included in Appendix J.



BOSTON	
REGION	
MPO	

Ν

FIGURE 12 Alternative One Freeman Square in Lynn



BOSTON REGION MPO

Ν

FIGURE 13 Alternative Two: Roundabout/Traffic Circle Freeman Square in Lynn

### 8 **RECOMMENDATIONS**

This study performed a series of safety and operations analyses, identified issues and concerns, and proposed short- and long-term improvements at the intersections. The proposed short-term improvements would enhance safety and operations for the intersections under the existing conditions. The proposed long-term improvements—such as signalizing or retrofitting an intersection with a roundabout; adding ADA-compliant curb ramps; adding necessary curb extensions; installing bus shelters; improving streetlights; and improving infrastructure for people who walk, bike, or use assistive mobility devices—would significantly address the safety and operational problems at the intersections.

At this preliminary planning stage, staff recommend that all proposed alternatives should be included and further investigated at the functional design stage. With a relatively high benefit/cost ratio, they should be implemented as resources are available from highway maintenance or local Chapter 90 funding or through Shared Streets and Spaces grants.

The City of Lynn has jurisdiction of the intersections and roadways in the study area and is responsible for renovation of the intersections to improve safety, mobility, connectivity, and operations. This study gives the City an opportunity to address the needs of the intersection and plan for design and engineering. The next steps would be to select the preferred alternative that is sensitive to the goals and needs of stakeholders and advance the project through the planning process. These steps will depend upon cooperation between MassDOT, the City, and the MPO to begin the project notification and review process and complete the project initiation form. After completing the initial steps, City and MassDOT staff can start preliminary design and engineering to place the project in the Boston Region MPO's Transportation Improvement Program.

#### Appendices

Appendix A: Survey Questions and Responses

Appendix B: Collision Diagram Lookup Tables

- Appendix C: Traffic and Speed Data
- Appendix D: Highway Capacity Manual Methodology
- Appendix E: Washington Street at Hanover Street, Existing Conditions
- Appendix F: Freeman Square, Existing Conditions
- Appendix G: 2030 No Build Analysis
- Appendix H: Washington Street at Hanover Street, 2030 Alternatives One and Two
- Appendix I: Freeman Square, 2030 Alternatives One and Two
- Appendix J: Review Comments

The Boston Region Metropolitan Planning Organization (MPO) operates its programs, services, and activities in compliance with federal nondiscrimination laws including Title VI of the Civil Rights Act of 1964 (Title VI), the Civil Rights Restoration Act of 1987, and related statutes and regulations. Title VI prohibits discrimination in federally assisted programs and requires that no person in the United States of America shall, on the grounds of race, color, or national origin (including limited English proficiency), be excluded from participation in, denied the benefits of, or be otherwise subjected to discrimination under any program or activity that receives federal assistance. Related federal nondiscrimination laws administered by the Federal Highway Administration, Federal Transit Administration, or both, prohibit discrimination on the basis of age, sex, and disability. The Boston Region MPO considers these protected populations in its Title VI Programs, consistent with federal interpretation and administration. In addition, the Boston Region MPO provides meaningful access to its programs, services, and activities to individuals with limited English proficiency, in compliance with U.S. Department of Transportation policy and guidance on federal Executive Order 13166.

The Boston Region MPO also complies with the Massachusetts Public Accommodation Law, M.G.L. c 272 sections 92a, 98, 98a, which prohibits making any distinction, discrimination, or restriction in admission to, or treatment in a place of public accommodation based on race, color, religious creed, national origin, sex, sexual orientation, disability, or ancestry. Likewise, the Boston Region MPO complies with the Governor's Executive Order 526, section 4, which requires that all programs, activities, and services provided, performed, licensed, chartered, funded, regulated, or contracted for by the state shall be conducted without unlawful discrimination based on race, color, age, gender, ethnicity, sexual orientation, gender identity or expression, religion, creed, ancestry, national origin, disability, veteran's status (including Vietnam-era veterans), or background.

A complaint form and additional information can be obtained by contacting the MPO or at <u>http://www.bostonmpo.org/mpo\_non\_discrimination</u>.

To request this information in a different language or in an accessible format, please contact

Title VI Specialist Boston Region MPO 10 Park Plaza, Suite 2150 Boston, MA 02116 civilrights@ctps.org

#### By Telephone:

857.702.3700 (voice)


For people with hearing or speaking difficulties, connect through the state MassRelay service:

- Relay Using TTY or Hearing Carry-over: 800.439.2370
- Relay Using Voice Carry-over: 866.887.6619
- Relay Using Text to Speech: 866.645.9870


For more information, including numbers for Spanish speakers, visit <u>https://www.mass.gov/massrelay.</u>

Appendix A: Survey Questions and Responses






No data found - your filters may be too exclusive!



Why do you typically visit or travel through this intersection? Check all that apply.  $\$   $\$ 



Post office								
As mi ruta diaria								
Very safe, kind drivers								
no camino mucho aqui, vivo cerca, me parece más o menos seguro								
very unsafe - i was hit in the intersection a couple years ago - in the crosswalk, the lights were working, someone ran into me								
don't feel safe at all. there are a lot of cars that bump up / almost								
Hay mucha imprudencia. Me siento inseguro								
very unsafe - it's always dangerous.								
necesito tener mucho cuidado cruzando - los carros no paran para los peatones, ni por la gente cruzando ni por la luz (walking sign/red light)								
fairly easy because i've gotten used to it but drivers and high vehicle speeds are unsafe. know several people who've been hit or in accidents								
What problems do you encounter while traveling through the intersection? Check all that apply. 8 ③								
Long wait at intersection								
High volume of traffic								

nada

worried that cars won't stop / have observed that they don't stop

Los conductores son imprudentes y no respetan Las normas de trafico

High vehicle speed

Inattentive or aggressive drivers

Infrastructure in poor condition (sidewalks, roads, etc.)

High number of crashes

Other (please specify)

Ö

1


2

3

Ä

5

6




bus shelter, enforce pedestrian rights of way in the crossings, put "elderly crossing" signs up (lots of elderly in the Barrett residences)

crossing guard; washington light should be up at the intersection, and there should be a light with crosswalk on hanover as well by the residences

crossing guard, full signal light (not just blinking red)


Hanover coming into the intersection should either be 1 way or wider. the crossing light on washington by the residences should be moved right up to the intersection- lots of kids coming from school run though.

#### How do you self-identify by race and/or ethnicity? (Check all that apply.) 5 (i)





american

How many people are in your household? Include yourself. 5 (i)



### What is your annual household income? 1 (i)






What is your annua	al household income? (i)	
Less than \$45,000		
\$45,000 or more		
Prefer not to answer		
What is your annua	al household income? ()	
Less than \$55,000		
\$55,000 or more		
Prefer not to answer		
What is your annua	al household income? 1 (	
Less than \$65,000		
\$65,000 or more		
Prefer not to answer	0.5	1

What is your annual household income? 1 (									
Less than \$75,000									
\$75,000 or more									
Prefer not to answer		0.5		1					
What is your annual ho	usehold income? (1)								
Less than \$85,000									
\$85,000 or more									
Prefer not to answer									
What is your annual ho	usehold income? ③								
Less than \$95,000									
\$95,000 or more									
Prefer not to answer									





Why do you typically visit Freeman Square? Check all that apply. 35 O

 Why do you typically visit Freeman Square? Check all that apply.: Other (please specify) ①

 Brothers table


 Gov services

Responses: 40

Live here
Vivo aqui
Meet family
Live nearby
Vivo cerca
Vivian aqui y conosco el area
Vivo aqui
N/A
How safe do you feel when traveling through/crossing Freeman Square? 🕄
Los carros se paran y me dejan pasar
No tan seguro porque tengo que tener mucha attencion a Los carros
Seguro pero parking is the problem,
Most of the time it's fine but sometimes is chaotic.
Safe
Bien
Fairly safe
Seguro
Muy inseguro as duro para Los peatones y en am carro
No seguro muy peligroso. Esposo tuve in accident
Unsafe because the crosswalks are weird
Las personas no miren bien. No paran. As peligroso.
Very unsafe crossing anywhere

Not very safe people are impatient confused Driving is very dangerous, people don't observe right of way, people don't start, elderly crossing alot Unsafe crossing, light at intersection, railing for sidewalk, too much going on No se porque mi esposo o mis hijos me traen en carro Me da panico por mi y cuando veo a otros cruzar Me siento segura Very unsafe driving. No respect for right of way Not very safe Not very safe both driving and walking . People walk out when cars are in motion. Cars don't observe right of way and just try to go first. Cars usually stop but don't really respect the stop signs 80 percent safe Insegura. Tengo qua esperar mi turno No muy segura . Veo muy bien el trafico y espero mi turno Have no choice so must go through it Unsafe crosswalks are too long Tengo qua estar pendiente de todas Las calles y del rayado antes de cruzar. Yo sigo lo rayado blanco para saber donde cruzar seguramente Safe Not at all

Relatively safe; concerns about crossing and people stopping




Have seen people traveling the wrong way down one ways nearby. And cars blocking the crosswalks

Cars compete to go first and don't stop


Choferes no son corteces con los peatones

Lights dim at night

What improvements would you like to see implemented at the intersection? Check all that apply. 33 🛈





What improvements would you like to see implemented at the intersection? Check all that apply.: Other (please specify) (i)
Nada
Increase driver awareness. Don't put a light . Make silsbee st a 2 way to reduce confusion and accidents
Ped crossing lights
Enforcement. Double parking is a pain and should be stopped and bigger places should have loading zones. Avoid having larger vehicles parking right in the intersection.
Nada
Muchos acercas y no son muy visibles
Slowing traffic
Bajar la velocidad de Los vehiculos.
Lights. More police enforcement for traffic violations
Rotary
Mas flores y arboles, mejor señalizacion y camaras
No se
Stop signs not visible enough. Some kind of light system. Also bus frequency should be improved.
Make better crossings, have speed signs flashing for drivers to slow down
Traffic. Light




#### How do you self-identify by race and/or ethnicity? (Check all that apply.): Other (please specify) 🛈


Human	
American	
Lots	
Haitian	
Haitian Native	
















### What is your annual household income? 2 (i)



#### What is your annual household income? 4 (i)

Less than \$75,000			
\$75,000 or more			
Prefer not to answer	1	2	3

What is your annual household income? ()	
Less than \$85,000	
\$85,000 or more	
Prefer not to answer	
What is your annual household income? ③	
Less than \$95,000	
\$95,000 or more	
Prefer not to answer	
What is your annual household income? 1 (	
Less than \$110,000	
\$110,000 or more	
Prefer not to answer	
о́ 0.5	1



Appendix B: Collision Diagram Lookup Tables

# Washington Street at Hanover Street and Beacon Hill Street Crash Data Lookup MassDOT Crash Data 2016-2021

Wid55DOT Grash Data 2010-2021												
Index	Crash Date Day	Time	Peak Hour # Vel	h #Injure	ed Crash Severity	Manner of Collision	Road Surface Conditions	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior Crash	Most Harmful Event	Driver Contributing Code
1	2016-01-07 Thu	1:58 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	e Failed to yield right of way / No improper driving
2	2016-01-25 Mon	1:38 PM	Off-peak	2	0 Property damage only	Angle	Wet	Daylight	Clear	Turning left / Travelling straight ahead	Collision with motor vehicle in traffic	
3	2016-02-03 Wed	7:43 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle	Failed to yield right of way / No improper driving
4	2016-03-03 Thu	6:55 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead		No improper driving / Inattention
5	2016-05-06 Fri	3:30 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Backing / Slowing or stopped in traffic		Unknown / No improper driving
6	2016-06-17 Fri	11:04 PM	Off-peak	3	0 Property damage only	Angle	Wet	Dark - lighted roadway	Cloudy / Rain	Travelling straight ahead / Entering traffic lane		Failed to yield right of way / No improper driving
7	2016-07-06 Wed	4:22 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead		Unknown / No improper driving
8	2016-07-17 Sun	5:51 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	
9	2016-08-11 Thu	3:35 PM	Peak	2	4 Non-fatal injury	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	
10	2016-08-29 Mon	5:34 PM	Peak	1	1 Non-fatal injury	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with cyclist (bicycle, tricycle, unicycle, pedal car)	No improper driving
11	2016-09-06 Tue	4:14 PM	Peak	2	3 Non-fatal injury	Angle	Wet	Daylight	Cloudy / Sleet, hail (freezing rain or drizzle)	Travelling straight ahead	Collision with motor vehicle in traffic	
12	2016-09-12 Mon	3:33 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning left / Travelling straight ahead	Collision with motor vehicle in traffic	Not reported
13	2016-11-18 Fri	10:40 PM	Off-peak	2	2 Non-fatal injury	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Physical impairment / No improper driving
14	2016-12-02 Fri	8:52 PM	Off-peak	2	1 Non-fatal injury	Angle	Dry	Dark - lighted roadway	Clear / Other	Travelling straight ahead / Other	Collision with motor vehicle in traffic	No improper driving / Unknown / Other improper action
15	2016-12-12 Mon	6:14 PM	Off-peak	2	2 Non-fatal injury	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead		Unknown / No improper driving
16	2016-12-30 Fri	10:05 PM	Off-peak	2	2 Non-fatal injury	Sideswipe, opposite direction	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Entering traffic lane	Collision with motor vehicle in traffic	Unknown
17	2017-01-01 Sun	8:23 AM	Off-peak	2	1 Non-fatal injury	Angle	Dry	Daylight	Clear	Unknown / Travelling straight ahead	in dame	Unknown / No improper driving
18	2017-02-21 Tue	9:12 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / No improper driving
19	2017-04-10 Mon	5:07 PM	Peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with light pole or other post/support	No improper driving
20	2017-10-13 Fri	4:30 PM	Peak	1	1 Non-fatal injury	Single vehicle crash	Dry	Daylight	Clear	Turning left	Collision with pedestrian	Inattention
21	2018-01-07 Sun	9:54 AM	Off-peak	2	0 Property damage only	Rear-end	Ice	Daylight	Unknown	Parked / Unknown	Collision with parked motor vehicle / Unknown	Unknown
22	2018-02-01 Thu	7:52 PM	Off-peak	1	1 Non-fatal injury	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	i i	Unknown
23	2018-03-26 Mon	4:35 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic / Turning left	Collision with motor vehicle in traffic	No improper driving
24	2018-06-19 Tue	4:08 PM	Peak	1	1 Non-fatal injury	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with pedestrian	Not reported
25	2018-10-28 Sun	3:53 AM	Off-peak	2	0 Property damage only	Angle	Wet	Dark - lighted roadway	Sleet, hail (freezing rain or drizzle)	Slowing or stopped in traffic / Travelling straight ahead		Unknown / No improper driving
26	2018-12-07 Fri	4:43 AM	Off-peak	2	1 Non-fatal injury	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	
27	2019-01-15 Tue	9:49 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving

# Washington Street at Hanover Street and Beacon Hill Street Crash Data Lookup MassDOT Crash Data 2016-2021

28	2019-09-07 Sat	10:51 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Cloudy	Travelling straight ahead
29	2019-09-07 Sat	1:35 PM	Peak	2	1 Non-fatal injury	Angle	Dry	Daylight	Clear	Travelling straight ahead
30	2019-11-07 Thu	5:20 PM	Peak	2	2 Non-fatal injury	Angle	Wet	Dark - lighted roadway	Rain	Travelling straight ahead
31	2019-11-25 Mon	7:15 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning left / Travelling straight ahead
32	2019-12-17 Tue	3:02 PM	Peak	2	1 Non-fatal injury	Angle	Slush	Daylight	Snow / Sleet, hail (freezing rain or drizzle)	Travelling straight ahead / Entering traffic lane
33	2020-01-08 Wed	4:01 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic / Travelling straight ahead
34	2020-03-04 Wed	4:53 PM	Peak	3	0 Property damage only	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead
35	2020-05-06 Wed	7:41 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dusk	Clear	Travelling straight ahead
36	2020-06-03 Wed	9:38 PM	Off-peak	3	0 Property damage only	Angle	Wet	Dark - lighted roadway	Cloudy	Entering traffic lane / Slowing or stopped in traffic / Travelling straight ahead
37	2020-07-28 Tue	9:25 AM	Peak	2	1 Non-fatal injury	Angle	Dry	Daylight	Clear	Travelling straight ahead
38	2020-08-08 Sat	4:31 PM	Off-peak	2	3 Non-fatal injury	Angle	Dry	Daylight	Clear	Travelling straight ahead
39	2020-08-12 Wed	1:33 AM	Off-peak	3	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Parked
40	2020-08-13 Thu	3:24 PM	Peak	2	0 Unknown	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Parked
41	2021-02-23 Tue	5:04 PM	Peak	2	0 Property damage only	Angle	Dry	Dusk	Clear	Turning left / Travelling straight ahead
42	2021-04-28 Wed	9:14 PM	Off-peak	2	0 Property damage only	Rear-end	Wet	Dark - lighted roadway	Clear	Travelling straight ahead
43	2021-04-30 Fri	2:22 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Entering traffic lane
44	2021-07-13 Tue	5:46 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Cloudy	Travelling straight ahead / Parked
45	2021-08-29 Sun	10:50 PM	Off-peak	4	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Turning left / Parked
46	2021-08-31 Tue	3:54 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead
47	2021-09-01 Wed	10:55 PM	Off-peak	1	0 Property damage only	Angle	Wet	Dusk	Rain	Travelling straight ahead
48	2021-09-15 Wed	7:22 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Entering traffic lane
49	2021-11-05 Fri	10:53 AM	Off-peak	2	2 Non-fatal injury	Angle	Dry	Daylight	Clear	Travelling straight ahead
50	2021-11-20 Sat	1:16 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead

Collision with motor vehicle in traffic	
Collision with motor vehicle in traffic	Unknown / No improper driving
Collision with motor vehicle in traffic	
Collision with motor vehicle in traffic	Not reported
Collision with motor vehicle in traffic	Not reported
Collision with motor vehicle in traffic	
Collision with motor vehicle in traffic	Unknown
Collision with motor vehicle in traffic	Unknown
Collision with motor vehicle in traffic	No improper driving
in traffic	Failed to yield right of way / Exceeded authorized speed limit
Collision with motor vehicle in traffic	Unknown
Collision with impact attenuator/crash cushion / Collision with motor vehicle in traffic	
Collision with parked motor vehicle	
Collision with motor vehicle in traffic	
Collision with motor vehicle in traffic	
Collision with motor vehicle in traffic	
Collision with parked motor vehicle	No improper driving
Collision with parked motor vehicle / Collision with motor vehicle in traffic	Not reported
Collision with motor vehicle in traffic	Unknown / No improper driving
Collision with motor vehicle in traffic	
Collision with motor vehicle in traffic	
Collision with motor vehicle in traffic	
Collision with motor vehicle in traffic	Unknown

# Freeman Square Crash Data Lookup MassDOT Crash Data 2016-2021

Index	Crash Date Day	Time	Peak Hour # Veh	# Injure	d Crash Severity	Manner of Collision	Road Surface Conditions	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior Crash	Most Harmful Event	Driver Contributing Code
1	2016-01-30 Sat	5:31 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	In traffic	No improper driving
2	2016-02-03 Wed	7:40 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Wet	Dark - lighted roadway	Rain	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Inattention
3	2016-02-12 Fri	4:05 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Other / Parked	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Unknown / No improper driving
4	2016-03-20 Sun	1:29 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Entering traffic lane / Travelling straight ahead	venicie	Not reported
5	2016-03-30 Wed	2:21 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	In trattic / Collision with	Inattention / Failure to keep in proper lane or running off road / No improper driving
6	2016-04-17 Sun	2:26 AM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead		No improper driving / Other improper action
7	2016-05-12 Thu	3:58 PM	Peak	2	0 Property damage only	Head-on	Dry	Daylight	Clear	Travelling straight ahead		Failure to keep in proper lane or running off road / Wrong side or wrong way / No improper driving
8	2016-07-01 Fri	6:31 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Unknown / No improper driving
9	2016-07-28 Thu	11:58 AM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	No improper driving / Visibility obstructed
10	2016-09-18 Sun	8:49 PM	Off-peak	1	0 Unknown	Angle	Dry	Dark - lighted roadway	Cloudy	Travelling straight ahead	·	Other improper action
11	2016-09-20 Tue	12:09 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic	Not reported
12	2016-11-11 Fri	2:17 PM	Peak	1	1 Non-fatal injury	Unknown	Dry	Daylight	Clear	Travelling straight ahead	Collision with pedestrian	Unknown
13	2016-12-20 Tue	1:15 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Overtaking/passing / Parked	venicie	Inattention / No improper driving
14	2016-12-28 Wed	1:15 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Cloudy	Travelling straight ahead / Turning left	in traffic	No improper driving / Other improper action
15	2017-01-19 Thu	12:17 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / Followed too closely
16	2017-02-02 Thu	4:16 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dusk	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Visibility obstructed / Unknown
17	2017-02-15 Wed	4:58 PM	Peak	1	0 Property damage only	Angle	Wet	Dark - lighted roadway	Sleet, hail (freezing rain or drizzle)	Turning left	Collision with pedestrian	Unknown
18	2017-02-15 Wed	5:09 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Wet	Dark - lighted roadway	Rain	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	No improper driving
19	2017-02-21 Tue	9:46 AM	Peak	1	1 Non-fatal injury	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with pedestrian	Not reported
20	2017-03-23 Thu	5:08 PM	Peak	1	1 Non-fatal injury	Single vehicle crash	Dry	Daylight	Clear	Turning right	•	Unknown
21	2017-03-24 Fri	9:34 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	in traffic	No improper driving
22	2017-04-06 Thu	9:08 AM	Peak	2	0 Property damage only	Sideswipe, same direction	Wet	Daylight	Rain	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
23	2017-04-10 Mon	1:04 AM	Off-peak	1	1 Non-fatal injury	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Turning right		Other improper action
24	2017-05-05 Fri	1:35 PM	Off-peak	2	0 Property damage only	Angle	Wet	Daylight	Rain	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown

# Freeman Square Crash Data Lookup MassDOT Crash Data 2016-2021

25	2017-05-17 Wed	4:01 PM	Peak	2	0 Property damage only	Sideswipe, same	Dry	Daylight	Clear	Parked / Travelling straight	Collision with parked motor	Unknown / No improper driving
						direction				ahead Slowing or stopped in traffic /	Colligion with motor vehicle	
26	2017-05-22 Mon	10:53 AM	Оп-реак	2	0 Property damage only	Rear-end	Wet	Daylight	Rain	Travelling straight ahead	in traffic	Unknown / No improper driving
27	2017-05-23 Tue	12:18 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	In traffic	Inattention / No improper driving
28	2017-06-08 Thu	12:31 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Unknown	In traffic	Unknown
29	2017-06-16 Fri	5:23 PM	Peak	2	0 Property damage only	Rear-end	Wet	Daylight	Rain	Backing / Parked	Collision with motor vehicle in traffic / Collision with parked motor vehicle	No improper driving
30	2017-07-25 Tue	9:28 PM	Off-peak	1	1 Non-fatal injury	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with pedestrian	Other improper action
31	2017-08-04 Fri	3:20 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Other / Parked	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Unknown
32	2017-08-15 Tue	5:01 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Entering traffic lane / Travelling straight ahead	in traffic	Inattention / No improper driving
33	2017-08-24 Thu	1:30 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Backing / Parked	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Inattention / No improper driving
34	2017-09-08 Fri	3:05 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	No improper driving
35	2017-09-26 Tue	11:10 AM	Off-peak	2	0 Property damage only	Sideswipe, opposite direction	Dry	Daylight	Clear	Travelling straight ahead / Turning left	in traffic	No improper driving / Failed to yield right of way / Other improper action
36	2017-12-08 Fri	5:54 PM	Peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Unknown	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / No improper driving
37	2017-12-14 Thu	2:41 PM	Peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	•	Glare
38	2018-01-09 Tue	11:53 AM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Backing / Entering traffic lane	Collision with motor vehicle in traffic	No improper driving
39	2018-02-20 Tue	1:09 AM	Off-peak	2	0 Property damage only	Rear-end	Wet	Dark - lighted roadway	Cloudy	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / No improper driving
40	2018-03-03 Sat	11:32 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Cloudy / Severe crosswinds	Travelling straight ahead		Disregarded traffic signs, signals, road markings / Unknown
41	2018-03-22 Thu	7:01 PM	Off-peak	2	1 Non-fatal injury	Single vehicle crash	Wet	Dark - lighted roadway	Cloudy	Parked / Travelling straight ahead	with motor vehicle in traffic	Operating vehicle in erratic, reckless, careless, negligent or aggressive manner / Physical impairment
42	2018-03-26 Mon	11:35 AM	Off-peak	1	1 Fatal injury	Single vehicle crash	Dry	Daylight	Clear	Turning left	Collision with pedestrian	Visibility obstructed / Inattention
43	2018-10-25 Thu	12:06 PM	Off-peak	1	0 Property damage only	Unknown	Dry	Daylight	Clear	Slowing or stopped in traffic	-	Unknown
44	2019-05-13 Mon	8:18 AM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Entering traffic lane / Travelling straight ahead	in trainc	Not reported
45	2019-07-05 Fri	12:40 AM	Off-peak	2	3 Non-fatal injury	Rear-end	Not reported	Dark - lighted roadway	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Not reported
46	2019-07-12 Fri	1:03 AM	Off-peak	2	1 Non-fatal injury	Rear-end	Not reported	Dark - lighted roadway	Rain	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	No improper driving
47	2019-10-11 Fri	11:14 PM	Off-peak	3	0 Property damage only	Rear-end	Wet	Dark - lighted roadway	Rain	Parked / Travelling straight ahead	in traffic / Collision with	No improper driving / Physical impairment / Operating vehicle in erratic, reckless, careless, negligent or aggressive manner
48	2020-02-10 Mon	12:40 PM	Off-peak	2	0 Property damage only	Single vehicle crash	Wet	Daylight	Cloudy / Rain	Turning right / Parked	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Inattention / No improper driving

# Freeman Square Crash Data Lookup MassDOT Crash Data 2016-2021

49	2020-07-15 Wed	3:06 PM	Peak	2	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Other / Parked	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Other improper action
50	2020-08-05 Wed	7:14 AM	Peak	1	1 Non-fatal injury	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with pedestrian	Other improper action
51	2020-08-11 Tue	6:00 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
52	2020-08-21 Fri	10:26 AM	Off-peak	3	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	In traffic	No improper driving
53	2020-11-17 Tue	8:33 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown
54	2020-12-26 Sat	3:40 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Unknown / Parked	venicie / Other	Not Reported
55	2021-01-29 Fri	2:10 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic	Not Reported
56	2021-02-05 Fri	5:46 PM	Peak	2	0 Property damage only	Unknown	Wet	Dark - lighted roadway	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Not Reported
57	2021-02-16 Tue	4:08 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
58	2021-06-03 Thu	1:41 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	Collision with parked motor vehicle	No improper driving
59	2021-07-22 Thu	1:51 PM	Off-peak	1	1 Non-fatal injury	Sideswipe, same direction	Dry	Daylight	Clear	Turning left	Collision with pedestrian	Unknown
60	2021-08-21 Sat	8:21 PM	Off-peak	2	0 Property damage only	Sideswipe, opposite direction	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	In traffic	No improper driving
61	2021-09-02 Thu	6:44 PM	Off-peak	1	0 Unknown	Sideswipe, same direction	Dry	Daylight	Clear	Parked	Collision with motor vehicle in traffic	Not Reported
62	2021-11-04 Thu	11:27 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Entering traffic lane / Travelling straight ahead	In traffic	No improper driving
63	2021-11-11 Thu	1:02 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Parked / Travelling straight ahead	Collision with parked motor vehicle	Not Reported

Appendix C: Traffic and Speed Data

Thu Apr 13, 2023 Full Length (6 AM-10 AM, 2 PM-6 PM, 10 AM-2 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055361, Location: 42.467894, -70.953695

162 Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg Direction	Beaco South			ven	ıe		Washing Westbo		eet (Ro	ute 12	:9)		Hanover Northbo						Washing Eastbou	-	reet (Ro	ute 1	129)		
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-13 6:00AM	0	0	0	0	0	3	4	79	11	0	94	0	0	5	5	0	10	4	11	33	11	0	55	0	159
6:15AM	0	0	0	0	0	1	0	67	18	0	85	1	5	12	6	0	23	4	4	32	12	0	48	0	156
6:30AM	1	0	0	0	1	3	4	78	10	0	92	0	1	8	3	0	12	0	12	47	13	0	72	3	177
6:45AM	0	0	0	0	0	0	4	70	11	0	85	1	3	12	2	0	17	2	21	50	8	0	79	1	181
Hourly Total	1	0	0	0	1	7	12	294	50	0	356	2	9	37	16	0	62	10	48	162	44	0	254	4	673
7:00AM	0	0	0	0	0	3	7	68	20	0	95	1	0	8	5	0	13	5	16	81	11	0	108	2	216
7:15AM	0	0	0	0	0	1	8	76	21	0	105	0	8	20	6	0	34	4	28	83	7	0	118	1	257
7:30AM	0	0	0	0	0	1	10	61	26	0	97	2	8	13	3	0	24	5	23	98	20	0	141	3	262
7:45AM	0	0	0	0	0	5	15	73	45	0	133	3	4	20	6	0	30	4	11	96	19	0	126	3	289
Hourly Total	0		0	0	0	10	40	278	112	0	430	6	20	61			101	18	78	358	57	0	493	9	1024
8:00AM	0	0	0	0	0	1	12	77	30	0	119	1	10	36		0	53	4	24	98	11	0	133	2	305
8:15AM	0	0	0	0	0	1	4	83	30	0	117	8	3	27		0	33	6	19	78	17	0	114	1	264
8:30AM	0		0	0	0	5	5	64	13	0	82	0	6	10		0	19	8	24	81	8	0	113	1	214
8:45AM	0	0	0	0	0	2	5	68	15	0	88	2	3	15		0	20	3	9	84	13	0	106	4	214
Hourly Total	0		0	0	0	9	26	292	88	0	406	11	22	88			125	21	76	341	49	0	466	8	997
9:00AM	0	0	0	0	0	1	12	72	8	0	92	5	5	7		0	14	3	7	90	11	0	108	3	214
9:15AM	0	0	0	0	0	3	5	66	14	0	85	0	6	12		0	21	3	16	65	12	0	93	0	199
9:30AM 9:45AM	0	0	0	0	0	9	4	72	6	0	82	3	5	7		0	16	15	10	76	12	0	91	4	189
	0	0	0	0	0	4	4 25	64 274	7 35	0	75 334	2 10	5 21	15	-	0	23 74	0	8 41	79 310	13	0	100 392	0	198
Hourly Total 2:00PM	0		0	0	0	1/	12	102	23	0	137	0	10	41 15		0	26	21 5	41 13		41	0	392 87	7	800 250
2:00PM 2:15PM	0	0	0	0	0	4	55	24	23	1	137	14	20	43		0	26 64	10	13	63 36	7	0	8/ 50	/ 8	250
2:30PM	0	0	0	0	0	4	64	11	40	0	100	6	20	43 65		0	87	10	4	1	4	0	<u> </u>	o 5	222
2:45PM	0	0	0	0	0	5	56	2	53	0	111	2	22	53		0	78	10	4	0		0	1	6	190
Hourly Total	0		0	0	0	21	187	139	144	1	471	22	77	176			255	35	25	100	22	0	147	26	873
3:00PM	0	0	0	0	0	6	28	79	32	0	139	1	17	47		0	66	9	15	78	18	0	111	10	316
3:15PM	0	0	0	0	0	7	14	82	19	0	115	9	8	36		0	52	4	28	75	10	0	117	5	284
3:30PM	0	0	0	0	0	10	13	88	14	0	115	0	5	30		0	41	6	8	69	14	0	91	6	247
3:45PM	0	0	0	0	0	8	11	105	27	0	143	5	6	23		0	37	3	9	77	14	0	100	2	280
Hourly Total	0		0	0	0	31	66	354	92	0	512	15	36	136		-	196	22	60	299	60	0	419	23	1127
4:00PM	0	0	0	0	0	6	18	106	16	0	140	1	14	58		0	79	6	25	60	17	0	102	4	321
4:15PM	0	0	0	0	0	5	15	95	23	0	133	1	15	33	7	0	55	7	15	77	18	0	110	0	298
4:30PM	0	0	0	0	0	7	29	97	25	0	151	6	9	46	5	0	60	6	13	88	19	0	120	0	331
4:45PM	0	0	0	0	0	7	20	88	16	0	124	0	10	43	3	0	56	9	10	84	23	0	117	0	297
Hourly Total	0	0	0	0	0	25	82	386	80	0	548	8	48	180	22	0	250	28	63	309	77	0	449	4	1247
5:00PM	0	0	0	0	0	3	22	87	18	0	127	3	6	46	7	0	59	10	16	73	21	0	110	2	296
5:15PM	0	0	0	0	0	9	13	102	18	0	133	1	4	27	3	0	34	8	14	89	26	0	129	3	296
5:30PM	0	0	0	0	0	5	16	104	15	0	135	2	9	25	7	0	41	6	11	79	18	0	108	2	284
5:45PM	0	0	0	0	0	6	15	82	14	0	111	0	5	18	2	0	25	5	17	71	23	0	111	2	247
Hourly Total	0	0	0	0	0	23	66	375	65	0	506	6	24	116	19	0	159	29	58	312	88	0	458	9	1123
2023-04-15 10:00AM	0	0	0	0	0	6	8	63	14	1	86	1	2	13	5	0	20	1	8	70	5	0	83	0	189
10:15AM	0	0	0	0	0	4	8	72	12	0	92	0	4	11	2	0	17	7	7	40		0	54	1	163
10:30AM	1	0	0	0	1	5	7	84	9	0	100	1	9	9	3		21	5	6	61	7	0	74	0	196
10:45AM	0	0	0	0	0	4	3	76	7	0	86	0	7	9	2	0	18	1	7	87	5	0	99	3	203
Hourly Total	1	0	0	0	1	19	26	295	42	1	364	2	22	42	12	0	76	14	28	258		0	310	4	751
11:00AM		0	0	0	0	3	11	92	24	0	127	3	7	11	4		22	4	8	61		0	77	1	226
11:15AM	0			0	0	3	5	106	59	0	170	0	10	15	11		36	5	6	55		0	72	2	278
11:30AM	0	-	0	0	0	4	12	95	34	0	141	1	19	16		0	37	5	8	71	14	0	93	0	271
11:45AM	0	-	0	0	0	8	10	71	10	0	91	0	8	17		0	31	7	8	100		0	117	1	239
Hourly Total	-	0		0	0	18	38	364	127	0	529	4	44	59			126	21	30	287		0	359	4	1014
12:00PM	0		0	0	0	6	10	78	14	0	102	2	10	17		0	31	5	8	67		0	86	0	219
12:15PM	0		0	0	0	4	11	75	16	0	102	1	2	18	5		25	12	7	61		0	79	1	206
12:30PM	0	-		0	0	3	9	79	10	0	98	1	3	17	4		24	4	10	74	14	0	98	0	220
12:45PM			0	0	0	11	10	57	9	0	76	0	3	22	2		27	3	19	79		0	110	0	213
Hourly Total	-	0		0	0	24	40	289	49	0	378	4	18	74			107	24	44	281	48	0	373	1	858
1:00PM	0	-	0	0	0	4	9	84	13	0	106	0	5	13		0	22	2	13	80		0	101	2	229
1:15PM	0	0	0	0	0	3	7	74	13	0	94	0	8	21	8	U	37	10	12	73	10	0	95	1	226 1 Of

Leg Direction	Beacor Southb			ven	ue		Washin Westbo	0	reet (Ro	oute 12	29)		Hanove Northb		t				Washin Eastbou	0	treet (R	oute	129)		
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
1:30PM	0	0	0	0	0	6	10	81	10	0	101	4	11	17	7	0	35	10	12	83	6	0	101	0	237
1:45PM	0	0	0	0	0	6	10	75	13	0	98	0	5	12	2	0	19	4	13	74	18	0	105	3	222
Hourly Total	0	0	0	0	0	19	36	314	49	0	399	4	29	63	21	0	113	26	50	310	42	0	402	6	914
Total	2	0	0	0	2	223	644	3654	933	2	5233	94	370	1073	201	0	1644	269	601	3327	594	0	4522	105	11401
% Approach	100% (	0%	0%	0%	-	-	12.3%	69.8%	17.8%	0%	-	-	22.5%	65.3%	12.2% (	)%	-	-	13.3%	73.6%	13.1%	0%	-	-	-
% Total	0% (	0%	0%	0%	0%	-	5.6%	32.0%	8.2%	0%	45.9%	-	3.2%	9.4%	1.8% (	0% 1	4.4%	-	5.3%	29.2%	5.2%	0%3	39.7%	-	-
Motorcycles	0	0	0	0	0	-	4	26	8	0	38	-	1	2	0	0	3	-	8	19	2	0	29	-	70
% Motorcycles	0% (	0%	0%	0%	0%	-	0.6%	0.7%	0.9%	0%	0.7%	-	0.3%	0.2%	0% (	)%	0.2%	-	1.3%	0.6%	0.3%	0%	0.6%	-	0.6%
Lights	2	0	0	0	2	-	615	3499	895	2	5011	-	360	1049	199	0	1608	-	577	3198	562	0	4337	-	10958
% Lights	100% (	0%	0%	0%	100%	-	95.5%	95.8%	95.9%	100%	95.8%	-	97.3%	97.8%	99.0% (	)% 9	97.8%	-	96.0%	96.1%	94.6%	0% 9	95.9%	-	96.1%
Single-Unit Trucks	0	0	0	0	0	-	10	70	15	0	95	-	4	9	2	0	15	-	8	58	14	0	80	-	190
% Single-Unit Trucks	0% (	0%	0%	0%	0%	-	1.6%	1.9%	1.6%	0%	1.8%	-	1.1%	0.8%	1.0% (	)%	0.9%	-	1.3%	1.7%	2.4%	0%	1.8%	-	1.7%
Articulated Trucks	0	0	0	0	0	-	1	3	0	0	4	-	0	0	0	0	0	-	2	10	1	0	13	-	17
% Articulated Trucks	0% (	0%	0%	0%	0%	-	0.2%	0.1%	0%	0%	0.1%	-	0%	0%	0% (	)%	0%	-	0.3%	0.3%	0.2%	0%	0.3%	-	0.1%
Buses	0	0	0	0	0	-	10	46	15	0	71	-	2	12	0	0	14	-	6	32	15	0	53	-	138
% Buses	0% (	0%	0%	0%	0%	-	1.6%	1.3%	1.6%	0%	1.4%	-	0.5%	1.1%	0% (	)%	0.9%	-	1.0%	1.0%	2.5%	0%	1.2%	-	1.2%
Bicycles on Road	0	0	0	0	0	-	4	10	0	0	14	-	3	1	0	0	4	-	0	10	0	0	10	-	28
% Bicycles on Road	0% (	0%	0%	0%	0%	-	0.6%	0.3%	0%	0%	0.3%	-	0.8%	0.1%	0% (	)%	0.2%	-	0%	0.3%	0%	0%	0.2%	-	0.2%
Pedestrians	-	-	-	-	-	205	-	-	-	-	-	92	-	-	-	-	-	256	-	-	-	-	-	103	
% Pedestrians	-	-	-	-	-	91.9%	-	-	-	-	-	97.9%	-	-	-	-	- 9	95.2%	-	-	-	-	- 9	98.1%	-
Bicycles on Crosswalk	-	-	-	-	-	18	-	-	-	-	-	2	-	-	-	-	-	13	-	-	-	-	-	2	
% Bicycles on Crosswalk	-	-	-	-	-	8.1%	-	-	-	-	-	2.1%	-	-	-	-	-	4.8%	-	-	-	-	-	1.9%	-

Thu Apr 13, 2023 AM Peak (Apr 13 2023 7:30AM - 8:30 AM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055361, Location: 42.467894, -70.953695

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Bea	con	Hil	l A	veni	ue		Washin	gton S	treet (R	oute	129)		Hanove	er Stree	t				Washin	igton Si	reet (Re	oute	129)		
Direction	Sou	thbc	ound	1				Westbo	und					Northb	ound					Eastbou	und					
Time	R	Т	L	ι	J Ap	<b>op</b> 1	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-13 7:30AM	0	0	0	(	)	0	1	10	61	26	0	97	2	8	13	3	0	24	5	23	98	20	0	141	3	262
7:45AM	0	0	0	(	)	0	5	15	73	45	0	133	3	4	20	6	0	30	4	11	96	19	0	126	3	289
8:00AM	0	0	0	(	)	0	1	12	77	30	0	119	1	10	36	7	0	53	4	24	98	11	0	133	2	305
8:15AM	0	0	0	(	)	0	1	4	83	30	0	117	8	3	27	3	0	33	6	19	78	17	0	114	1	264
Total	0	0	0	(	)	0	8	41	294	131	0	466	14	25	96	19	0	140	19	77	370	67	0	514	9	1120
% Approach	0%	0%	0%	0%	ó	-	-	8.8%	63.1%	28.1%	0%	-	-	17.9%	68.6%	13.6%	0%	-	-	15.0%	72.0%	13.0%	0%	-	-	-
% Total	0%	0%	0%	0%	6 <b>0</b>	%	-	3.7%	26.3%	11.7%	0%	41.6%	-	2.2%	8.6%	1.7%	0% 1	2.5%	-	6.9%	33.0%	6.0%	0%4	15.9%	-	-
PHF	-	-	-		-	-	-	0.683	0.893	0.728	-	0.874	-	0.625	0.667	0.679	-	0.660	-	0.802	0.944	0.838	-	0.911	-	0.917
Motorcycles	0	0	0	(	)	0	-	0	2	0	0	2	-	0	0	0	0	0	-	1	1	0	0	2	-	4
% Motorcycles	0%	0%	0%	0%	ó	-	-	0%	0.7%	0%	0%	0.4%	-	0%	0%	0%	0%	0%	-	1.3%	0.3%	0%	0%	0.4%	-	0.4%
Lights	0	0	0	(	)	0	-	38	279	123	0	440	-	24	95	18	0	137	-	73	359	60	0	492	-	1069
% Lights	0%	0%	0%	0%	ó	-	-	92.7%	94.9%	93.9%	0% 9	94.4%	-	96.0%	99.0%	94.7%	0% <b>9</b>	97.9%	-	94.8%	97.0%	89.6%	0% 9	95.7%	-	95.4%
Single-Unit Trucks	0	0	0	(	)	0	-	0	7	3	0	10	-	1	1	1	0	3	-	1	6	2	0	9	-	22
% Single-Unit Trucks	0%	0%	0%	0%	ó	-	-	0%	2.4%	2.3%	0%	2.1%	-	4.0%	1.0%	5.3%	0%	2.1%	-	1.3%	1.6%	3.0%	0%	1.8%	-	2.0%
Articulated Trucks	0	0	0	(	)	0	-	0	0	0	0	0	-	0	0	0	0	0	-	2	3	0	0	5	-	5
% Articulated Trucks	0%	0%	0%	0%	ó	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	2.6%	0.8%	0%	0%	1.0%	-	0.4%
Buses	0	0	0	(	)	0	-	3	5	5	0	13	-	0	0	0	0	0	-	0	1	5	0	6	-	19
% Buses	0%	0%	0%	0%	ó	-	-	7.3%	1.7%	3.8%	0%	2.8%	-	0%	0%	0%	0%	0%	-	0%	0.3%	7.5%	0%	1.2%	-	1.7%
Bicycles on Road	0	0	0	(	)	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	0	0	0	0	-	1
% Bicycles on Road	0%	0%	0%	0%	ó	-	-	0%	0.3%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0.1%
Pedestrians	-	-	-		-	-	8	-	-	-	-	-	14	-	-	-	-	-	19	-	-	-	-	-	9	
% Pedestrians	-	-	-		-	- 1	00%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	- 2	100%	-
Bicycles on Crosswalk	-	-	-		-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-		-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-

Thu Apr 13, 2023 PM Peak (Apr 13 2023 4PM - 5 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055361, Location: 42.467894, -70.953695

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Bead	con	Hill	Av	enue		Washin	gton St	reet (R	oute	129)		Hanove	er Stree	t				Washin	gton St	treet (Ro	oute	129)		
Direction	Sout	thbo	und				Westbo	und					Northb	ound					Eastbou	ınd					
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-13 4:00PM	0	0	0	0	0	6	18	106	16	0	140	1	14	58	7	0	79	6	25	60	17	0	102	4	321
4:15PM	0	0	0	0	0	5	15	95	23	0	133	1	15	33	7	0	55	7	15	77	18	0	110	0	298
4:30PM	0	0	0	0	0	7	29	97	25	0	151	6	9	46	5	0	60	6	13	88	19	0	120	0	331
4:45PM	0	0	0	0	0	7	20	88	16	0	124	0	10	43	3	0	56	9	10	84	23	0	117	0	297
Total	0	0	0	0	0	25	82	386	80	0	548	8	48	180	22	0	250	28	63	309	77	0	449	4	1247
% Approach	0% (	0%	0%	0%	-	-	15.0%	70.4%	14.6%	0%	-	-	19.2%	72.0%	8.8%	0%	-	-	14.0%	68.8%	17.1%	0%	-	-	-
% Total	0% (	0% (	0%	0%	0%	-	6.6%	31.0%	6.4%	0%	43.9%	-	3.8%	14.4%	1.8%	0%2	20.0%	-	5.1%	24.8%	6.2%	0%3	36.0%	-	-
PHF	-	-	-	-	-	-	0.707	0.910	0.800	-	0.907	-	0.800	0.776	0.786	-	0.791	-	0.630	0.878	0.837	-	0.935	-	0.942
Motorcycles	0	0	0	0	0	-	0	0	2	0	2	-	0	0	0	0	0	-	1	2	0	0	3	-	5
% Motorcycles	0% (	0%	0%	0%	-	-	0%	0%	2.5%	0%	0.4%	-	0%	0%	0%	0%	0%	-	1.6%	0.6%	0%	0%	0.7%	-	0.4%
Lights	0	0	0	0	0	-	81	374	74	0	529	-	48	178	22	0	248	-	60	293	73	0	426	-	1203
% Lights	0% (	0% (	0%	0%	-	-	98.8%	96.9%	92.5%	0% 9	96.5%	-	100%	98.9%	100%	0% <b>9</b>	9.2%	-	95.2%	94.8%	94.8%	0% 9	94.9%	-	96.5%
Single-Unit Trucks	0	0	0	0	0	-	1	5	1	0	7	-	0	1	0	0	1	-	0	8	3	0	11	-	19
% Single-Unit Trucks	0% (	0% (	0%	0%	-	-	1.2%	1.3%	1.3%	0%	1.3%	-	0%	0.6%	0%	0%	0.4%	-	0%	2.6%	3.9%	0%	2.4%	-	1.5%
Articulated Trucks	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	1	0	0	1	-	1
% Articulated Trucks	0% (	0% (	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0.2%	-	0.1%
Buses	0	0	0	0	0	-	0	7	3	0	10	-	0	1	0	0	1	-	2	5	1	0	8	-	19
% Buses	0% (	0% (	0%	0%	-	-	0%	1.8%	3.8%	0%	1.8%	-	0%	0.6%	0%	0%	0.4%	-	3.2%	1.6%	1.3%	0%	1.8%	-	1.5%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0% (	0% (	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	25	-	-	-	-	-	8	-	-	-	-	-	27	-	-	-	-	-	4	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	- 1	96.4%	-	-	-	-	- 1	.00%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	3.6%	-	-	-	-	-	0%	-

Sat Apr 15, 2023 AM Peak (WKND) (Apr 15 2023 10AM - 11 AM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055361, Location: 42.467894, -70.953695

67 Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

101

Leg	Beaco	n F	Hill	Ave	enu	e		Washii	ngton S	treet (R	loute 1	129)		Hanove	er Street	t				Washin	gton St	reet (R	loute	129)		
Direction	Southb	oou	ınd					Westbo	ound					Northb	ound					Eastbou	ınd					
Time	R	T	ΓΙ		U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-15 10:00AM	0	0	) (	)	0	0	6	8	63	14	1	86	1	2	13	5	0	20	1	8	70	5	0	83	0	189
10:15AM	0	0	) (	)	0	0	4	8	72	12	0	92	0	4	11	2	0	17	7	7	40	7	0	54	1	163
10:30AM	1	(	) (	)	0	1	5	7	84	9	0	100	1	9	9	3	0	21	5	6	61	7	0	74	0	196
10:45AM	0	(	) (	)	0	0	4	3	76	7	0	86	0	7	9	2	0	18	1	7	87	5	0	99	3	203
Total	1	(	) (	)	0	1	19	26	295	42	1	364	2	22	42	12	0	76	14	28	258	24	0	310	4	751
% Approach	100%	0%	6 0%	6 0	%	-	-	7.1%	81.0%	11.5%	0.3%	-	-	28.9%	55.3%	15.8%	0%	-	-	9.0%	83.2%	7.7%	0%	-	-	-
% Total	0.1%	0%	6 0%	6 0	% (	0.1%	-	3.5%	39.3%	5.6%	0.1%	48.5%	-	2.9%	5.6%	1.6%	0% 1	10.1%	-	3.7%	34.4%	3.2%	0% 4	1.3%	-	-
PHF	0.250		-	-	- (	.250	-	0.813	0.883	0.750	0.250	0.914	-	0.611	0.808	0.600	-	0.905	-	0.875	0.753	0.857	-	0.794	-	0.929
Motorcycles	0	(	) (	)	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcycles	0%	0%	6 0%	6 0	%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	1	(	) (	)	0	1	-	26	289	41	1	357	-	22	42	12	0	76	-	26	253	24	0	303	-	737
% Lights	100%	0%	6 0%	6 0	% 1	.00%	-	100%	98.0%	97.6%	100%	98.1%	-	100%	100%	100%	0%	100%	-	92.9%	98.1%	100%	0% 9	97.7%	-	98.1%
Single-Unit Trucks	0	(	) (	)	0	0	-	0	3	1	0	4	-	0	0	0	0	0	-	2	1	0	0	3	-	7
% Single-Unit Trucks	0%	0%	6 0%	6 O	%	0%	-	0%	1.0%	2.4%	0%	1.1%	-	0%	0%	0%	0%	0%	-	7.1%	0.4%	0%	0%	1.0%	-	0.9%
Articulated Trucks	0	(	) (	)	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Articulated Trucks	0%	0%	6 0%	6 0	%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Buses	0	(	) (	)	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	2	0	0	2	-	3
% Buses	0%	0%	6 0%	6 0	%	0%	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0%	0.8%	0%	0%	0.6%	-	0.4%
Bicycles on Road	0	(	) (	)	0	0	-	0	2	0	0	2	-	0	0	0	0	0	-	0	2	0	0	2	-	4
% Bicycles on Road	0%	0%	6 0%	6 0	%	0%	-	0%	0.7%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	0%	0.8%	0%	0%	0.6%	-	0.5%
Pedestrians	-		-	-	-	-	16	-	-	-	-	-	2	-	-	-	-	-	11	-	-	-	-	-	4	
% Pedestrians	-		-	-	-	- {	34.2%	-	-	-	-	-	100%	-	-	-	-	- 1	78.6%	-	-	-	-	- 1	100%	-
Bicycles on Crosswalk	-		-	-	-	-	3	-	-	-	-	-	0	-	-	-	-	-	3	-	-	-	-	-	0	
% Bicycles on Crosswalk	-		-	-	-	- 1	15.8%	-	-	-	-	-	0%	-	-	-	-	- 2	21.4%	-	-	-	-	-	0%	-

Sat Apr 15, 2023 Midday Peak (WKND) (Apr 15 2023 11AM - 12 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 1055361, Location: 42.467894, -70.953695

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Beac	on l	Hill	Ave	enue		Washir	ngton S	treet (R	oute	129)		Hanove	er Stree	t				Washin	gton S	treet (Ro	oute	129)		
Direction	Sout	hbo	und				Westbo	ound					Northb	ound					Eastbou	ind					
Time	R	Т	L	U.	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-15 11:00AM	0	0	0	0	0	3	11	92	24	0	127	3	7	11	4	0	22	4	8	61	8	0	77	1	226
11:15AM	0	0	0	0	0	3	5	106	59	0	170	0	10	15	11	0	36	5	6	55	11	0	72	2	278
11:30AM	0	0	0	0	0	4	12	95	34	0	141	1	19	16	2	0	37	5	8	71	14	0	93	0	271
11:45AM	0	0	0	0	0	8	10	71	10	0	91	0	8	17	6	0	31	7	8	100	9	0	117	1	239
Total	0	0	0	0	0	18	38	364	127	0	529	4	44	59	23	0	126	21	30	287	42	0	359	4	1014
% Approach	0% (	)%(	0% (	)%	-	-	7.2%	68.8%	24.0%	0%	-	-	34.9%	46.8%	18.3%	0%	-	-	8.4%	79.9%	11.7% (	)%	-	-	-
% Total	0% (	)%(	0% (	)%	0%	-	3.7%	35.9%	12.5%	0% !	52.2%	-	4.3%	5.8%	2.3%	0% 1	12.4%	-	3.0%	28.3%	4.1% (	)%3	35.4%	-	-
PHF	-	-	-	-	-	-	0.792	0.860	0.538	-	0.778	-	0.579	0.868	0.523	-	0.851	-	0.938	0.722	0.750	-	0.772	-	0.912
Motorcycles	0	0	0	0	0	-	1	1	0	0	2	-	0	0	0	0	0	-	1	1	1	0	3	-	5
% Motorcycles	0% (	)%(	0% (	)%	-	-	2.6%	0.3%	0%	0%	0.4%	-	0%	0%	0%	0%	0%	-	3.3%	0.3%	2.4% (	)%	0.8%	-	0.5%
Lights	0	0	0	0	0	-	35	353	126	0	514	-	42	59	23	0	124	-	29	281	40	0	350	-	988
% Lights	0% (	)%(	0% (	)%	-	-	92.1%	97.0%	99.2%	0% 9	97.2%	-	95.5%	100%	100%	0% 9	98.4%	-	96.7%	97.9%	95.2% (	)% 9	97.5%	-	97.4%
Single-Unit Trucks	0	0	0	0	0	-	2	6	1	0	9	-	1	0	0	0	1	-	0	4	1	0	5	-	15
% Single-Unit Trucks	0% (	)%(	0% (	)%	-	-	5.3%	1.6%	0.8%	0%	1.7%	-	2.3%	0%	0%	0%	0.8%	-	0%	1.4%	2.4% (	)%	1.4%	-	1.5%
Articulated Trucks	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Articulated Trucks	0% (	)%(	0% (	)%	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0% (	)%	0%	-	0%
Buses	0	0	0	0	0	-	0	1	0	0	1	-	1	0	0	0	1	-	0	0	0	0	0	-	2
% Buses	0% (	)%(	0% (	)%	-	-	0%	0.3%	0%	0%	0.2%	-	2.3%	0%	0%	0%	0.8%	-	0%	0%	0% (	)%	0%	-	0.2%
Bicycles on Road	0	0	0	0	0	-	0	3	0	0	3	-	0	0	0	0	0	-	0	1	0	0	1	-	4
% Bicycles on Road	0% (	)% (	0% (	)%	-	-	0%	0.8%	0%	0%	0.6%	-	0%	0%	0%	0%	0%	-	0%	0.3%	0% (	)%	0.3%	-	0.4%
Pedestrians	-	-	-	-	-	18	-	-	-	-	-	4	-	-	-	-	-	20	-	-	-	-	-	3	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	- 1	95.2%	-	-	-	-	- 7	75.0%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	-	-	-	-	-	1	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	4.8%	-	-	-	-	- 2	25.0%	-

Sat Apr 15, 2023 PM Peak (WKND) (Apr 15 2023 1PM - 2 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055361, Location: 42.467894, -70.953695

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Bea	on	Hill	Ave	enue		Washin	gton S	treet (Re	oute	129)		Hanove	er Stree	t				Washir	ngton S	treet (Ro	oute	129)		
Direction	Sout	hbo	und				Westbo	und					Northb	ound					Eastbo	und					
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-15 1:00PM	0	0	0	0	0	4	9	84	13	0	106	0	5	13	4	0	22	2	13	80	8	0	101	2	229
1:15PM	0	0	0	0	0	3	7	74	13	0	94	0	8	21	8	0	37	10	12	73	10	0	<b>9</b> 5	1	226
1:30PM	0	0	0	0	0	6	10	81	10	0	101	4	11	17	7	0	35	10	12	83	6	0	101	0	237
1:45PM	0	0	0	0	0	6	10	75	13	0	98	0	5	12	2	0	19	4	13	74	18	0	105	3	222
Total	0	0	0	0	0	19	36	314	49	0	399	4	29	63	21	0	113	26	50	310	42	0	402	6	914
% Approach	0%	0% (	0% (	0%	-	-	9.0%	78.7%	12.3%	)%	-	-	25.7%	55.8%	18.6%	0%	-	-	12.4%	77.1%	10.4% (	)%	-	-	-
% Total	0%	0% (	0%	0%	0%	-	3.9%	34.4%	5.4%	)%4	13.7%	-	3.2%	6.9%	2.3%	0% 1	2.4%	-	5.5%	33.9%	4.6% (	)% 4	4.0%	-	-
PHF	-	-	-	-	-	-	0.900	0.935	0.942	-	0.941	-	0.614	0.750	0.656	-	0.750	-	0.962	0.931	0.583	- (	0.964	-	0.961
Motorcycles	0	0	0	0	0	-	0	3	1	0	4	-	0	0	0	0	0	-	2	4	0	0	6	-	10
% Motorcycles	0%	0% (	0% (	0%	-	-	0%	1.0%	2.0%	)%	1.0%	-	0%	0%	0%	0%	0%	-	4.0%	1.3%	0% (	)%	1.5%	-	1.1%
Lights	0	0	0	0	0	-	35	305	48	0	388	-	27	63	21	0	111	-	48	301	42	0	391	-	890
% Lights	0%	0% (	0% (	0%	-	-	97.2%	97.1%	98.0%	)% 9	97.2%	-	93.1%	100%	100%	0% 9	98.2%	-	96.0%	97.1%	100% (	)% 9	97.3%	-	97.4%
Single-Unit Trucks	0	0	0	0	0	-	1	5	0	0	6	-	0	0	0	0	0	-	0	2	0	0	2	-	8
% Single-Unit Trucks	0%	0% (	0% (	0%	-	-	2.8%	1.6%	0%	)%	1.5%	-	0%	0%	0%	0%	0%	-	0%	0.6%	0% (	)%	0.5%	-	0.9%
Articulated Trucks	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Articulated Trucks	0%	0% (	0% (	0%	-	-	0%	0%	0%	)%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0% (	)%	0%	-	0%
Buses	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	2	0	0	2	-	3
% Buses	0%	0% (	0%	0%	-	-	0%	0.3%	0%	)%	0.3%	-	0%	0%	0%	0%	0%	-	0%	0.6%	0% (	)%	0.5%	-	0.3%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	2	0	0	0	2	-	0	1	0	0	1	-	3
% Bicycles on Road	0%	0% (	0% (	0%	-	-	0%	0%	0%	)%	0%	-	6.9%	0%	0%	0%	1.8%	-	0%	0.3%	0% (	)%	0.2%	-	0.3%
Pedestrians	-	-	-	-	-	18	-	-	-	-	-	4	-	-	-	-	-	26	-	-	-	-	-	6	
% Pedestrians	-	-	-	-	-	94.7%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	- 2	100%	-
Bicycles on Crosswalk	-	-	-	-	-	1	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	5.3%	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-

### 239292 (3) Freeman Square TMC - TMC

Thu Apr 13, 2023 Full Length (6 AM-10 AM, 2 PM-6 PM, 10 AM-2 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Union							Silsbee Stre	et					Union St						
Direction	Southb							Westbound						Northbou						
Time	HR	R	Т	L	U	Арр	Ped*	R BR	Т	L		Арр	Ped*	R	Т	BL	L	U	Арр	Ped*
2023-04-13 6:00AM	2		29	15	0	49	1	0 0	0	0	0	0	1	1	16	2	0	0	19	0
6:15AM	1		35	14	0	55	4	0 0	0	0		0	2	1	15	0	0	0	16	1
6:30AM	5		40	14	0	73	2	0 0	0	0	0	0	2	4	14	3	0	0	21	1
6:45AM	1		44	18	0	71	6	0 0	0	0	0	0	2	1	24	6	2	0	33	1
Hourly Total	9		148	61	0	248	13	0 0	0	0		0	7	7	69	11	2	0	89	3
7:00AM	4		45	15	0	71	2	0 0	0	0		0	5	3	27	9	1	0	40	2
7:15AM	4		55	23	0	93	3	0 0	0	0		0	4	6	25	8	0	0	39	1
7:30AM	3		69	25	0	111	31	0 0	0	0	0	0	2		62	8	3	0	86	4
7:45AM	3		62	21	0	103	24	0 0	0	0	0	0	5		54	15	3	0	86	6
Hourly Total	14	49	231	84	0	378	60	0 0	0	0	0	0	16	36	168	40	7	0	251	13
8:00AM	6	22	76	22	0	126	6	0 0	0	0	0	0	4	21	45	4	0	0	70	4
8:15AM	5	22	51	19	0	97	3	0 0	0	0	0	0	3	11	38	6	4	0	59	8
8:30AM	0	15	45	19	0	79	5	0 0	0	0	0	0	6	8	47	3	3	0	61	4
8:45AM	0	6	38	22	0	66	3	0 0	0	0	0	0	5	13	47	5	2	0	67	4
Hourly Total	11	65	210	82	0	368	17	0 0	0	0	0	0	18	53	177	18	9	0	257	20
9:00AM	3	4	41	19	0	67	4	0 0	0	0	0	0	5	15	49	2	1	0	67	4
9:15AM	3	4	42	17	0	66	4	0 0	0	0	0	0	11	11	33	5	2	0	51	8
9:30AM	0	10	42	15	0	67	2	0 0	0	0	0	0	9	8	54	7	0	0	69	4
9:45AM	1	13	52	19	0	85	2	0 0	0	0	0	0	10	14	39	4	0	1	58	5
Hourly Total	7	31	177	70	0	285	12	0 0	0	0	0	0	35	48	175	18	3	1	245	21
2:00PM	8	15	58	5	0	86	13	0 0	0	0	0	0	12	12	68	11	1	0	92	12
2:15PM	3	13	46	16	0	78	9	0 0	0	0	0	0	16	11	78	7	2	0	98	7
2:30PM	10	14	53	12	0	89	3	0 0	0	0	0	0	20	12	78	7	1	0	98	17
2:45PM	3	19	45	23	0	90	19	0 0	0	0	0	0	21	26	53	13	2	1	95	22
Hourly Total	24	61	202	56	0	343	44	0 0	0	0	0	0	69	61	277	38	6	1	383	58
3:00PM	7	8	65	15	0	95	6	0 0	0	0	0	0	9	10	73	15	8	0	106	3
3:15PM	16	16	46	20	0	98	10	0 0	0	0	0	0	10	13	80	10	2	0	105	4
3:30PM	4		60	15	0	91	2	0 0	0	0	0	0	7	13	77	15	5	1	115	. 8
3:45PM	10	9	50	21	0	90	8	0 0	0	0	0	0	14	16	82	7	1	0	106	3
Hourly Total	37	45	221	71	0	374	26	0 0	0	0		0	40	56	312	47	16	1	432	18
4:00PM	9	21	58	16	0	104	5	0 0	0	0		0	6	10	95	12	5	0	122	6
4:15PM	6	18	51	20	0	95	4	0 0	0	0	0	0	8	13	86	9	2	0	110	6
4:30PM	8		46	20	0	99	- 3	0 0	0	0	0	0	11	15	94	10	1	2	122	9
4:45PM	1		49	19	0	78	5	0 0	0	0	0	0	9	7	83	10	2	0	103	3
Hourly Total	24	72	204	76	0	376	17	0 0	0	0	0	0	34	45	358	42	10	2	457	24
5:00PM		1.0							-			-		-43		-		0		
	-	19	65	14	0	107 92	14 5	0 0	0	0		0	16 11		95	3	4		109	11
5:15PM 5:30PM	-		48 62	19 14		101	5	0 0	0	0		0		14	90 87	4	2	0	110 101	18
					0					0			12	11						
5:45PM		18	46	15	0	90	9	0 0	0	0		0	12	9	81	15	0	0	96	6
Hourly Total		72	221	62	0	390	34	0 0	0	0		0	43	41	353	15	7	0	416	45
2023-04-15 10:00AM	7		36	8	0	61	4	0 0	0	0		0	13	10	53	7	2	1	73	3
10:15AM	3		47	15	1	76	6	0 0	0	0		0	8		47	5	1	1	61	3
10:30AM	1		61	22	0	98	0	0 0	0	0		0	5		44	5	1	0	63	4
10:45AM	4	-	47	19	0	85	3	0 0	0	0		0	7		48	6	4	1	75	3
Hourly Total			191	64	1	320	13	0 0	0	0		0	33		192	23	8	3	272	13
11:00AM		16	49	12	0	88	8	0 0	0	0		0	15	17	62	6	0	1	86	4
11:15AM	8		38	15	0	78	3	0 0	0	0		0	11		61	3	5	0	79	8
11:30AM	3		39	12	0	69	4	0 0	0	0		0	8		45	3	4	0	60	3
11:45AM			35	18	0	78	4	0 0	0	0	0	0	11	12	57	6	2	0	77	1
Hourly Total	31	64	161	57	0	313	19	0 0	0	0		0	45	47	225	18	11	1	302	16
12:00PM	4	20	56	12	0	92	6	1 0	0	1	0	2	7	14	91	13	4	0	122	2
12:15PM	9	19	45	23	0	96	3	0 0	0	0	0	0	9	12	80	6	1	1	100	6



Leg	Union S	Street						Silsbee Stree	et					Union S	Street					
Direction	Southb	ound						Westbound						Northbo	ound					
Time	HR	R	Т	L	U	Арр	Ped*	R BR	Т	L	U	Арр	Ped*	R	Т	BL	L	U	Арр	Ped*
12:30PM	8	17	39	11	0	75	6	0 0	0	0	0	0	13	14	80	9	3	0	106	4
12:45PM	9	14	52	22	0	97	9	0 0	0	0	0	0	10	14	61	5	2	0	82	4
Hourly Total	30	70	192	68	0	360	24	1 0	0	1	0	2	39	54	312	33	10	1	410	16
1:00PM	9	13	48	16	0	86	10	0 0	0	0	0	0	16	9	63	6	1	1	80	5
1:15PM	5	17	50	13	0	85	1	0 0	0	0	0	0	25	11	60	8	1	0	80	4
1:30PM	7	26	55	16	1	105	9	0 0	0	0	0	0	19	9	52	5	6	1	73	2
1:45PM	6	11	33	14	1	65	11	0 0	0	0	0	0	16	9	63	8	6	1	87	4
Hourly Total	27	67	186	59	2	341	31	0 0	0	0	0	0	76	38	238	27	14	3	320	15
Total	264	675	2344	810	3	4096	310	1 0	0	1	0	2	455	532	2856	330	103	13	3834	262
% Approach	6.4%	16.5%	57.2%	19.8%	0.1%	-	-	50.0% 0%	0% !	50.0% (	)%	-	-	13.9%	74.5%	8.6%	2.7%	0.3%	-	-
% Total	2.5%	6.5%	22.5%	7.8%	0%	39.3%	-	0% 0%	0%	0% (	)%	0%	-	5.1%	27.4%	3.2%	1.0%	0.1%	36.8%	-
Motorcycles	1	4	16	6	0	27	-	0 0	0	0	0	0	-	2	26	0	0	0	28	-
% Motorcycles	0.4%	0.6%	0.7%	0.7%	0%	0.7%	-	0% 0%	0%	0% (	)%	0%	-	0.4%	0.9%	0%	0%	0%	0.7%	-
Lights	256	635	2275	780	3	3949	-	0 0	0	0	0	0	-	528	2745	327	101	13	3714	-
% Lights	97.0%	94.1%	97.1%	96.3%	100%	96.4%	-	0% 0%	ე%	0% (	)%	0%	-	99.2%	96.1%	99.1%	98.1%	100%	96.9%	-
Single-Unit Trucks	5	5	24	11	0	45	-	0 0	0	0	0	0	-	0	23	3	1	0	27	-
% Single-Unit Trucks	1.9%	0.7%	1.0%	1.4%	0%	1.1%	-	0% 0%	ე%	0% (	)%	0%	-	0%	0.8%	0.9%	1.0%	0%	0.7%	-
Articulated Trucks	0	2	2	1	0	5	-	0 0	0	0	0	0	-	0	1	0	0	0	1	-
% Articulated Trucks	0%	0.3%	0.1%	0.1%	0%	0.1%	-	0% 0%	ე%	0% (	)%	0%	-	0%	0%	0%	0%	0%	0%	-
Buses	1	28	22	12	0	63	-	0 0	0	0	0	0	-	2	57	0	1	0	60	-
% Buses	0.4%	4.1%	0.9%	1.5%	0%	1.5%	-	0% 0%	ე%	0% (	)%	0%	-	0.4%	2.0%	0%	1.0%	0%	1.6%	-
Bicycles on Road	1	1	5	0	0	7	-	1 0	0	1	0	2	-	0	4	0	0	0	4	-
% Bicycles on Road	0.4%	0.1%	0.2%	0%	0%	0.2%	-	100% 0%	ე%	100% (	)%	100%	-	0%	0.1%	0%	0%	0%	0.1%	-
Pedestrians	-	-	-	-	-	-	304		-	-	-	-	441	-	-	-	-	-	-	250
% Pedestrians	-	-	-	-	-	-	98.1%		-	-	-	-	96.9%	-	-	-	-	-	-	95.4%
Bicycles on Crosswalk	-	-	-	-	-	-	6		-	-	-	-	14	-	-	-	-	-	-	12
% Bicycles on Crosswalk	-	-	-	-	-	-	1.9%		-	-	-	-	3.1%	-	-	-	-	-	-	4.6%

\*Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

### 239292 (3) Freeman Square TMC - TMC

Thu Apr 13, 2023 Full Length (6 AM-10 AM, 2 PM-6 PM, 10 AM-2 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Buffum Street							Baldwin							
Direction	Eastbound							Southea							
Time	R	Т	L	HL	U	Арр	Ped*	HR		BL	HL	U	Арр	Ped*	
2023-04-13 6:00AN		5	10	0	0	16	3	0	0	0	0	0	0	4	84
6:15AN		7	14	2	0	24	2	0	0	0	0	0	0	4	
6:30AN		8	8	1	0	17	3	0	0	0	1	0	1	8	
6:45AN	_	15	17	0	1	33	4	0	0	0	0	0	0	8	
Hourly Tota		35	49	3	1	90	12	0	0	0	1	0	1	24	
7:00AN		8	14	1	0	24	5	0	0	0	0	0	0	6	
7:15AN		20	24	3	0	48	16	0	0	0	0	0	0	10	
7:30AN		18	21	0	0	40	19	0	0	0	0	0	0	19	
7:45AN		29	19	0	0	56	17	0	0	0	0	0	0	25	
Hourly Tota		75	78	4	0	168	57	0	0	0	0	0	0	60	
8:00AN		25	21	0	0	62	14	0	0	0	0	0	0	13	
8:15AN		11	14	1	0	36	11	0	0	0	0	0	0	16	
8:30AN		19	18	1	0	45	17	0	0	0	0	0	0	15	
8:45AN	1 11	15	18	1	0	45	16	0	0	0	0	0	0	22	178
Hourly Tota	ıl 44	70	71	3	0	188	58	0	0	0	0	0	0	66	813
9:00AN	1 9	19	19	1	0	48	15	0	0	0	0	0	0	18	182
9:15AN	1 4	18	15	2	0	39	27	0	0	0	0	0	0	29	156
9:30AN	4	15	11	2	0	32	22	0	0	0	0	0	0	27	168
9:45AN	1 6	18	15	2	0	41	25	0	0	0	0	0	0	24	184
Hourly Tota	l 23	70	60	7	0	160	89	0	0	0	0	0	0	98	690
2:00PM	1 13	12	26	1	0	52	35	0	0	0	0	0	0	30	230
2:15PN	1 20	20	30	5	0	75	28	0	0	0	0	0	0	25	251
2:30PM	4 8	12	21	2	0	43	43	0	0	0	0	0	0	29	230
2:45PM	1 12	21	32	1	0	66	59	0	0	0	0	0	0	44	251
Hourly Tota	l 53	65	109	9	0	236	165	0	0	0	0	0	0	128	962
3:00PM	4 5	24	25	2	0	56	45	0	0	0	0	0	0	45	257
3:15PM	4 9	14	41	3	0	67	44	0	0	0	0	0	0	39	270
3:30PM	4 2	25	37	3	0	67	35	0	0	0	0	0	0	40	273
3:45PM	4 12	29	35	2	0	78	43	0	0	0	0	0	0	43	274
Hourly Tota	l 28	92	138	10	0	268	167	0	0	0	0	0	0	167	1074
4:00PN		21	24	3	0	56	41	0	0	0	0	0	0	29	
4:15PM	4 9	23	35	4	0	71	27	0	0	0	0	0	0	25	
4:30PM	1 7	33	29	3	0	72	29	0	0	0	0	0	0	33	
4:45PN		22	38	4	0	70	21	0	0	0	0	0	0	26	
Hourly Tota	_	99	126	14	0	269	118	0	0	0	0	0	0	113	
5:00PM		32	40	4	0	80	26	0	0	0	0	0	0	44	
5:15PM		21	55	4	0	86	28	0	0	0	0	0	0	34	
5:30PM		26	41	2	0	76	25	0	0	0	0	0	0	35	
5:45PM		18	34	2	0	61	23	0	0	0	0	0	0	32	
Hourly Tota		97	170	12	0	303	102	0	0	0	0	0	0	145	
2023-04-15 10:00AN	_	12	30	1	0	46	22	0	0	0	0	0	0	21	
10:15AN		7	20	0	0	29	19	0	0	0	0	0	0	27	
10:30AN		21	20	1	0	48	24	0	0	0	0	0	0	22	
10:35AN		17	20	6	0	59	28	0	0	0	0	0	0	31	
Hourly Tota		57	92	8	0	182	93	0	0	0	0	0	0	101	774
11:00AN		-57 -9	30	0 1	0	43	93 10	0	0	0	0	0	0	101	
11:00AN 11:15AN		16	19	0	0	43 39	10	0	0	0	0	0	0	22	
11:15AN 11:30AN		16	24	2	1	39 52	20	0	0	0	0	0	0	18	
					0			0	0	0	0	0	0		
11:45AN		20	39	3		66	15							15	
Hourly Tota		62	112	6	1	200	63	0	0	0	0	0	0	71	
12:00PM		20	25	1	0	48	16	0	0	0	0	0	0	26	
12:15PM	4 8	23	22	1	0	54	18	0	0	0	0	0	0	8	250



Leg	Buffum Str	eet						Baldwi	in Street						
Direction	Eastbound							Southe	astbound						
Time	R	Т	L	HL	U	Арр	Ped*	HR	BR	BL	HL	U	Арр	Ped*	Int
12:30PM	4	11	29	2	0	46	13	0	0	0	0	0	0	16	227
12:45PM	4	18	28	3	0	53	18	0	0	0	0	0	0	15	232
Hourly Total	18	72	104	7	0	201	65	0	0	0	0	0	0	65	973
1:00PM	5	16	29	1	0	51	22	0	1	0	0	0	1	26	218
1:15PM	7	12	30	3	0	52	23	0	0	0	0	0	0	19	217
1:30PM	14	16	43	1	0	74	13	0	0	0	0	0	0	20	252
1:45PM	6	13	36	1	0	56	11	0	0	0	0	0	0	15	208
Hourly Total	32	57	138	6	0	233	69	0	1	0	0	0	1	80	895
Total	309	851	1247	89	2	2498	1058	0	1	0	1	0	2	1118	10432
% Approach	12.4%	34.1%	49.9%	3.6%	0.1%	-	-	0%	50.0%	0%	50.0%	0%	-	-	-
% Total	3.0%	8.2%	12.0%	0.9%	0%	23.9%	-	0%	0%	0%	0%	0%	0%	-	-
Motorcycles	0	2	10	1	0	13	-	0	0	0	0	0	0	-	68
% Motorcycles	0%	0.2%	0.8%	1.1%	0%	0.5%	-	0%	0%	0%	0%	0%	0%	-	0.7%
Lights	307	830	1196	84	2	2419	-	0	1	0	0	0	1	-	10083
% Lights	99.4%	97.5%	95.9%	94.4%	100%	96.8%	-	0%	100%	0%	0%	0%	50.0%	-	96.7%
Single-Unit Trucks	1	4	17	1	0	23	-	0	0	0	0	0	0	-	95
% Single-Unit Trucks	0.3%	0.5%	1.4%	1.1%	0%	0.9%	-	0%	0%	0%	0%	0%	0%	-	0.9%
Articulated Trucks	1	2	1	0	0	4	-	0	0	0	0	0	0	-	10
% Articulated Trucks	0.3%	0.2%	0.1%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	0%	-	0.1%
Buses	0	13	13	3	0	29	-	0	0	0	0	0	0	-	152
% Buses	0%	1.5%	1.0%	3.4%	0%	1.2%	-	0%	0%	0%	0%	0%	0%	-	1.5%
Bicycles on Road	0	0	10	0	0	10	-	0	0	0	1	0	1	-	24
% Bicycles on Road	0%	0%	0.8%	0%	0%	0.4%	-	0%	0%	0%	100%	0%	50.0%	-	0.2%
Pedestrians	-	-	-	-	-	-	1027	-	-	-	-	-	-	1094	
% Pedestrians	-	-	-	-	-	-	97.1%	-	-	-	-	-	-	97.9%	-
Bicycles on Crosswalk	-	-	-	-	-	-	31	-	-	-	-	-	-	24	
% Bicycles on Crosswalk	-	-	-	-	-	-	2.9%	-	-	-	-	-	-	2.1%	-

Thu Apr 13, 2023 AM Peak (Apr 13 2023 7:30AM - 8:30 AM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Union S								bee S		1				Union S						
Direction	Southb	ound						Wes	stbou	nd					Northbo	und					
Time	HR	R	Т	L	U	Арр	Ped*	R	BR	Т	L	U	Арр	Ped*	R	Т	BL	L	U	Арр	Ped*
2023-04-13 7:30AM	I 3	14	69	25	0	111	31	0	0	0	0	0	0	2	13	62	8	3	0	86	4
7:45AM	I 3	17	62	21	0	103	24	0	0	0	0	0	0	5	14	54	15	3	0	86	6
8:00AM	6	22	76	22	0	126	6	0	0	0	0	0	0	4	21	45	4	0	0	70	4
8:15AM	5	22	51	19	0	97	3	0	0	0	0	0	0	3	11	38	6	4	0	59	8
Tota	l 17	75	258	87	0	437	64	0	0	0	0	0	0	14	59	199	33	10	0	301	22
% Approach	ı 3.9%	17.2%	59.0%	19.9%	0%	-	-	0%	0%	0%	0%	0%	-	-	19.6%	66.1%	11.0%	3.3%	0%	-	-
% Total	1.8%	8.0%	27.7%	9.3%	0%	46.9%	-	0%	0%	0%	0%	0%	0%	-	6.3%	21.4%	3.5%	1.1%	0%	32.3%	-
PHF	0.708	0.841	0.845	0.870	-	0.863	-	-	-	-	-	-	-	-	0.702	0.802	0.550	0.625	-	0.875	-
Motorcycles	. 0	0	3	0	0	3	-	0	0	0	0	0	0	-	0	1	0	0	0	1	-
% Motorcycles	0%	0%	1.2%	0%	0%	0.7%	-	0%	0%	0%	0%	0%	-	-	0%	0.5%	0%	0%	0%	0.3%	-
Lights	17	71	247	86	0	421	-	0	0	0	0	0	0	-	59	189	33	10	0	291	-
% Lights	100%	94.7%	95.7%	98.9%	0%	96.3%	-	0%	0%	0%	0%	0%	-	-	100%	95.0%	100%	100%	0%	96.7%	-
Single-Unit Trucks	0	1	3	0	0	4	-	0	0	0	0	0	0	-	0	3	0	0	0	3	-
% Single-Unit Trucks	0%	1.3%	1.2%	0%	0%	0.9%	-	0%	0%	0%	0%	0%	-	-	0%	1.5%	0%	0%	0%	1.0%	-
Articulated Trucks	0	0	1	0	0	1	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Articulated Trucks	0%	0%	0.4%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	0%	-
Buses	0	2	3	1	0	6	-	0	0	0	0	0	0	-	0	6	0	0	0	6	-
% Buses	0%	2.7%	1.2%	1.1%	0%	1.4%	-	0%	0%	0%	0%	0%	-	-	0%	3.0%	0%	0%	0%	2.0%	-
Bicycles on Road	0	1	1	0	0	2	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Bicycles on Road	0%	1.3%	0.4%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	0%	-
Pedestrians	-	-	-	-	-	-	63	-	-	-	-	-	-	14	-	-	-	-	-	-	22
% Pedestrians	-	-	-	-	-	-	98.4%	-	-	-	-	-	-	100%	-	-	-	-	-	-	100%
Bicycles on Crosswalk	-	-	-	-	-	-	1	-	-	-	-	-	-	0	-	-	-	-	-	-	0
% Bicycles on Crosswalk	-	-	-	-	-	-	1.6%	-	-	-	-	-	-	0%	-	-	-	-	-	-	0%



Thu Apr 13, 2023 AM Peak (Apr 13 2023 7:30AM - 8:30 AM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg	Buffum Stre	et						Baldwi	n Stre	et					
Direction	Eastbound							Southe	astbou	ınd					
Time	R	Т	L	HL	U	Арр	Ped*	HR	BR	BL	HL	U	Арр	Ped*	Int
2023-04-13 7:30A	M 1	18	21	0	0	40	19	0	0	0	0	0	0	19	237
7:45A	M 8	29	19	0	0	56	17	0	0	0	0	0	0	25	245
8:00A	M 16	25	21	0	0	62	14	0	0	0	0	0	0	13	258
8:15A	M 10	11	14	1	0	36	11	0	0	0	0	0	0	16	192
То	t <b>al</b> 35	83	75	1	0	194	61	0	0	0	0	0	0	73	932
% Approa	<b>ch</b> 18.0%	42.8%	38.7%	0.5%	0%	-	-	0%	0%	0%	0%	0%	-	-	
% To	al 3.8%	8.9%	8.0%	0.1%	0%	20.8%	-	0%	0%	0%	0%	0%	0%	-	
PI	<b>IF</b> 0.547	0.716	0.893	0.250	-	0.782	-	-	-	-	-	-	-	-	0.901
Motorcycl	<b>es</b> 0	0	0	0	0	0	-	0	0	0	0	0	0	-	4
% Motorcycl	<b>es</b> 0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0.4%
Ligh	its 35	80	73	1	0	189	-	0	0	0	0	0	0	-	901
% Ligł	its 100%	96.4%	97.3%	100%	0%	97.4%	-	0%	0%	0%	0%	0%	-	-	96.7%
Single-Unit Truc	<b>ks</b> 0	0	0	0	0	0	-	0	0	0	0	0	0	-	7
% Single-Unit Truc	<b>ks</b> 0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0.8%
Articulated Truc	<b>ks</b> 0	1	0	0	0	1	-	0	0	0	0	0	0	-	2
% Articulated Truc	ks 0%	1.2%	0%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	-	0.2%
Bus	<b>es</b> 0	2	2	0	0	4	-	0	0	0	0	0	0	-	16
% Bus	<b>es</b> 0%	2.4%	2.7%	0%	0%	2.1%	-	0%	0%	0%	0%	0%	-	-	1.7%
Bicycles on Ro	ad 0	0	0	0	0	0	-	0	0	0	0	0	0	-	2
% Bicycles on Ro	ad 0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0.2%
Pedestria	ns -	-	-	-	-	-	57	-	-	-	-	-	-	71	
% Pedestria	ns -	-	-	-	-	-	93.4%	-	-	-	-	-	-	97.3%	
Bicycles on Crosswa	lk -	-	-	-	-	-	4	-	-	-	-	-	-	2	
% Bicycles on Crosswa	lk -	-	-	-	-	-	6.6%	-	-	-	-	-	-	2.7%	

Thu Apr 13, 2023 PM Peak (Apr 13 2023 4:30PM - 5:30 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg	Union S	treet						Silsb	bee S	street					Union S	treet					
Direction	Southbo	und						Wes	tbou	nd					Northbo	und					
Time	HR	R	Т	L	U	Арр	Ped*	R	BR	Т	L	U	Арр	Ped*	R	Т	BL	L	U	Арр	Ped*
2023-04-13 4:30PM	1 8	24	46	21	0	99	3	0	0	0	0	0	0	11	15	94	10	1	2	122	9
4:45PM	[ 1	9	49	19	0	78	5	0	0	0	0	0	0	9	7	83	11	2	0	103	3
5:00PM	1 9	19	65	14	0	107	14	0	0	0	0	0	0	16	7	95	3	4	0	109	11
5:15PM	í 9	16	48	19	0	92	5	0	0	0	0	0	0	11	14	90	4	2	0	110	18
Tota	27	68	208	73	0	376	27	0	0	0	0	0	0	47	43	362	28	9	2	444	41
% Approach	7.2%	18.1%	55.3%	19.4%	0%	-	-	0%	0%	0%	0%	0%	-	-	9.7%	81.5%	6.3%	2.0%	0.5%	-	-
% Total	2.4%	6.0%	18.4%	6.5%	0%	33.3%	-	0%	0%	0%	0%	0%	0%	-	3.8%	32.1%	2.5%	0.8%	0.2%	39.4%	-
PHF	0.750	0.708	0.800	0.869	-	0.879	-	-	-	-	-	-	-	-	0.717	0.953	0.636	0.563	0.250	0.910	-
Motorcycles	0	0	2	0	0	2	-	0	0	0	0	0	0	-	0	4	0	0	0	4	-
% Motorcycles	0%	0%	1.0%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	-	0%	1.1%	0%	0%	0%	0.9%	-
Lights	26	66	201	71	0	364	-	0	0	0	0	0	0	-	42	351	28	9	2	432	-
% Lights	96.3%	97.1%	96.6%	97.3%	0%	96.8%	-	0%	0%	0%	0%	0%	-	-	97.7%	97.0%	100%	100%	100%	97.3%	-
Single-Unit Trucks	1	0	2	1	0	4	-	0	0	0	0	0	0	-	0	2	0	0	0	2	-
% Single-Unit Trucks	3.7%	0%	1.0%	1.4%	0%	1.1%	-	0%	0%	0%	0%	0%	-	-	0%	0.6%	0%	0%	0%	0.5%	-
Articulated Trucks	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	0%	-
Buses	0	2	3	1	0	6	-	0	0	0	0	0	0	-	1	5	0	0	0	6	-
% Buses	0%	2.9%	1.4%	1.4%	0%	1.6%	-	0%	0%	0%	0%	0%	-	-	2.3%	1.4%	0%	0%	0%	1.4%	-
Bicycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	0%	-
Pedestrians	- 1	-	-	-	-	-	26	-	-	-	-	-	-	41	-	-	-	-	-	-	41
% Pedestrians	- 1	-	-	-	-	-	96.3%	-	-	-	-	-	-	87.2%	-	-	-	-	-	-	100%
Bicycles on Crosswalk	-	-	-	-	-	-	1	-	-	-	-	-	-	6	-	-	-	-	-	-	C
% Bicycles on Crosswalk	- 1	-	-	-	-	-	3.7%	-	-	-	-	-	-	12.8%	-	-	-	-	-	-	0%

Thu Apr 13, 2023 PM Peak (Apr 13 2023 4:30PM - 5:30 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg		Buffum Stre	et						Baldwi	n Stre	et					
Direction		Eastbound							Southe	astbou	nd					
Time		R	Т	L	HL	U	Арр	Ped*	HR	BR	BL	HL	U	Арр	Ped*	Int
	2023-04-13 4:30PM	7	33	29	3	0	72	29	0	0	0	0	0	0	33	293
	4:45PM	6	22	38	4	0	70	21	0	0	0	0	0	0	26	251
	5:00PM	4	32	40	4	0	80	26	0	0	0	0	0	0	44	296
	5:15PM	6	21	55	4	0	86	28	0	0	0	0	0	0	34	288
	Total	23	108	162	15	0	308	104	0	0	0	0	0	0	137	1128
	% Approach	7.5%	35.1%	52.6%	4.9%	0%	-	-	0%	0%	0%	0%	0%	-	-	-
	% Total	2.0%	9.6%	14.4%	1.3%	0%	27.3%	-	0%	0%	0%	0%	0%	0%	-	-
	PHF	0.821	0.818	0.732	0.938	-	0.892	-	-	-	-	-	-	-	-	0.952
	Motorcycles	0	1	2	0	0	3	-	0	0	0	0	0	0	-	9
	% Motorcycles	0%	0.9%	1.2%	0%	0%	1.0%	-	0%	0%	0%	0%	0%	-	-	0.8%
	Lights	23	103	157	15	0	298	-	0	0	0	0	0	0	-	1094
	% Lights	100%	95.4%	96.9%	100%	0%	96.8%	-	0%	0%	0%	0%	0%	-	-	97.0%
	Single-Unit Trucks	0	0	1	0	0	1	-	0	0	0	0	0	0	-	7
	% Single-Unit Trucks	0%	0%	0.6%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	-	0.6%
	Articulated Trucks	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0
	% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0%
	Buses	0	4	1	0	0	5	-	0	0	0	0	0	0	-	17
	% Buses	0%	3.7%	0.6%	0%	0%	1.6%	-	0%	0%	0%	0%	0%	-	-	1.5%
	Bicycles on Road	0	0	1	0	0	1	-	0	0	0	0	0	0	-	1
	% Bicycles on Road	0%	0%	0.6%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	-	0.1%
	Pedestrians	-	-	-	-	-	-	99	-	-	-	-	-	-	133	
	% Pedestrians	-	-	-	-	-	-	95.2%	-	-	-	-	-	-	97.1%	-
	Bicycles on Crosswalk	-	-	-	-	-	-	5	-	-	-	-	-	-	4	
	% Bicycles on Crosswalk	-	-	-	-	-	-	4.8%	-	-	-	-	-	-	2.9%	-

Sat Apr 15, 2023 AM Peak (WKND) (Apr 15 2023 10AM - 11 AM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg	Union S	treet						Sils	bee S	Street					Union S	treet					
Direction	Southbo	ound						Wes	stbou	ind					Northbo	und					
Time	HR	R	Т	L	U	Арр	Ped*	R	BR	. T	L	U	Арр	Ped*	R	Т	BL	L	U	Арр	Ped*
2023-04-15 10:00AM	7	10	36	8	0	61	4	0	0	0	0	0	0	13	10	53	7	2	1	73	3
10:15AM	3	10	47	15	1	76	6	0	0	0	0	0	0	8	7	47	5	1	1	61	3
10:30AM	1	14	61	22	0	98	0	0	0	0	0	0	0	5	13	44	5	1	0	63	4
10:45AM	4	15	47	19	0	85	3	0	0	0	0	0	0	7	16	48	6	4	1	75	3
Total	15	49	191	64	1	320	13	0	0	0	0	0	0	33	46	192	23	8	3	272	13
% Approach	4.7%	15.3%	59.7%	20.0%	0.3%	-	-	0%	0%	0%	0%	0%	-	-	16.9%	70.6%	8.5%	2.9%	1.1%	-	-
% Total	1.9%	6.3%	24.7%	8.3%	0.1%	41.3%	-	0%	0%	0%	0%	0%	0%	-	5.9%	24.8%	3.0%	1.0%	0.4%	35.1%	-
PHF	0.536	0.817	0.783	0.727	0.250	0.816	-	-	-	-	-	-	-	-	0.719	0.901	0.821	0.500	0.750	0.916	-
Motorcycles	0	0	1	1	0	2	-	0	0	0	0	0	0	-	1	2	0	0	0	3	-
% Motorcycles	0%	0%	0.5%	1.6%	0%	0.6%	-	0%	0%	0%	0%	0%	-	-	2.2%	1.0%	0%	0%	0%	1.1%	-
Lights	14	47	189	61	1	312	-	0	0	0	0	0	0	-	45	186	23	8	3	265	-
% Lights	93.3%	95.9%	99.0%	95.3%	100%	97.5%	-	0%	0%	0%	0%	0%	-	-	97.8%	96.9%	100%	100%	100%	97.4%	-
Single-Unit Trucks	1	0	1	2	0	4	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Single-Unit Trucks	6.7%	0%	0.5%	3.1%	0%	1.3%	-	0%	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	0%	-
Articulated Trucks	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	0%	-
Buses	0	2	0	0	0	2	-	0	0	0	0	0	0	-	0	3	0	0	0	3	-
% Buses	0%	4.1%	0%	0%	0%	0.6%	-	0%	0%	0%	0%	0%	-	-	0%	1.6%	0%	0%	0%	1.1%	-
Bicycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	1	0	0	0	1	-
% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0%	0.5%	0%	0%	0%	0.4%	-
Pedestrians	-	-	-	-	-	-	13	-	-	-	-	-	-	33	-	-	-	-	-	-	12
% Pedestrians	-	-	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-	-	-	92.3%
Bicycles on Crosswalk	-	-	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-	-	-	-	1
% Bicycles on Crosswalk	-	-	-	-	-	-	0%	-	-	-	-	-	-	0%	-	-	-	-	-	-	7.7%

Sat Apr 15, 2023 AM Peak (WKND) (Apr 15 2023 10AM - 11 AM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg	Buffum Stre	eet						Baldwi	n Stree	et					
Direction	Eastbound							Southe	astbou	nd					
Time	R	Т	L	HL	U	Арр	Ped*	HR	BR	BL	HL	U	Арр	Ped*	Int
2023-04-15 10:00	DAM 3	12	30	1	0	46	22	0	0	0	0	0	0	21	180
10:1	5AM 2	7	20	0	0	29	19	0	0	0	0	0	0	27	166
10:30	DAM 4	21	22	1	0	48	24	0	0	0	0	0	0	22	209
10:4	5AM 16	17	20	6	0	59	28	0	0	0	0	0	0	31	219
	Fotal 25	57	92	8	0	182	93	0	0	0	0	0	0	101	774
% Аррі	oach 13.7%	31.3%	50.5%	4.4%	0%	-	-	0%	0%	0%	0%	0%	-	-	-
%	<b>Fotal</b> 3.2%	7.4%	11.9%	1.0%	0%	23.5%	-	0%	0%	0%	0%	0%	0%	-	-
	<b>PHF</b> 0.391	0.679	0.767	0.333	-	0.771	-	-	-	-	-	-	-	-	0.886
Motorc	ycles 0	0	0	0	0	0	-	0	0	0	0	0	0	-	5
% Motorc	ycles 0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0.6%
L	ights 25	57	90	8	0	180	-	0	0	0	0	0	0	-	757
% L	ights 100%	100%	97.8%	100%	0%	98.9%	-	0%	0%	0%	0%	0%	-	-	97.8%
Single-Unit Tr	ucks 0	0	2	0	0	2	-	0	0	0	0	0	0	-	6
% Single-Unit Tr	ucks 0%	0%	2.2%	0%	0%	1.1%	-	0%	0%	0%	0%	0%	-	-	0.8%
Articulated Tr	ucks 0	0	0	0	0	0	-	0	0	0	0	0	0	-	0
% Articulated Tr	ucks 0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0%
F	Suses 0	0	0	0	0	0	-	0	0	0	0	0	0	-	5
% F	Suses 0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0.6%
Bicycles on l	Road 0	0	0	0	0	0	-	0	0	0	0	0	0	-	1
% Bicycles on I	Road 0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0.1%
Pedest	rians -	-	-	-	-	-	90	-	-	-	-	-	-	101	
% Pedest	rians -	-	-	-	-	-	96.8%	-	-	-	-	-	-	100%	-
Bicycles on Cross	walk -	-	-	-	-	-	3	-	-	-	-	-	-	0	
% Bicycles on Cross	walk -	-	-	-	-	-	3.2%	-	-	-	-	-	-	0%	-

Sat Apr 15, 2023 Midday Peak (WKND) (Apr 15 2023 12PM - 1 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg	Union S	Street						Silsbee Stre						Union S						
Direction	Southbo	ound						Westbound						Northbo	ound					
Time	HR	R	Т	L	U	Арр	Ped*	R BR	Т	L	U	Арр	Ped*	R	Т	BL	L	U	Арр	Ped*
2023-04-15 12:00PM	4	20	56	12	0	92	6	1 0	0	1	0	2	7	14	91	13	4	0	122	2
12:15PM	í 9	19	45	23	0	96	3	0 0	0	0	0	0	9	12	80	6	1	1	100	6
12:30PM	1 8	17	39	11	0	75	6	0 0	0	0	0	0	13	14	80	9	3	0	106	4
12:45PM	í 9	14	52	22	0	97	9	0 0	0	0	0	0	10	14	61	5	2	0	82	4
Total	30	70	192	68	0	360	24	1 0	0	1	0	2	39	54	312	33	10	1	410	16
% Approach	ı 8.3%	19.4%	53.3%	18.9% 0	%	-	-	50.0% 0%	0%	50.0%	0%	-	-	13.2%	76.1%	8.0%	2.4%	0.2%	-	-
% Total	3.1%	7.2%	19.7%	7.0% 0	% 3	37.0%	-	0.1% 0%	0%	0.1%	0%	0.2%	-	5.5%	32.1%	3.4%	1.0%	0.1%	42.1%	-
PHF	0.806	0.875	0.853	0.739	- (	0.932	-		-	-	-	-	-	0.964	0.857	0.635	0.625	0.250	0.840	-
Motorcycles	1	0	2	1	0	4	-	0 0	0	0	0	0	-	0	0	0	0	0	0	-
% Motorcycles	3.3%	0%	1.0%	1.5% 0	%	1.1%	-	0% 0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-
Lights	28	68	186	67	0	349	-	0 0	0	0	0	0	-	54	309	33	10	1	407	-
% Lights	93.3%	97.1%	96.9%	98.5% 0	%9	96.9%	-	0% 0%	0%	0%	0%	0%	-	100%	99.0%	100%	100%	100%	99.3%	-
Single-Unit Trucks	0	0	3	0	0	3	-	0 0	0	0	0	0	-	0	1	0	0	0	1	-
% Single-Unit Trucks	0%	0%	1.6%	0% 0	%	0.8%	-	0% 0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0%	0.2%	-
Articulated Trucks	0	0	0	0	0	0	-	0 0	0	0	0	0	-	0	0	0	0	0	0	-
% Articulated Trucks	0%	0%	0%	0% 0	%	0%	-	0% 0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-
Buses	0	2	0	0	0	2	-	0 0	0	0	0	0	-	0	2	0	0	0	2	-
% Buses	0%	2.9%	0%	0% 0	%	0.6%	-	0% 0%	0%	0%	0%	0%	-	0%	0.6%	0%	0%	0%	0.5%	-
Bicycles on Road	1	0	1	0	0	2	-	1 0	0	1	0	2	-	0	0	0	0	0	0	-
% Bicycles on Road	3.3%	0%	0.5%	0% 0	%	0.6%	-	100% 0%	0%	100%	0%	100%	-	0%	0%	0%	0%	0%	0%	-
Pedestrians	-	-	-	-	-	-	23		-	-	-	-	39	-	-	-	-	-	-	16
% Pedestrians	-	-	-	-	-	-	95.8%		-	-	-	-	100%	-	-	-	-	-	-	100%
Bicycles on Crosswalk	-	-	-	-	-	-	1		-	-	-	-	0	-	-	-	-	-	-	0
% Bicycles on Crosswalk	-	-	-	-	-	-	4.2%		-	-	-	-	0%	-	-	-	-	-	-	0%

Sat Apr 15, 2023 Midday Peak (WKND) (Apr 15 2023 12PM - 1 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg		Buffum Stre	et						Baldwi	in Stre	et					
Direction		Eastbound							Southe	astbou	nd					
Time		R	Т	L	HL	U	Арр	Ped*	HR	BR	BL	HL	U	Арр	Ped*	Int
2023-04	4-15 12:00PM	2	20	25	1	0	48	16	0	0	0	0	0	0	26	264
	12:15PM	8	23	22	1	0	54	18	0	0	0	0	0	0	8	250
	12:30PM	4	11	29	2	0	46	13	0	0	0	0	0	0	16	227
	12:45PM	4	18	28	3	0	53	18	0	0	0	0	0	0	15	232
	Total	18	72	104	7	0	201	65	0	0	0	0	0	0	65	973
	% Approach	9.0%	35.8%	51.7%	3.5%	0%	-	-	0%	0%	0%	0%	0%	-	-	-
	% Total	1.8%	7.4%	10.7%	0.7%	0%	20.7%	-	0%	0%	0%	0%	0%	0%	-	-
	PHF	0.563	0.783	0.897	0.583	-	0.931	-	-	-	-	-	-	-	-	0.925
	Motorcycles	0	0	0	0	0	0	-	0	0	0	0	0	0	-	4
%	6 Motorcycles	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0.4%
	Lights	18	71	104	5	0	198	-	0	0	0	0	0	0	-	954
	% Lights	100%	98.6%	100%	71.4%	0%	98.5%	-	0%	0%	0%	0%	0%	-	-	98.0%
Single	e-Unit Trucks	0	1	0	0	0	1	-	0	0	0	0	0	0	-	5
% Single	e-Unit Trucks	0%	1.4%	0%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	-	0.5%
Artic	ulated Trucks	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0
% Artic	ulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0%
	Buses	0	0	0	2	0	2	-	0	0	0	0	0	0	-	6
	% Buses	0%	0%	0%	28.6%	0%	1.0%	-	0%	0%	0%	0%	0%	-	-	0.6%
Bic	ycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	4
% Bic	ycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0.4%
	Pedestrians	-	-	-	-	-	-	62	-	-	-	-	-	-	64	
(	% Pedestrians	-	-	-	-	-	-	95.4%	-	-	-	-	-	-	98.5%	-
Bicycles	on Crosswalk	-	-	-	-	-	-	3	-	-	-	-	-	-	1	
% Bicycles	on Crosswalk	-	-	-	-	-	-	4.6%	-	-	-	-	-	-	1.5%	-

Sat Apr 15, 2023 PM Peak (WKND) (Apr 15 2023 1PM - 2 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg	Union	Street						Silst	bee S	Street					Union S	treet					
Direction	Southb	ound						Wes	tbou	ınd					Northbo	und					
Time	HR	R	Т	L	U	Арр	Ped*	R	BR	Т	L	U	Арр	Ped*	R	Т	BL	L	U	Арр	Ped*
2023-04-15 1:00PM	í 9	13	48	16	0	86	10	0	0	0	0	0	0	16	9	63	6	1	1	80	5
1:15PM	ί 5	17	50	13	0	85	1	0	0	0	0	0	0	25	11	60	8	1	0	80	4
1:30PM	[ 7	26	55	16	1	105	9	0	0	0	0	0	0	19	9	52	5	6	1	73	2
1:45PM	6	11	33	14	1	65	11	0	0	0	0	0	0	16	9	63	8	6	1	87	4
Total	27	67	186	59	2	341	31	0	0	0	0	0	0	76	38	238	27	14	3	320	15
% Approach	ı 7.9%	19.6%	54.5%	17.3%	0.6%	-	-	0%	0%	0%	0%	0%	-	-	11.9%	74.4%	8.4%	4.4%	0.9%	-	-
% Total	3.0%	7.5%	20.8%	6.6%	0.2%	38.1%	-	0%	0%	0%	0%	0%	0%	-	4.2%	26.6%	3.0%	1.6%	0.3%	35.8%	-
PHF	0.750	0.644	0.836	0.922	0.500	0.807	-	-	-	-	-	-	-	-	0.864	0.940	0.844	0.583	0.750	0.917	-
Motorcycles	0	1	0	0	0	1	-	0	0	0	0	0	0	-	0	1	0	0	0	1	-
% Motorcycles	0%	1.5%	0%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	-	0%	0.4%	0%	0%	0%	0.3%	-
Lights	27	63	182	58	2	332	-	0	0	0	0	0	0	-	38	229	27	13	3	310	-
% Lights	100%	94.0%	97.8%	98.3%	100%	97.4%	-	0%	0%	0%	0%	0%	-	-	100%	96.2%	100%	92.9%	100%	96.9%	-
Single-Unit Trucks	0	0	1	1	0	2	-	0	0	0	0	0	0	-	0	2	0	1	0	3	-
% Single-Unit Trucks	0%	0%	0.5%	1.7%	0%	0.6%	-	0%	0%	0%	0%	0%	-	-	0%	0.8%	0%	7.1%	0%	0.9%	-
Articulated Trucks	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	1	0	0	0	1	-
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-	0%	0.4%	0%	0%	0%	0.3%	-
Buses	0	3	1	0	0	4	-	0	0	0	0	0	0	-	0	4	0	0	0	4	-
% Buses	0%	4.5%	0.5%	0%	0%	1.2%	-	0%	0%	0%	0%	0%	-	-	0%	1.7%	0%	0%	0%	1.3%	-
Bicycles on Road	0	0	2	0	0	2	-	0	0	0	0	0	0	-	0	1	0	0	0	1	-
% Bicycles on Road	0%	0%	1.1%	0%	0%	0.6%	-	0%	0%	0%	0%	0%	-	-	0%	0.4%	0%	0%	0%	0.3%	-
Pedestrians	-	-	-	-	-	-	29	-	-	-	-	-	-	76	-	-	-	-	-	-	15
% Pedestrians	-	-	-	-	-	-	93.5%	-	-	-	-	-	-	100%	-	-	-	-	-	-	100%
Bicycles on Crosswalk	-	-	-	-	-	-	2	-	-	-	-	-	-	0	-	-	-	-	-	-	0
% Bicycles on Crosswalk	-	-	-	-	-	-	6.5%	-	-	-	-	-	-	0%	-	-	-	-	-	-	0%

Sat Apr 15, 2023 PM Peak (WKND) (Apr 15 2023 1PM - 2 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055363, Location: 42.465432, -70.943121

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg		Buffum Stre	et						Baldwi	n Street						
Direction		Eastbound							Southea	astbound						
Time		R	Т	L	HL	U	Арр	Ped*	HR	BR	BL	HL	U	Арр	Ped*	Int
	2023-04-15 1:00PM	5	16	29	1	0	51	22	0	1	0	0	0	1	26	218
	1:15PM	7	12	30	3	0	52	23	0	0	0	0	0	0	19	217
	1:30PM	14	16	43	1	0	74	13	0	0	0	0	0	0	20	252
	1:45PM	6	13	36	1	0	56	11	0	0	0	0	0	0	15	208
	Total	32	57	138	6	0	233	69	0	1	0	0	0	1	80	895
	% Approach	13.7%	24.5%	59.2%	2.6%	0%	-	-	0%	100%	0%	0%	0%	-	-	-
	% Total	3.6%	6.4%	15.4%	0.7%	0%	26.0%	-	0%	0.1%	0%	0%	0%	0.1%	-	-
	PHF	0.571	0.891	0.802	0.500	-	0.787	-	-	0.250	-	-	-	0.250	-	0.885
	Motorcycles	0	0	1	0	0	1	-	0	0	0	0	0	0	-	3
	% Motorcycles	0%	0%	0.7%	0%	0%	0.4%	-	0%	0%	0%	0%	0%	0%	-	0.3%
	Lights	32	57	136	6	0	231	-	0	1	0	0	0	1	-	874
	% Lights	100%	100%	98.6%	100%	0%	99.1%	-	0%	100%	0%	0%	0%	100%	-	97.7%
	Single-Unit Trucks	0	0	1	0	0	1	-	0	0	0	0	0	0	-	6
	% Single-Unit Trucks	0%	0%	0.7%	0%	0%	0.4%	-	0%	0%	0%	0%	0%	0%	-	0.7%
	Articulated Trucks	0	0	0	0	0	0	-	0	0	0	0	0	0	-	1
	% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0.1%
	Buses	0	0	0	0	0	0	-	0	0	0	0	0	0	-	8
	% Buses	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0.9%
	Bicycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	3
	% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0.3%
	Pedestrians	-	-	-	-	-	-	68	-	-	-	-	-	-	78	
	% Pedestrians	-	-	-	-	-	-	98.6%	-	-	-	-	-	-	97.5%	-
	Bicycles on Crosswalk	-	-	-	-	-	-	1	-	-	-	-	-	-	2	
	% Bicycles on Crosswalk	-	-	-	-	-	-	1.4%	-	-	-	-	-	-	2.5%	-

Thu Apr 13, 2023 Full Length (6 AM-10 AM, 2 PM-6 PM, 10 AM-2 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055362, Location: 42.467684, -70.953348

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg Direction	Crossw Southb							hington tbound	Stree	t (Rou	ite 129	))	Cros Nor						Washin Eastbou	-	reet (R	oute 1	29)		
Time	R			U	Арр	Ped*	R	Т	L	U	Ann	Ped*	R	Т	L	U A	Ann	Ped*	R	T	L	U	Арр	Ped*	Int
2023-04-13 6:00AM	0	0	0		0	4	0	91	0	0	91	0	0	0	0	0	<u>199</u> 0	5	0	31	0	2	33	1	1124
6:15AM	0		0		0		0	83	0	0	83	0	0	0	0	0	0	1	0	37	0	0	37	0	
6:30AM	0		0		0	4	0	92	0	0	92	0	0	0	0	0	0	3		49	0	0	49	2	
6:45AM	0		0		0	4	0	86	0	0	86	0	0	0	0	0	0	1	0	53	0	0	53	0	
		0	0		0	10	0			0	352				-		0	10	0	170	0	2	172	3	
Hourly Total 7:00AM	0	0	0		0		0	352 96	0	0	352 96	0	0	0	0	0	0	4	0	77	0	2	77	0	
7:00AM 7:15AM		0	0		0	1	0			0	103	0	0		0	0	0	4	0	95	0	0	95	1	1/3
	0							103	0				-	0											
7:30AM	0	0	0		0	6	0	98	0	0	98	0	0	0	0	0	0	4		106	0	0	107	11	
7:45AM	0		0		0	17	0	135	0	0	135	1	0	0	0	0		1		100	0	0	100	11	235
Hourly Total		0		0	0	26	0	432	0	0	432	1	0	0	0	0	0	17	1	378	0	0	379	17	811
8:00AM	0		0		0	6	0	116	0	0	116	0	0	0	0	0	0	12	0	109	0	0	109	6	225
8:15AM	0	0	0		0	18	0	116	0	0	116	0	0	0	0	0	0	7	0	82	1	0	83	15	199
8:30AM	0	0	0		0	6	0	85	0	0	85	0	0	0	0	0	0	8	0	88	0	0	88	1	173
8:45AM	0	0	0		0	4	0	88	0	0	88	0	0	0	0	0	0	5	0	88	0	0	88	2	176
Hourly Total		0	0		0	34	0	405	0	0	405	0	0	0	0	0	0	32	0	367	1	0	368	24	773
9:00AM	1		0		1	2	0	87	0	0	87	0	0	0	0	0	0	0	0	94	0	0	94	1	182
9:15AM	0	0	0		0	1	0	87	0	0	87	0	0	0	0	0	0	9	0	69	0	1	70	0	157
9:30AM	0	0	0		0	14	<u> </u>	80	0	0	80	0	0	0	0	0	0	1	0	81	1	0	82	0	-
9:45AM	0	0	0	0	0	7	0	73	0	0	73	0	0	0	0	0	0	1	0	84	0	0	84	1	157
Hourly Total	1	0	0	0	1	24	0	327	0	0	327	0	0	0	0	0	0	11	0	328	1	1	330	2	658
2:00PM	0	0	0	0	0	2	0	138	0	0	138	1	0	0	0	0	0	9	0	71	0	0	71	3	209
2:15PM	0	0	0	0	0	15	0	113	0	0	113	0	0	0	0	0	0	19	0	57	0	0	57	12	170
2:30PM	0	0	0	0	0	5	0	117	0	1	118	2	0	0	0	0	0	10	0	22	0	0	22	0	140
2:45PM	0	0	0	0	0	9	0	110	0	0	110	1	0	0	0	0	0	6	0	24	0	0	24	2	134
Hourly Total	0	0	0	0	0	31	0	478	0	1	479	4	0	0	0	0	0	44	0	174	0	0	174	17	653
3:00PM	0	0	0	0	0	14	0	141	0	0	141	0	0	0	0	0	0	8	0	95	0	0	95	13	236
3:15PM	0	0	0	0	0	5	0	112	0	0	112	1	0	0	0	0	0	7	0	81	0	0	81	6	193
3:30PM	0	0	0	0	0	11	0	114	0	0	114	0	0	0	0	0	0	7	0	75	0	0	75	5	189
3:45PM	0	0	0	0	0	13	0	143	0	0	143	1	0	0	0	0	0	14	0	82	0	0	82	7	225
Hourly Total	0	0	0	0	0	43	0	510	0	0	510	2	0	0	0	0	0	36	0	333	0	0	333	31	843
4:00PM	0	0	0	0	0	12	0	140	0	0	140	0	0	0	0	0	0	17	0	71	1	0	72	9	
4:15PM	0	0	0	0	0	7	0	133	0	0	133	0	0	0	0	0	0	7	0	92	0	0	92	2	225
4:30PM	0	0	0	0	0	12	0	154	0	0	154	0	0	0	0	0	0	8	0	97	0	0	97	6	
4:45PM	0	0	0		0	9	0	121	0	0	121	0	0	0	0	0	0	7	0	94	0	0	94	2	215
Hourly Total	0		0		0	40	0	548	0	0	548	0	0	0	0	0	0	39	0	354	1	0	355	19	903
5:00PM	1	0	0		1	7		127	0	0	127	0	0	0	0	0	0	12	0	79	0	0	79	0	
5:15PM	0	-	-	0	0	7	0	132	0	0	132	2	0	0	0	0	0	13	0	93	0	0	93	0	
5:30PM		0		0	1	6	0	132	0	0	134		0	0	0	0	0	7		85	0	0	85	3	
5:45PM		0		0	0	9	<u> </u>	112	0	0	112		0	0	0	0	0	7		77	0	0	77	3	
Hourly Total		0		0	2	29		505	0	0	505	2	0	0	0	0	0	39	0	334	0	0	334	6	
2023-04-15 10:00AM		0		0	0	6		88	0	0	88		0	0	0	0	0	5		73	0	0	73	2	
10:15AM		0		0	1	8	<u> </u>	89	0	0	89	1	0	0	0	0	0	9		44	0	0	44	2	
10:13AM 10:30AM	0			0	0	6		97	0	0	- 89 - 97		0	0	0	0	0	7	0	68	0	0	68	1	
10:30AM 10:45AM	0			0	0	8		97 87	0	0	97 87	0	0	0	0	0	0	2		93	1	0	94	1	
Hourly Total		0		0		28		361			361	3	-	0	0		0	23		278			279	6	
Hourly Total 11:00AM	0			0	1	28			0	0	361 127		0			0	0	23			1	0			
								127	0	0		1	0	0	0	0				66	0	0	66	2	
11:15AM		0		0	1	5	<u> </u>	169	0	0	169	1	0	0	0	0	0	5		66	1	0	67	1	
11:30AM	0			0	0	6		139	0	0	139	0	0	0	0	0	0	10		89	0	0	89	0	
11:45AM		0		0	0	7	0	91	0	0	91		0	0	0	0	0	10		105	0	0	105	2	
Hourly Total		0		0	1	25		526	0	0	526		0	0	0	0	0	27	0	326	1	0	327	5	
12:00PM	0			0	1	10		103	0	0	103		0	0	0	0	0	2		79	0	0	79	1	183
12:15PM	0	0	0	0	0	4	0	101	0	0	101	0	0	0	0	0	0	10	0	61	0	0	61	0	162



Leg	Crosswa	lk					Was	hington	Stree	et (Ro	ute 129	))	Cro	sswa	lk				Washi	ngton S	Street (1	Route	129)		
Direction	Southbo	und					Wes	tbound					Nor	thbo	und				Eastbo	und					
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U I	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
12:30PM	0	0	0	0	0	2	0	97	0	0	97	1	0	0	0	0	0	7	0	79	0	0	79	2	176
12:45PM	0	0	0	0	0	10	0	73	0	0	73	0	0	0	0	0	0	6	0	81	0	0	81	2	154
Hourly Total	0	0	1	0	1	26	0	374	0	0	374	1	0	0	0	0	0	25	0	300	0	0	300	5	675
1:00PM	0	0	0	0	0	11	0	107	0	0	107	0	0	0	0	0	0	6	0	84	0	0	84	7	191
1:15PM	0	0	0	0	0	6	0	93	0	0	93	0	0	0	0	0	0	4	0	79	0	0	79	2	172
1:30PM	0	0	0	0	0	4	0	100	0	0	100	2	0	0	0	0	0	5	0	97	0	0	97	10	197
1:45PM	0	0	0	0	0	9	0	99	0	0	99	1	0	0	0	0	0	6	0	78	0	1	79	5	178
Hourly Total	0	0	0	0	0	30	0	399	0	0	399	3	0	0	0	0	0	21	0	338	0	1	339	24	738
Total	5	0	1	0	6	346	0	5217	0	1	5218	19	0	0	0	0	0	324	1	3680	5	4	3690	159	8914
% Approach	83.3% 0	% 1	6.7%	0%	-	-	0%	100.0%	0%	0%	-	-	0%	0%	0%	0%	-	-	0%	99.7%	0.1%	0.1%	-	-	
% Total	0.1% 0	%	0%	0%	0.1%	-	0%	58.5%	0%	0%	58.5%	-	0%	0%	0%	0%	0%	-	0%	41.3%	0.1%	0%	41.4%	-	
Motorcycles	0	0	0	0	0	-	0	35	0	0	35	-	0	0	0	0	0	-	0	21	0	0	21	-	56
% Motorcycles	0% 0	%	0%	0%	0%	-	0%	0.7%	0%	0%	0.7%	-	0%	0%	0%	0%	-	-	0%	0.6%	0%	0%	0.6%	-	0.6%
Lights	4	0	1	0	5	-	0	4999	0	1	5000	-	0	0	0	0	0	-	1	3536	5	4	3546	-	8551
% Lights	80.0% 0	%	100%	0% <b>8</b>	33.3%	-	0%	95.8%	0% 1	100%	95.8%	-	0%	0%	0%	0%	-	-	100%	96.1%	100%	100%	96.1%	-	95.9%
Single-Unit Trucks	0	0	0	0	0	-	0	93	0	0	93	-	0	0	0	0	0	-	0	69	0	0	69	-	162
% Single-Unit Trucks	0% 0	%	0%	0%	0%	-	0%	1.8% (	0%	0%	1.8%	-	0%	0%	0%	0%	-	-	0%	1.9%	0%	0%	1.9%	-	1.8%
Articulated Trucks	0	0	0	0	0	-	0	5	0	0	5	-	0	0	0	0	0	-	0	11	0	0	11	-	16
% Articulated Trucks	0% 0	%	0%	0%	0%	-	0%	0.1%	0%	0%	0.1%	-	0%	0%	0%	0%	-	-	0%	0.3%	0%	0%	0.3%	-	0.2%
Buses	0	0	0	0	0	-	0	69	0	0	69	-	0	0	0	0	0	-	0	36	0	0	36	-	105
% Buses	0% 0	%	0%	0%	0%	-	0%	1.3% (	0%	0%	1.3%	-	0%	0%	0%	0%	-	-	0%	1.0%	0%	0%	1.0%	-	1.2%
Bicycles on Road	1	0	0	0	1	-	0	16	0	0	16	-	0	0	0	0	0	-	0	7	0	0	7	-	24
% Bicycles on Road	20.0% 0	%	0%	0% 1	l <b>6.7%</b>	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	-	-	0%	0.2%	0%	0%	0.2%	-	0.3%
Pedestrians	-	-	-	-	-	326	-	-	-	-	-	19	-	-	-	-	-	314	-	-	-	-	-	157	
% Pedestrians	-	-	-	-	- 9	94.2%	-	-	-	-	-	100%	-	-	-	-	- (	96.9%	-	-	-	-	-	98.7%	
Bicycles on Crosswalk	-	-	-	-	-	20	-	-	-	-	-	0	-	-	-	-	-	10	-	-	-	-	-	2	
% Bicycles on Crosswalk	-	-	-	-	-	5.8%	-	-	-	-	-	0%	-	-	-	-	-	3.1%	-	-	-	-	-	1.3%	

Thu Apr 13, 2023 AM Peak (Apr 13 2023 7:15AM - 8:15 AM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055362, Location: 42.467684, -70.953348

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg	Cros	swal	lk				Was	nington	Stree	et (R	oute 12	9)	Cros	sswal	lk				Washin	igton Sti	reet (	Rout	e 129)		
Direction	Sout	hbou	ind				West	bound					Nor	thbou	ind				Eastbou	und					
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-13 7:15AM	0	0	0	0	0	2	0	103	0	0	103	0	0	0	0	0	0	8	0	95	0	0	95	1	198
7:30AM	0	0	0	0	0	6	0	98	0	0	98	0	0	0	0	0	0	4	1	106	0	0	107	5	205
7:45AM	0	0	0	0	0	17	0	135	0	0	135	1	0	0	0	0	0	1	0	100	0	0	100	11	235
8:00AM	0	0	0	0	0	6	0	116	0	0	116	0	0	0	0	0	0	12	0	109	0	0	109	6	225
Total	0	0	0	0	0	31	0	452	0	0	452	1	0	0	0	0	0	25	1	410	0	0	411	23	863
% Approach	0%	0% (	0%	0%	-	-	0%	100%	0% (	0%	-	-	0%	0%	0%	0%	-	-	0.2%	99.8%	0%	0%	-	-	-
% Total	0%	0% (	0%	0%	0%	-	0%	52.4%	0% (	0%	52.4%	-	0%	0%	0%	0%	0%	-	0.1%	47.5%	0%	0%	47.6%	-	-
PHF	-	-	-	-	-	-	-	0.837	-	-	0.837	-	-	-	-	-	-	-	0.250	0.940	-	-	0.943	-	0.918
Motorcycles	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	2	0	0	2	-	3
% Motorcycles	0%	0% (	0%	0%	-	-	0%	0.2%	0% (	0%	0.2%	-	0%	0%	0%	0%	-	-	0%	0.5%	0%	0%	0.5%	-	0.3%
Lights	0	0	0	0	0	-	0	430	0	0	430	-	0	0	0	0	0	-	1	393	0	0	394	-	824
% Lights	0%	0% (	0%	0%	-	-	0%	95.1%	0% (	0%	95.1%	-	0%	0%	0%	0%	-	-	100%	95.9%	0%	0%	95.9%	-	95.5%
Single-Unit Trucks	0	0	0	0	0	-	0	6	0	0	6	-	0	0	0	0	0	-	0	8	0	0	8	-	14
% Single-Unit Trucks	0%	0% (	0%	0%	-	-	0%	1.3%	0% (	0%	1.3%	-	0%	0%	0%	0%	-	-	0%	2.0%	0%	0%	1.9%	-	1.6%
Articulated Trucks	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	5	0	0	5	-	5
% Articulated Trucks	0%	0% (	0%	0%	-	-	0%	0%	0% (	0%	0%	-	0%	0%	0%	0%	-	-	0%	1.2%	0%	0%	1.2%	-	0.6%
Buses	0	0	0	0	0	-	0	15	0	0	15	-	0	0	0	0	0	-	0	2	0	0	2	-	17
% Buses	0%	0% (	0%	0%	-	-	0%	3.3%	0% (	0%	3.3%	-	0%	0%	0%	0%	-	-	0%	0.5%	0%	0%	0.5%	-	2.0%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0% (	0%	0%	-	-	0%	0%	0% (	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	31	-	-	-	-	-	1	-	-	-	-	-	25	-	-	-	-	-	23	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-

Thu Apr 13, 2023 PM Peak (Apr 13 2023 3:45PM - 4:45 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055362, Location: 42.467684, -70.953348

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Cros	swa	lk				Was	hington	Stre	et (I	Route 12	9)	Cro	sswa	alk				Was	hington	Street (	Rout	e 129)		
Direction	Sout	hbou	und				Wes	tbound					Nor	thbc	ound				East	bound					
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-13 3:45PM	0	0	0	0	0	13	0	143	0	0	143	1	0	0	0	0	0	14	0	82	0	0	82	7	225
4:00PM	0	0	0	0	0	12	0	140	0	0	140	0	0	0	0	0	0	17	0	71	1	0	72	9	212
4:15PM	0	0	0	0	0	7	0	133	0	0	133	0	0	0	0	0	0	7	0	92	0	0	92	2	225
4:30PM	0	0	0	0	0	12	0	154	0	0	154	0	0	0	0	0	0	8	0	97	0	0	97	6	251
Total	0	0	0	0	0	44	0	570	0	0	570	1	0	0	0	0	0	46	0	342	1	0	343	24	913
% Approach	0%	0%	0%	0%	-	-	0%	100%	0%	0%	-	-	0%	0%	0%	0%	-	-	0%	99.7%	0.3%	0%	-	-	-
% Total	0%	0%	0%	0%	0%	-	0%	62.4%	0%	0%	62.4%	-	0%	0%	0%	0%	0%	-	0%	37.5%	0.1%	0%	37.6%	-	-
PHF	-	-	-	-	-	-	-	0.922	-	-	0.922	-	-	-		-	-	-	-	0.881	0.250	-	0.884	-	0.907
Motorcycles	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	3	0	0	3	-	4
% Motorcycles	0%	0%	0%	0%	-	-	0%	0.2%	0%	0%	0.2%	-	0%	0%	0%	0%	-	-	0%	0.9%	0%	0%	0.9%	-	0.4%
Lights	0	0	0	0	0	-	0	552	0	0	552	-	0	0	0	0	0	-	0	326	1	0	327	-	879
% Lights	0%	0%	0%	0%	-	-	0%	96.8%	0%	0%	96.8%	-	0%	0%	0%	0%	-	-	0%	95.3%	100%	0%	95.3%	-	96.3%
Single-Unit Trucks	0	0	0	0	0	-	0	6	0	0	6	-	0	0	0	0	0	-	0	8	0	0	8	-	14
% Single-Unit Trucks	0%	0%	0%	0%	-	-	0%	1.1%	0%	0%	1.1%	-	0%	0%	0%	0%	-	-	0%	2.3%	0%	0%	2.3%	-	1.5%
Articulated Trucks	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Articulated Trucks	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%
Buses	0	0	0	0	0	-	0	9	0	0	9	-	0	0	0	0	0	-	0	5	0	0	5	-	14
% Buses	0%	0%	0%	0%	-	-	0%	1.6%	0%	0%	1.6%	-	0%	0%	0%	0%	-	-	0%	1.5%	0%	0%	1.5%	-	1.5%
Bicycles on Road	0	0	0	0	0	-	0	2	0	0	2	-	0	0	0	0	0	-	0	0	0	0	0	-	2
% Bicycles on Road	0%	0%	0%	0%	-	-	0%	0.4%	0%	0%	0.4%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0.2%
Pedestrians	-	-	-	-	-	42	-	-	-	-	-	1	-	-	-	-	-	46	-	-	-	-	-	24	
% Pedestrians	-	-	-	-	- 1	95.5%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	2	-	-	-	-	-	0	-	-		-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	4.5%	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-

Sat Apr 15, 2023 AM Peak (WKND) (Apr 15 2023 10AM - 11 AM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055362, Location: 42.467684, -70.953348

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Cross	walk					Was	hington	Stre	et (I	Route 12	:9)	Cros	swa	k				Was	hington	Street (	Rou	ıte 129)		
Direction	South	ooun	d				Wes	tbound					Nort	hbou	ınd				East	bound					
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-15 10:00AM	0	0	0	0	0	6	0	88	0	0	88	1	0	0	0	0	0	5	0	73	0	0	73	2	161
10:15AM	1	0	0	0	1	8	0	89	0	0	89	1	0	0	0	0	0	9	0	44	0	0	44	2	134
10:30AM	0	0	0	0	0	6	0	97	0	0	97	1	0	0	0	0	0	7	0	68	0	0	68	1	165
10:45AM	0	0	0	0	0	8	0	87	0	0	87	0	0	0	0	0	0	2	0	93	1	0	94	1	181
Total	1	0	0	0	1	28	0	361	0	0	361	3	0	0	0	0	0	23	0	278	1	0	279	6	641
% Approach	100%	0%	0%	0%	-	-	0%	100%	0%	0%	-	-	0%	0%	0% (	0%	-	-	0%	99.6%	0.4% (	)%	-	-	-
% Total	0.2%	0%	0%	0%	0.2%	-	0%	56.3%	0%	0%	56.3%	-	0%	0%	0% (	0%	0%	-	0%	43.4%	0.2% (	)%	43.5%	-	-
PHF	0.250	-	-	- (	0.250	-	-	0.928	-	-	0.928	-	-	-	-	-	-	-	-	0.753	0.250	-	0.747	-	0.888
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0% (	0%	-	-	0%	0%	0% (	)%	0%	-	0%
Lights	1	0	0	0	1	-	0	356	0	0	356	-	0	0	0	0	0	-	0	275	1	0	276	-	633
% Lights	100%	0%	0%	0%	100%	-	0%	98.6%	0%	0%	98.6%	-	0%	0%	0% (	0%	-	-	0%	98.9%	100% (	)%	98.9%	-	98.8%
Single-Unit Trucks	0	0	0	0	0	-	0	3	0	0	3	-	0	0	0	0	0	-	0	1	0	0	1	-	4
% Single-Unit Trucks	0%	0%	0%	0%	0%	-	0%	0.8%	0%	0%	0.8%	-	0%	0%	0% (	0%	-	-	0%	0.4%	0% (	)%	0.4%	-	0.6%
Articulated Trucks	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Articulated Trucks	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0% (	0%	-	-	0%	0%	0% (	)%	0%	-	0%
Buses	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	1	0	0	1	-	2
% Buses	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0% (	0%	-	-	0%	0.4%	0% (	)%	0.4%	-	0.3%
Bicycles on Road	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	1	0	0	1	-	2
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	-	-	0%	0.4%	0% (	)%	0.4%	-	0.3%
Pedestrians	-	-	-	-	-	23	-	-	-	-	-	3	-	-	-	-	-	20	-	-	-	-	-	5	
% Pedestrians	-	-	-	-	-	82.1%	-	-	-	-	- 1	100%	-	-	-	-	-	87.0%	-	-	-	-	-	83.3%	-
Bicycles on Crosswalk	-	-	-	-	-	5	-	-	-	-	-	0	-	-	-	-	-	3	-	-	-	-	-	1	
% Bicycles on Crosswalk	-	-	-	-	-	17.9%	-	-	-	-	-	0%	-	-	-	-	-	13.0%	-	-	-	-	-	16.7%	-

Sat Apr 15, 2023 Midday Peak (WKND) (Apr 15 2023 11AM - 12 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 1055362, Location: 42.467684, -70.953348

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

Leg	Crossv	valk					Was	hington	Stre	et (F	Route 12	29)	Cros	swa	lk				Was	hington	Street (R	oute 12	<del>)</del> )	
Direction	Southb	ounc	ł				Wes	tbound					Nort	hbo	und				East	bound				
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U.	Арр	Ped*	R	Т	L	U Ap	<b>p</b> Ped*	Int
2023-04-15 11:00AM	0	0	0	0	0	7	0	127	0	0	127	1	0	0	0	0	0	7	0	66	0	06	<b>6</b> 2	193
11:15AM	1	0	0	0	1	5	0	169	0	0	169	1	0	0	0	0	0	5	0	66	1	06	<b>7</b> 1	237
11:30AM	0	0	0	0	0	6	0	139	0	0	139	0	0	0	0	0	0	5	0	89	0	<b>8</b> 0	<b>9</b> (	228
11:45AM	0	0	0	0	0	7	0	91	0	0	91	1	0	0	0	0	0	10	0	105	0	0 <b>10</b>	<b>5</b> 2	196
Total	1	0	0	0	1	25	0	526	0	0	526	3	0	0	0	0	0	27	0	326	1	0 <b>3</b> 2	<b>7</b> 5	854
% Approach	100%	0%	0%	0%	-	-	0%	100%	0% (	)%	-	-	0%	0%	0%	0%	-	-	0%	99.7%	0.3% 09	6		-
% Total	0.1%	0%	0%	0%	0.1%	-	0%	61.6%	0% (	)%	61.6%	-	0%	0%	0%	0%	0%	-	0%	38.2%	0.1% 09	6 <b>38.3</b> 9	6.	-
PHF	0.250	-	-	-	0.250	-	-	0.778	-	-	0.778	-	-	-	-	-	-	-	-	0.776	0.250	- 0.77	9.	0.901
Motorcycles	0	0	0	0	0	-	0	3	0	0	3	-	0	0	0	0	0	-	0	1	0	0	1 ·	4
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0.6%	0% (	)%	0.6%	-	0%	0%	0%	0%	-	-	0%	0.3%	0% 09	6 <b>0.3</b> 9	6.	0.5%
Lights	1	0	0	0	1	-	0	510	0	0	510	-	0	0	0	0	0	-	0	317	1	0 <b>31</b>	8.	829
% Lights	100%	0%	0%	0%	100%	-	0%	97.0%	0% (	)%	97.0%	-	0%	0%	0%	0%	-	-	0%	97.2%	100% 09	6 <b>97.2</b> 9	6.	97.1%
Single-Unit Trucks	0	0	0	0	0	-	0	9	0	0	9	-	0	0	0	0	0	-	0	6	0	0	6 ·	15
% Single-Unit Trucks	0%	0%	0%	0%	0%	-	0%	1.7%	0% (	)%	1.7%	-	0%	0%	0%	0%	-	-	0%	1.8%	0% 09	6 <b>1.8</b> 9	6.	1.8%
Articulated Trucks	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0.	0
% Articulated Trucks	0%	0%	0%	0%	0%	-	0%	0%	0% (	)%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0% 09	% <b>0</b> 9	δ.	0%
Buses	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	2	0	0	2 ·	3
% Buses	0%	0%	0%	0%	0%	-	0%	0.2%	0% (	)%	0.2%	-	0%	0%	0%	0%	-	-	0%	0.6%	0% 09	6 <b>0.6</b> 9	6 ·	0.4%
Bicycles on Road	0	0	0	0	0	-	0	3	0	0	3	-	0	0	0	0	0	-	0	0	0	0	0.	3
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0.6%	0% (	)%	0.6%	-	0%	0%	0%	0%	-	-	0%	0%	0% 09	% <b>0</b> 9	<u>6</u>	0.4%
Pedestrians	-	-	-	-	-	25	-	-	-	-	-	3	-	-	-	-	-	26	-	-	-	-	- 5	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	96.3%	-	-	-	-	- 100%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	-	-	-	-	- 0	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	3.7%	-	-	-	-	- 0%	-

Sat Apr 15, 2023 PM Peak (WKND) (Apr 15 2023 1PM - 2 PM) All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk) All Movements ID: 1055362, Location: 42.467684, -70.953348

Provided by: Precision Data Industries, LLC (PDI) 157 Washington Street, 2, Hudson, MA, 01749, US

13.

Leg	Cros	sswa	lk				Was	hington	Stre	et (F	Route 12	9)	Cro	sswa	lk				Was	hington	Stre	et (Rout	te 129)		
Direction	Sout	thbo	und				Wes	tbound					Nor	thbo	und				East	bound					
Time	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	R	Т	L	U	Арр	Ped*	Int
2023-04-15 1:00PM	0	0	0	0	0	11	0	107	0	0	107	0	0	0	0	0	0	6	0	84	0	0	84	7	191
1:15PM	0	0	0	0	0	6	0	93	0	0	93	0	0	0	0	0	0	4	0	79	0	0	79	2	172
1:30PM	0	0	0	0	0	4	0	100	0	0	100	2	0	0	0	0	0	5	0	97	0	0	97	10	197
1:45PM	0	0	0	0	0	9	0	99	0	0	99	1	0	0	0	0	0	6	0	78	0	1	79	5	178
Total	0	0	0	0	0	30	0	399	0	0	399	3	0	0	0	0	0	21	0	338	0	1	339	24	738
% Approach	0%	0%	0%	0%	-	-	0%	100%	0%	0%	-	-	0%	0%	0%	0%	-	-	0%	99.7%	0%	0.3%	-	-	-
% Total	0%	0%	0%	0%	0%	-	0%	54.1%	0%	0%	54.1%	-	0%	0%	0%	0%	0%	-	0%	45.8%	0%	0.1%	45.9%	-	-
PHF	-	-	-	-	-	-	-	0.930	-	-	0.930	-	-	-	-	-	-	-	-	0.866	-	0.250	0.869	-	0.933
Motorcycles	0	0	0	0	0	-	0	4	0	0	4	-	0	0	0	0	0	-	0	4	0	0	4	-	8
% Motorcycles	0%	0%	0%	0%	-	-	0%	1.0%	0%	0%	1.0%	-	0%	0%	0%	0%	-	-	0%	1.2%	0%	0%	1.2%	-	1.1%
Lights	0	0	0	0	0	-	0	388	0	0	388	-	0	0	0	0	0	-	0	327	0	1	328	-	716
% Lights	0%	0%	0%	0%	-	-	0%	97.2%	0%	0%	97.2%	-	0%	0%	0%	0%	-	-	0%	96.7%	0%	100%	96.8%	-	97.0%
Single-Unit Trucks	0	0	0	0	0	-	0	5	0	0	5	-	0	0	0	0	0	-	0	3	0	0	3	-	8
% Single-Unit Trucks	0%	0%	0%	0%	-	-	0%	1.3%	0%	0%	1.3%	-	0%	0%	0%	0%	-	-	0%	0.9%	0%	0%	0.9%	-	1.1%
Articulated Trucks	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Articulated Trucks	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%
Buses	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	2	0	0	2	-	3
% Buses	0%	0%	0%	0%	-	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	-	-	0%	0.6%	0%	0%	0.6%	-	0.4%
Bicycles on Road	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	2	0	0	2	-	3
% Bicycles on Road	0%	0%	0%	0%	-	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	-	-	0%	0.6%	0%	0%	0.6%	-	0.4%
Pedestrians	-	-	-	-	-	29	-	-	-	-	-	3	-	-	-	-	-	21	-	-	-	-	-	24	
% Pedestrians	-	-	-	-	-	96.7%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	1	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	3.3%	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-

Page: 1

Station #: 230150000128 Site ID: 11000000103 Location: Rte.129EB, W.of Hanover St/Beacon Hill Av

STA IEB File: D0410016.prn City: Lynn County: class

cation: Rte rection: EA		N.OI Hanov	ver St/B	eacon Hi.	LI AV			county:	CLASS	
TIME	MON 10	TUE 11	WED	THU	FRI	WKDAY AVG	SAT	SUN	WEEK AVG	TOTA
01:00		84				84			84	84
01:00		45				45			45	45
		4 5 4 0				40			45 40	
03:00										40
04:00		34				34			34	34
05:00		40				40			40	40
06:00		124				124			124	124
07:00		289				289			289	289
08:00		563				563			563	563
09:00		575		2		575		57	575	575
10:00		425				425			420	425
11:00		432				432			432	432
12:00	403	432				418			418	835
13:00	398	448				423			423	846
14:00	452	429				440			440	881
15:00	468	499				484			484	967
16:00	480	556				518			518	1036
17:00	481	543				512			512	1024
18:00	571	534				552			552	1105
19:00	462	559				510			510	1021
20:00	390	486				438			438	876
21:00	346	341				344			344	687
22:00	297	282				290			290	579
23:00	203	188				196			196	391
24:00	137	163				150			150	300
24.00		T05				130			130	
TALS	5088	8111				7926			7926	13199
	64.2	102.3								
AVG WEEK	64.2	102.3								

AM Times	12:00	09:00	09:00	09:00
AM Peaks	403	575	575	575
PM Times	18:00	19:00	18:00	18:00
PM Peaks	571	559	552	552

COMB EB AWD 7777 OMB 6369 ComB AWP 14146 FAC ,94 ADT 13,300

Page: 1

.

STAILES File: D0413002.prn

Station #: 230150000128 Site ID: 110000000103 Location: Rte.129EB,W.of Hanover St/Beacon Hill Av

Direction: EAST

File: D0413002.pr City: Lynn County: class

TIME	MON	TUE	WED			WKDAY AVG			WEEK AVG	TOTAL
01-00				74	0.0	0.0	775	100	101	40.4
01:00 02:00				74 69	86 58	80	115	129	101	404
03:00				33	58 50	64 42	85	90 60	76 50	302 199
04:00				33	42	42 40	39	48	42	199 166
05:00					53	40 50	40	40	42 45	179
06:00				135	117			46	40 90	358
07:00				287	297	292		91	212	847
08:00				545	528	536	194	145	353	1412
09:00				512	478	495	321	176	372	1487
10:00				441	404	422	326	281	363	1452
11:00				414	455	434	331	300	375	1500
12:00				435	408	422	385	348	394	1576
13:00				415	509	462	388	381	423	1693
14:00				424	466	445	435	347	418	1672
15:00				176	486	331	410	383	364	1455
16:00				454	497	476	474	393	454	1818
17:00				479	461	470	429	394	441	1763
18:00				498	530	514	455	368	463	1851
19:00				472	473	472	398	418	440	1761
20:00				417	443	430	363	421	411	1644
21:00				361	336	348	364	266	332	1327
22:00				328	318	323	337	250	308	1233
23:00						248				973
24:00					204	182		143	178 	714
TOTALS				7467	7939	7704				
% AVG WKDY				96.9	103.1			74.2		
% AVG WEEK				107.5	114.3		95.9	82.3		
AM Times				08:00	08:00	08:00	12:00	12:00	12:00	
AM Peaks				545	528	536	385	348	394	
PM Times						18:00	16:00	20:00	18:00	
PM Peaks				498	530	514	474	421	463	

STANN WB File: D0410015.prn

Station #: 230150000063 > 7
Site ID: 110000000104
Location: Rte.129WB,W.of Hanover St/Beacon Hill Av
Direction: WEST

File: D0410015.prn City: Lynn County: speed

TIME	MON 10		WED 12						WEEK AVG	TOTAL
01.00		5.4	5.0	5.0	₩ 4	<u> </u>		0.7		
01:00 02:00		54	58 65	59	71 67	60	96	97	12	435
02:00		54 23	26	62 17	67	62 27	68 53	97 56	69 36	413 216
04:00		36	30	1/	4 L 4 D	36	36	50	39	232
05:00		72	69	57	42	71	21	37	59	351
06:00					144			57 60		804
07:00		331			328			82	266	1597
08:00		382			357					1757
09:00		323	318	330	312	321	239	161		1683
10:00		312		295	306	303	331	277		1820
11:00		339	290	295 345	306 345	330	331 320 400	279	320	1918
12:00	348	353	297	360	323	336	400	301	340	2382
13:00	314	383	351	387	400	367	327	380		2542
14:00	395	419			430		356			2712
15:00	423			112	473	388				2652
16:00	426	481			458			·311	404	2830
17:00	434	425	430	435	408	426	340	310	397	2782
18:00	405	402	413	410	448	416	334	299	387	2711
19:00	342	364	361	4111	364 350	366 333	303 286	346	354	2481
20:00	342 318	325	311	363	350	333	286	307		2260
21:00	222	273	314	297	344	290	308	243	286	2001
	240	226			274		296	224		1745
	152				217					1356
24:00	95	111	110	127	145	118	140	126	122	854
TOTALS	4114	6502	6205	6235	6720	6369	5699	5059	6055	40534
% AVG WKDY	64.6						89.5	79.4		
% AVG WEEK	67.9	107.4	102.5	103.0	111.0		94.1	83.6		
AM Times		08:00				08:00				
AM Peaks	348	382	355	360	357	361	400	301	340	
- PM Times	17:00	15:00	15:00							
PM Peaks	434	482	448	435	473	437	357	380	404	

.

Page: 1

STA. I WB

Page: 1

File: D0410014.prn

City: Lynn County: class

Station #: 230150000063 Site ID: 110000000104 Location: Rte.129WB,W.of Hanover St/Beacon Hill Av Direction: WEST

TIME	MON 10		WED 12	THU 13	FRI 14	WKDAY AVG	SAT 15	SUN 16		TOTAL
01:00			58				96	97		435
02:00		54	65	62	67	62	68	97	69	413
03:00		23	26	17	41	27	53	56	36	216
04:00		36	30	37	42	36	36	51		232
05:00		72	69	69	73	/ 1	31		58	351
06:00		175	165	178	144		82	60	134	804
07:00		331	320	340	328	330		82	266	1597
08:00		382	355	350	357	361	199	114	293	1757
09:00		323	318	330	312	321	239	161	280	1683
10:00		312	299	295	306	303	331	277	303	1820
11:00		339	290	345	345	330	320	279	320	1918
12:00	348	353	297	360	323	336	400	301	340	2382
13:00	314	383	351	387	400	367	327	380	363	2542
14:00	395	419	358	404	430	401	356	350	387	2712
15:00	423	482	448	112	473	388	357	357	379	2652
16:00	426	481	412	409	458	437	333	311	404	2830
17:00	434	425	430	435	408	426	340	310	397	2782
18:00	405	402	413	410	448	416	334	299	387	2711
19:00	342	364	361	401	364	366	303	346	354	2481
20:00	318	325	311	363	350	333	286	307	323	2260
21:00	222	273	314	297	344	290	308	243	286	2001
22:00	240	226	243	242	274	245	296	224	249	1745
23:00	152	157	162	206	217	179	268	194	194	1356
24:00	240 152 95		110	127	145	118	140	126	122	854
TOTALS			6205	6235	6720	6369	5699	5059		40534
% AVG WKDY	64.6	102 1	97.4	97.9	105.5		89 5	79.4		
	67.9		102.5	103.0	111.0		94.1	83.6		
AM Times			08:00			08:00				
AM Peaks	348	382	355	360	357	361	400	301	340	
	17:00					16:00				
PM Peaks	434	482	448	435	473	437	357	380	404	

.

STA.2NB

Page: 1

Station #: 230150000108 > /
Site ID: 000000000201
Location: Beacon Hill Ave. 1-way NB, N.of Rte.129
Direction: NORTH

File: sta.2comb.prn City: Lynn County:

TIME	MON	TUE 11	WED 12	THU 13	FRI 14	WKDAY AVG	SAT	SUN	WEEK AVG	TOTAL
01:00		30	32	32	35	32			32	129
02:00		10	22		25	20			20	81
03:00		14	10	10	16	12			12	50
04:00		9	5	4	17	9			9	35
05:00		6	19	18	15	14			14	58
06:00		38	40	51	0	32			32	129
07:00		143	140	124	0	102			102	407
08:00		227	226	200	0	163			163	653
09:00		221	218	211	0	162			162	650
10:00		117	128	136	0	95			95	381
11:00		137	121	117	0	94			94	375
12:00		132	129	154	142	139			139	557
13:00		186	194	164	182	182			182	726
14:00		212	219	217	177	206			206	825
15:00		300	292	568	302	366			366	1462
16:00		352	346	316	303	329			329	1317
17:00		356	393	395	-377	380			380	1521
18:00		345	361	326	380	353			353	1412
19:00		297	292	252	305	286			286	1146
20:00		257	266	249	278	262			262	1050
21:00		208	238	210	190	212			212	846
22:00		163	166	186	169	171			171	684
23:00		103	117		110	115			115	461
24:00		63	71	81	65	70			70	280
TOTALS		3926	4045	4176	3088	3806			3806	15235
% AVG WKDY		103.2	106.3	109.7	81.1					
% AVG WEEK		103.2	106.3	109.7	81.1					
AM Times		08:00	08:00	09:00	12:00	08:00			08:00	
AM Peaks		227	226	211	142	163			163	
PM Times		17:00	17:00	15:00	18:00	17:00			17:00	
PM Peaks		356	393		380	380			380	

U7

AWP 4049 FAC .94(.99) ADT 3,800

Page: 1

Station #: 230150000162 Site ID: 000000000303 Location: Rte.129EB,E.of Hanover St/Beacon Hill Av Direction: EAST

,

File: D0410004.prn City: Lynn County:

TIME		TUE 11	WED 12		FRI	WKDAY AVG	SUN	WEEK AVG	TOTAL
01:00		124	81 36	72 48		92 56		92 56	2.77
02:00 03:00		83 63	36	48 18		38		56 38	167
04:00		58	33 29	18 46		38 44		38 44	114 133
05:00			35	40 36		44 55		44 55	155
06:00		255	102	108		155		155	465
07:00		560	221	217		333		333	998
08:00		767	514	490		590		590	1771
09:00		747	479	476		567		567	1702
10:00		416	371	413		400		400	1200
11:00		450	343	421		407		407	1222
12:00	340	421	364	425		388		388	1550
13:00	459	399	374	385		404		404	1617
14:00	755	379	453	385		493		493	1972
15:00	875	453	511	411		562		562	2250
16:00	818	479	423	462		546		546	2182
17:00	839	449	444	505		559		559	2237
18:00	867	431	429	402		532		532	2129
19:00	646	466	371	448		483		483	1931
20:00	670	417	378	367		458		458	1832
21:00	509 445	285	306			367		367	1100
22:00	445	210	247			301		301	902
23:00	318	180	183			227		227	681
24:00		128	118			153	 	153	459 
TOTALS	7754	8321	6845	6135		8210		8210	29055
% AVG WKDY	94.4	101.4	83.4	74.7					
	94.4	101.4	83.4	74.7					
AM Times	12:00	08:00	08:00	08:00		08:00		08:00	
		767		490		590		590	
PM Times	15:00	16:00	15:00	17:00		15:00		15:00	
		479						562	

44

Page: 1

City: Lynn

County:

Station H: 230150000086 57 A Site ID: 000000000304 Location: Rte.129WB,E.of Hanover St/Beacon Hill Av Direction: WEST

THU FRI WKDAY SAT SUN WEEK 13 14 AVG 15 16 AVG TUE WED TIME MON TOTAL 10 11 12 14 AVG 15 16 AVG \_ \_ \_ \_ \_ ----\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_ \_ \_ \_ \_\_\_\_ \_\_\_\_\_ 01:00 02:00 03:00 04:00 05:00 06:00 07:00 08:00 09:00 10:00 

 369
 399
 365

 350
 424
 409
 460

 671
 479
 496
 472
 535
 551

 803
 613
 575
 719
 654
 673
 441

 732
 643
 606
 610
 622
 643
 388
 406
 572

 774
 574
 580
 615
 608
 630
 416
 373
 563
 3940

 785
 516
 548
 550
 614
 603
 418
 359
 541
 3790

 478
 460
 469
 504
 469
 476
 355
 391
 447
 3126

 493
 397
 400
 440
 450
 436
 359
 372
 416
 2911

 475
 327
 396
 396
 453
 409
 364
 281
 385
 2692

 \*16
 261
 290
 277
 327
 314
 391
 258
 317
 2220

 \*17
 173
 223
 257
 227
 288
 399 399 11:00 12:00 13:00 14:00 15:00 16:00 17:00 18:00 19:00 20:00 21:00 22:00 23:00 24:00 TOTALS 
 % AVG WKDY
 79.9
 97.7
 92.0
 98.8

 % AVG WEEK
 86.5
 105.7
 99.6
 106.9
 98.8 100.9 80.7 70.0 109.2 75.8 87.3 
 AM Times
 12:00
 08:00
 08:00
 08:00
 08:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 12:00
 413 AM Peaks 369 556 500 503 464 506 586 347 PM Times15:0016:0016:0015:0015:0015:0015:0013:0015:00PM Peaks803643606719654673441445606

14

STA 3 WB File: D0410003.prn

STA. 4 NB File: D0410013.prn

City: Lynn

County:

Page: 1

Station #: 230150000106 Site ID: 000000040102 Location: Hanover St., south of Route 129 Direction: NORTH

MONTUEWEDTHUFRIWKDAYSATSUNWEEKTOTAL1011121314AVG1516AVG TIME \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ 01:00 02:00 03:00 04:00 05:00 06:00 07:00 08:00 09:00 10:00 11:00 12:00 13:00 14:00 15:00 16:00 17:00 18:00 19:00 20:00 21:00 22:00 23:00 24:00 \_\_\_\_\_ \_\_\_\_\_ TOTALS 1822 2280 2409 2521 2471 2400 1770 1480 2166 14753 % AVG WKDY 75.9 95.0 100.4 105.0 103.0 % AVG WEEK 84.1 105.3 111.2 116.4 114.1 73.8 61.7 68.3 81.7 AM Times 12:00 09:00 09:00 09:00 09:00 09:00 12:00 12:00 09:00 AM Peaks 95 134 137 155 152 144 133 102 111 17:0017:0017:0015:0017:0015:0014:0017:00283219258315258253131117212 PM Peaks

U5 .

NB 2400 5B 2323 4723 .94(.99) 4,400

STA, 45B

Page: 2

File: D0410013.prn City: Lynn

County:

Station #: 230150000106 Site ID: 000000040102 Location: Hanover St., south of Route 129 Direction: SOUTH

TUEWEDTHUFRIWKDAYSATSUNWEEK11121314AVG1516AVG SUN WEEK TIME MON TUE TOTAL. 10 \_\_\_\_\_ -----------\_\_\_\_\_ 01:00 14 10 17 13 14 100 02:00 101 03:00 60 04:00 58 9 24 74 05:00 54 06:00 146 07:00 442 834 08:00 41 144 09:00 104 861 75 81 74 75 10:00 66 82 493 65 80 84 102 91 97 80 11:00 560 12:00 713 97 13:00 680 113 114 108 117 14:00 819 

 113
 111

 173
 166

 165
 217

 183
 222

 146
 170

 134
 145

 22
 106

 97 106 178 15:00 152 295 254 208 1243 16:00 173 185 172 91 110 173 233 202 224 1213 185292184213115172170180168100159145145146135 113 185 85 146 77 134 1294 17:00 18:00 1023 19:00 940 
 109
 88
 98

 95
 72
 75

 71
 77
 54

 48
 81
 55

 40
 43
 25
 121 108 118 109 98 104 75 89 92 106 70 75 20:00 731 75 62 110 103 115 21:00 620 
 68
 62
 67
 85
 71

 42
 57
 30
 52
 59

 30
 39
 36
 38
 57
 69 22:00 68 484 55 54 25 38 23:00 376 24:00 268 \_\_\_\_\_ TOTALS 1430 2260 2192 2592 2501 2323 1733 1405 2092 14113 97.3 94.4 111.6 107.7 108.0 104.8 123.9 119.6 % AVG WKDY 61.6 97.3 % AVG WEEK 68.4 108.0 74.6 60.5 % AVG WEEK 68.4 82.8 67.2 
 AM Times
 12:00
 08:00
 09:00
 08:00
 08:00
 12:00
 12:00
 09:00
 AM Peaks 75 183 194 194 194 188 174 84 144 17:0017:0017:0015:0017:0019:0017:0017:00183222185295254213135113185 PM Times PM Peaks

STA.5EB File: D0410005.prn

City: Lynn

County:

Page: 1

Station #: 230150000102 Site ID: 00000000503 Location: Buffum St. EB, W. of Union St. Direction: EAST

MON TUE WED THU FRI WKDAY 10 11 12 13 14 AVG WEEK TIME SAT SUN TOTAL AVG \_\_\_\_\_ \_\_\_\_\_ 01:00 41 165 02:00 20 80 54 03:00 14 9 37 15 44 44 132 270 37 04:00 05:00 06:00 07:00 90 270 08:00 170 509 09:00 224 671 10:00 230 690 11:00 300 899 949 12:00316 329 329 1316 327 327 1309 368 368 1471 1657 414 414 447 447 1788 1750 438 438 325 325 1301 314 314 1256 202 808 202 160 246 127 139 72 69 676 169 169 118 24:00 118 471 287 72 72 TOTALS 3181 4573 6123 4606 107 4996 4996 18590 
 % AVG WKDY
 63.7
 91.5
 122.6
 92.2
 2.1

 % AVG WEEK
 63.7
 91.5
 122.6
 92.2
 2.1
 10:00 09:00 12:00 01:00 12:00 AM Times 12:00 AM Peaks 220 476 316 56 316 316 PM Times17:0018:0015:0016:00PM Peaks478455488483 17:00 17:00 478 455 488 483 447 447

44

EB 5348 WB 3165 8513 .94(.99) 7,900

Page: 1

STA. 5 WB

File: D0410006.prn City: Lynn County:

Site ID: 00000000504 Location: Buffum St. WB, W. of Union St. Direction: WEST

Station #: 23015000087

a

TIME	MON 10	TUE 11	WED 12			WKDAY AVG				TOTAL
01:00		21	33	15	39	27	16	31	26	155
02:00		3 7	7 5 4	8	7	6 9 6 17	28	21	12	74
03:00		7	5	2	22	9	9	2	8 7	47
04:00		7	4	3	11	6	10	8	7	
05:00			18	5	23	17	10	10		88
06:00		13			28	20				99
07:00		80		77		84			66	399
08:00		162	175	139	188		.83	53		800
09:00		227	236	272	235	242	155	68	199	1193
10:00		207	209	121	132	167	175	174	170	1018
11:00		262	235	219	129	211	165	164	196	1174
12:00		142	216	180	148	172	201	164	175	1051
13:00	269	262	182	184	146	209	249	277	224	1569
14:00	269	271	124		89	189	229		195	1367
15:00	284	282	229		53	206	182	137		1349
16:00	326	331	232		16	217			211	1474
17:00	210	233	203		17		168		178	1245
18:00	179	232	198	227	10	169	153	106	158	1105
19:00	195	202	187	242	15	168	207 162	138	169	1186
20:00	121	144	130	162	143	140	162	138 83	143	1000
21:00	121 76 78	110	109	139	150 100	117	113	83 91	111	780
22:00	78 51	89	93	100	100	92	108	91	94	659
23:00	51	65	45	93	51	61	61	61	61	427
24:00	26	28	26	46	42	34	49		39	
TOTALS	2084	3402	3009	3084	1886	2918	2781	2328		
% AVG WKDY	71.4	116.6	103.1	105.7	64.6		95.3	79.8		
% AVG WEEK	74.5	121.5	107.5	110.2	67.4		99.4			
AM Times		11:00	09:00			09:00				
AM Peaks		262	236	272	235	242	201	174	199	
	16:00					16:00				
PM Peaks	326	331	232	283	150	217	249	277	224	

3165

Page: 1

STA. 6 WB

File: D0410007.prn City: Lynn County:

Site ID: 00000000604 Location: Baldwin St. 1-way WB, W. of Union St. Direction: WEST

Station #: 230150000077

TIME	MON 10	TUE 11	WED 12		FRI 14	WKDAY AVG		SUN	WEEK AVG	TOTAL
01:00		10	18	21	19				16	81
02:00		5	8 7	4	16		26		12	59
03:00		3	2	4 10		7	9		7	36
04:00		9			8		6		7	35
05:00		7 9	6	0		7	13		8	41
06:00		-	21	0	21	13			13	51
07:00		54	49	0	47	38			38	150
08:00		73	76	0	72	55			55	221
09:00		83	75	0	69	57			57	227
10:00		65	67	0	72	51			51	204
11:00		62	83	71	70	72			72	286
12:00	0.0	80 79	56	81	96	78			78	313
13:00	92 104		95	112	124	100			100	502
		94	95	121	95	102			102	509
15:00	97	89	84	102	104	95			95	476
16:00	128	111	113	138	122	122			122	612
17:00	134	132	114	117	142	128			128	639
18:00	148	133	121	135	145	136			136	682
19:00	115	108	101		123	112			112	560
20:00 21:00	90	75	84	109	104	92			92	462
22:00	105 52	86 65	119 55	76 71	85 56	94			94	471
23:00	38 38	33	55 49			60			60	299
23:00	38	33 30	49	49	41	42			. 42	210
24:00			36	39					35	177
TOTALS	1131	1495	1534	1373	1703	1528	67		1532	7303
% AVG WKDY	74.0	97 8	100.4	89.9	111.5		4.4			
	73.8		100.1	89.6	111.2		4.4			
AM Times		09:00	11:00	12:00	12:00	12:00	02:00		12:00	
AM Peaks		83	83	81		78	26		78	
PM Times	18:00	18:00	18:00	16:00	18:00	18:00			18:00	
PM Peaks	148	133	121	138	145	136			136	

UF AWD 1528 .94(99) 1,400

Page: 1

Station #: 230150000125 Site ID: 00000000701 Location: Union St. NB, north of Silsbee St. Direction: NORTH

STA. TNB

File: D0410008.prn City: Lynn County:

TIME	MON 10	11	WÉD 12	.13	14	AVG	15	16	WEEK AVG	
01:00		117	111	104	151	121	120	209	135	812
02:00		66	61	58	92	69 44 42 49	47	119	74	443
03:00		29	33	52 40	60	44	50	79	50	303
04:00		38	36	40	53	42	71	45	47	283
05:00		55	53	45	44	49	64	49	52	310
06:00		94	87	95	100	94	70	59	84	505
07:00		199	176	176	189	185	122	107	162	969
08:00		374	367	375	355	368	193	186	308	1850
09:00		334	357	354	391	359	310	210	326	1956
10:00		361	390	359	411	380	395	350	378	2266
11:00		356	431	361	432	395	420	314	386	2314
12:00		388	431	447	429	424	497	456	441	2648
13:00	393	481	455	515	529	475	638	534	506	3545
14:00	511	507	460	540	542	512	562	576	528	3698
15:00	615	576	657	587	638	615	500	463	577	4036
16:00	669	726	664	656	623	668	552	531	632	4421
17:00	770	684	725	727	739	729	615	520	683	4780
18:00	711	789	777	784	813	775	669	504	721	5047
19:00	639 578	650	682	643	773	677	612	525	646	4524
20:00	578	563	535	598	672	589	581	481	573	4008
21:00	472	572	493	523	547	521	509	405	503	3521
22:00	334	371	381	435	446	393	436	323	389	2726
23:00	265	218	255	305	350	279	289	244	275	1926
24:00	160			199		200				1365
TOTALS									8671	
% AVG WKDY	68 2	97 8	98.0	100.2	107.5		95.1	83.1		
% AVG WEEK	70.5	101.1		103.5	111.1		98.3			
AM Times		12:00	11:00	12:00	11:00	12:00	12:00	12:00	12:00	
AM Peaks		388	431			424				
PM Times	17:00	18:00	18:00	18:00	18:00	18:00	18:00	14:00	18:00	
PM Peaks	770	789	777			775				

44 NB 8963 5B 9457 18420 ,94 (.99) 17,100

Page: 1

.

File: D0410009.prn

City: Lynn County:

Station #: 230150000025 Site ID: 00000000702 Location: Union St. SB, north of Silsbee St. Direction: SOUTH

TIME	MON 10	TUE 11				WKDAY AVG			WEEK AVG	TOTAL
01:00		67	116	87	215	121	110	130	121	725
02:00		55	63	60	105	71	66	110	76	459
03:00		42	48 22	35 0 0	56	45	48	74 59	50	303
04:00		44	22	0	68	14		59 59	43	256
05:00			91	0		76	89	59	76	453
06:00		197			311	193		87	171	1024
07:00		436			458	333	279		288	1727
08:00		661			684	518	296	193	427	2560
09:00		677	684		666	507	385	268	447	2680
10:00		556	585	0		445	490	490	460	2761
11:00		554	489	245	618	476	525	459	482	2890
12:00	629	526	512	531	640	552	494	435 571	523	3138
13:00	629	555	561	561	596	580	555			4028
14:00	675	657	639	655	607	647	546	500	611	4279
15:00	633	582			611	598	525	475	570	3992
16:00	615	635	597		598	608	485			4031
17:00	679				589	617				4044
		636			670	633	572	450		4186
19:00	608	627		613	648	613	599	459	589	4122
20:00	528	485	477	573	563	525	548	450	518	3624
21:00	528 426 318	443	445	509	459 383	456	422 418	355	437	3059
22:00 23:00	318 240	359	341	398 329	383 311	360	418 350	366	369	2583
	240 127	265 194	218	329 195	311	176	350 224	272 214	284 188	1985
24:00										
TOTALS	6135	9955	9697	7294	10831	9457	8777	7537	9057	60226
% AVG WKDY	64.9	105:3	102.5	77.1	114.5		92.8	79.7		
	67.7	109.9	107.1	80.5	119.6		96.9			
AM Times		09:00	08:00	12.00	08.00	12:00	11.00	10.00	12:00	
AM Peaks		677							523	
PM Times	17:00	14:00	14:00	18:00	18:00	14:00	19:00	13:00	14:00	
	679					647				

STA.75B

Station #: 230150000044 >7/ Site ID: 00000000803 Location: Silsbee St. 1-way EB, east of Union St. Direction: EAST

TIME	MON 1 (	TUE ) 11	WED 12	THU 13	FRI 14	WKDAY AVG		SUN	WEEK AVG	TOTAL
01:00		31	Ź7	29	78	41			41	165
02:00		31		23	36	29			29	116
03:00			16	19	26	19			19	77
04:00			6	0	1.9	10			10	39
05:00		33		0	36	25			25	101
06:00		69	90	Ō	92	63			63	251
07:00		147	144	0	142	108			108	433
08:00		242	313	0 0 0	284	210			210	839
09:00		320	415	0	340	269			269	1075
10:00		274	334	2	292	226			226	902
11:00		213	362	158	249	246			246	982
12:00		196	331	263	278	267			267	1068
13:00	273	3 233	272	313	259	270			270	1350
14:00	318	3 263	325	361	322	318			318	1589
15:00	347	242	349	329	303	314			314	1570
16:00	341		369	386	351	349			349	1747
17:00	409			372	348	363			363	1815
18:00	335			333	377	343			343	1717
19:00	264			310		268			268	1074
20:00	197			283		222			222	890
21:00	179			238		190			190	760
	102			180		134			134	538
23:00	103		93	113		102			102	406
24:00		63		92		65	<b></b>		65	260
TOTALS	2927	4168	5034	3804	3831	4451			4451	19764
% AVG WKDY	65.8			85.5	86.1					
<pre>% AVG WEEK</pre>	65.8	93.6	113.1	85.5	86.1					
AM Times		09:00	09:00	12:00	09:00	09:00			09:00	
AM Peaks		320	415	263	340	269			269	
PM Times									17:00	
PM Peaks	409	357	397	386	377	363			363	

M4 4451 .94 (.99) 4,100

.

Page: 1

File: D0410010.prn City: Lynn County:

Page: 1

Station #: 230150000078
Site ID: 00000000901
Location: Union St. NB, south of Buffum St.
Direction: NORTH

STA. 9NB

File: D0410011.prn City: Lynn County:

TIME			WED 12		14	AVG	15	16	WEEK AVG	TOTAL
01:00		115	104	118	153	122	110	221	137	821
02:00		63	61	64	99		101	129	86	517
03:00		25	27	46	80	44	53	84	52	315
04:00		36	29	46 37	42	44 36	51	84 43	40	238
05:00		50	51	39	41	45	60	51	49	292
06:00		67	68	74	81	72	66	46	67	402
07:00		179	168	139	135	155		88	136	815
08:00		430	429	440	417	429	155		339	2035
09:00		445	360	395	402	400	233	197	339	2032
10:00		405	301	374	432	378	338	263	352	2113
11:00		326	325	364	405	355	390	326	356	2136
12:00		378	344	392	413	382	363	381	378	2271
13:00	546	446	351	366	471	436	730	482	485	3392
14:00	474	455	397	478	494	460	427	548	468	3273
15:00	517	549	502	591	497	531	423	460	506	3539
16:00	521	568	679	530	503	560	543	516	551	3860
17:00	-581	604	638	563	563	590	633	509	584	4091
18:00	426	545	613	570	700	571	628	484	567	3966
19:00	533	459	542	473	687	539	576	455	532	3725
20:00	483	465	459	580	542	506	506	449	498	3484
21:00	405	522	453	473	460	463	397	365	439	3075
22:00	336	390	359	372	417	375	441	258	368	2573
23:00	273	236	246	294	332	276	281	217	268	1879
24:00	165				243	206	187	145		1363
TOTALS					8609			6881		
% AVG WKDY	65.7	99.6	96.1	99.9	107.6		97.4	86.0		
	67.5		98.7	102.6	110.5			88.3		
AM Times		09:00	08:00	08:00	10:00	08:00	11:00	12:00	12:00	
AM Peaks								381		
PM Times	17:00	17:00	16:00	15:00	18:00	17:00	13:00	14:00	17:00	
PM Peaks	581	604	679	591	700	590	730	548	584	

U4

. \_

NB 8003 SB 6143 14146 .94 (.99) 13,200

STA.95B

Page: 1

File: D0410012.prn City: Lynn County:

Station #: 230150000034 Site ID: 00000000902 Location: Union St. SB, south of Buffum St. Direction: SOUTH

TIME		TUE 11			FRI 14	WKDAY AVG	SAT 15			TOTAL
01:00			49						55	329
02:00		36	-23	32	29	30	58	60	40	238
03:00				13	21	16			21	126
04:00		22		0	24			19		103
05:00		42	29	0	45	29	29	15	27	160
06:00		90	88	0	104	70	57	· 36 46 88	62	375
07:00		140	158	0 0	145	111	115	46	101	604
08:00		257	476	0	286	255	129	88	206	1236
09:00		365	770	0	411	386	215	117	313	1878
10:00		406	824	13	422	416	322	247	372	2234
11:00		430	639	399	497	491	330	264	426	2559
12:00		443	672	473	382	492	273	224	411	2467
13:00	393	406	666	440	373	456	308	289	411	2875
14:00	446	422	677	480	415	488	344	221	429	3005
15:00	454	357	680	489	455	487	336	204	425	2975
16:00	449	449	525	406	563	478	273	197	409	2862
17:00	449	368	367	405	420	402	256	237	357	2502
18:00	366	361	315	381	405	366	248	231	330	2307
19:00	312	311	324	351	387	337	260	208	308	2153
20:00	267	209	236	265	307	257			240	1678
21:00	183	169	183	203	191	186	194	160	183	1283
22:00	138 96	120 110	139	173	178	150	157	123	147	1028
23:00	96	110	101	113	140	112	137	107	115	804
24:00	49	62	54	57	82	150 112 61	91	87	69	482
TOTALS										
% AVG WKDY	58.6	91.4	130.7	77.2	103.4		72.6	56 3		
	65.8			86.7	116.1			63.1		
AM Times		12:00	10:00	12:00	11:00	12:00	11:00	11:00	11:00	
AM Peaks			824			492				
PM Times	15:00	16:00	15:00	15:00	16:00	14:00	14:00	13:00	14:00	
	454									

.

SPEED SUMMARY Mon 4/10/2023

Mon 4/10/2023 STA . 1 EB

Station #: 230150000128 Site ID: 110000000103 Location: Rte.129EB,W.of Hanover St/Beacon Hill Av Direction: EAST Lane: 1

10 15 20 25 30 35 40 45 50 55 60 65 70 250 Total TIME 88 116 37 8 10 8 2 2 403 4 

 0
 4
 14
 4
 4
 2

 4
 11
 10
 6
 0
 1

 8
 19
 9
 4
 1
 0

 2
 10
 10
 3
 2
 2

 3 3 0 398 452 468 74 81 159 100 12 1 3 480 2 6 481 

 82'
 120
 180
 80
 15
 3
 4

 60
 92
 148
 71
 6
 1
 1

 41
 95
 150
 55
 3
 3
 3

 27
 52
 132
 77
 9
 6
 0

 2 7 571 . 5 8 462 7 7 4 0 2 390 2 6 3 2 9 9 2 346 11 23 26 102 78 16 0 5 4 7 11 7 297 2 0 4 6 16 203 1 2 0 · 4 2 3 137 \_\_\_\_\_ \_ \_ \_ \_ \_ \_ \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ ----\_\_\_\_ \_\_\_\_ \_ \_ \_ \_\_\_\_ DAY TOTAL 208 599 869 1556 1080 198 56 36 150 120 57 64 33 62 5088 4.1% 11.8% 17.1% 30.6% 21.2% 3.9% 1.1% 0.7% 2.9% 2.4% 1.1% 1.3% 0.6% 1.2% 100.0% PERCENTS

Statistical Information...

15th Percentile Speed 15.7 mph

Median Speed 23.0 mph

10 MPH Pace Speed 20 mph to 30 mph 2636 vehicles in pace Representing 54.7% of the total vehicles 85th Percentile Speed 30.0 mph

Average Speed 25.0 mph

Vehicles > 65 MPH 33 0.7%

File: D0410017.prn

City: Lynn

County: speed

Station #: 230150000128 File: D0410017.prn Site ID: 11000000103 City: Lynn Location: Rte.129EB, W.of Hanover St/Beacon Hill Av County: speed Direction: EAST Lane: 1 TIME 10 15 20 25 30 35 40 45 50 55 60 65 70 250 Total 01:003602:000103:000604:0035 3 11 23 13 2 2 1 2 

 2
 5
 18
 12
 4

 2
 3
 6
 11
 4

 2
 3
 7
 10
 2

 2
 6
 15
 6
 2

 0 0 0 ∠ 0 õ 05:00 5 16 12 26 33 21 0 0 06:00 07:00 13 39 29 76 18 118 157 86 189 14 2 15 0 4 2 08:00 09:00 27 155 119 20 10:00 32 54 133 130 17 7 10 11:00 10 45 67 172 12:00 94 17 2 0 
 58
 65
 155
 107
 17

 42
 53
 125
 126
 16

 59
 139
 138
 77
 13
 9 4 13:00 13 5 7 8 0 14:00 15:00 93 138 178 51 12 10 16:00 30 24 20 9 13 17:00 71 131 171 79 16 18:00 76 90 187 84 16 
 135
 191
 70
 6

 119
 151
 83.
 12

 55
 120
 92
 10
 19:00 11 8 119 3 9 8 11 20:00 21:00 

 22:00
 7
 21
 44
 81
 77
 13

 23:00
 3
 14
 11
 52
 78
 16

 24:00
 3
 5
 13
 42
 61
 12

 5 13 42 61 12 11 8 163 \_\_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ ------DAY TOTAL341963139725351725320836816214511110860938111PERCENTS4.2%11.9%17.2%31.3%21.3%3.9%1.0%0.8%2.0%1.8%1.4%1.3%0.7%1.1%100.0%

Statistical Information ...

15th Percentile Speed 15.7 mph

Median Speed 22.9 mph

10 MPH Pace Speed 20 mph to 30 mph 4260 vehicles in pace Representing 55.5% of the total vehicles 85th Percentile Speed 29.7 mph

Average Speed 24.7 mph Vehicles > 65 MPH

> 0.88

SPEED SUMMARY Thu 4/13/2023

STA . IEB

Station #: 230150000128 Site ID: 11000000103 Location: Rte.129EB, W.of Hanover St/Beacon Hill Av Direction: EAST Lane: 1

TIME	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
01 - 00		4	0	F	29	21	4	2	0	0	0	0	0	6	74
01:00	0	4	2 0	5 6	29 19	21 23	4 3	3 1	0	0	0	4	4	6 4	74 69
02:00	4	1	1	-	19	23	3 1	0	0	2	0	4	4		33
03:00	0	2	-	6 5	10		2	1	0	2	0	0	0	4 0	33 37
04:00	0	⊥ 7	2 3	12	9	15 5	2	0	1	0	0	0	2	2	46
05:00	3	17	3 9	30	9 43	24	2 5	0	0	0	0	0	0	6	135
06:00	1 7		20	30 82	43 87	24 17	5 2	-	2	2	4	6	0	10	287
07:00	,	48		-	109	16	2	0	2 4	2	4	10	6	9	287 545
08:00	31	75	102	168 171	109	13	3	4	4 9	2	4	10	4	9 13	545 512
09:00	18	47	103			13 29		1	9	2	4	7	4 7	13 6	
10:00	7	58	50	126	136	29 21	4 7	2	-	2	2	8	0	9	441
11:00	12	38	45	147	104			2	11	2	8			-	414
12:00	17	39	93	123	104	19	3	8	5	9		5	0	8 7	435
13:00	7	46	43	121	112	35	7	1	12	6	10	2	6	'	415
14:00	23	64	65	131	92	12	3	2	4	5	9	2	3	9	424
15:00	95	10	25	30	15	0	1	0	0	0	0	0	0	0	176
16:00	18	84	106	132	63	16	1	2	8	2	10	6	2	4	454
17:00	23	69	134	139	64	4	0	7	7	11	. 7	6	0	8	479
18:00	24	50	90	190	78	14	4	4	5	11	15	4	3	6	498
19:00	15	59	123	187	55	13	1	2	4	2	6	0	3	2	472
20:00	5	56	86	144	88	21	1	2	2	0	0	0	2	10	417
21:00	18	41	70	125	69	18	7	0	2	2	1	2	0	6	361
22:00	12	34	37	123	89	19	4	0	0	0	0	4	0	6	328
23:00	4	28	29	92	62	25	7	1	2	0	0	2	2	2	256
24:00	11	12	7	28	70	22	6	0	2	0	0	0	0	1	159
DAY TOTAL	355	890	1245	2323	1629	409	81	43	80	72	84	74	44	138	7467
PERCENTS	4.8%	11.9%	16.7%	31.1%	21.8%	5.5%	1.1%	0.6%	1.1%	1.0%	1.1%	1.0%	0.6%	1.8%	100.0%

Statistical Information...

15th Percentile Speed 15.6 mph

Median Speed 22.9 mph

10 MPH Pace Speed 20 mph to 30 mph 3952 vehicles in pace Representing 56.7% of the total vehicles 85th Percentile Speed 29.5 mph

Average Speed 24.1 mph Vehicles > 65 MPH 44 0.6%

File: D0413003.prn City: Lynn County: speed

Station #: 230150000128 File: D0413003.prn Site ID: 11000000103 City: Lynn Location: Rte.129EB, W.of Hanover St/Beacon Hill Av County: speed Direction: EAST Lane: 1 TIME 10 15 20 25 30 35 40 45 50 55 60 65 70 250 Total 01:00 3 11 23 02:00 03:00 0 0 0 0 53 04:00 7 17 05:00 8 25 36 22 0 0 06:00 2 12 07:00 13 55 18 83 93 15 Ω 08:00 81 105 132 ∠ 2 8 1 09:00 10:00 38 61 150 11:00 12:00 42 43 144 13:00 71 80 162 50 79 77 135 4 14:00 71 15:00 16:00 2.6 17:00 80 144 120 18:00 19 63 128 189 97 21 0 0 19:00 67 85 190 0 0 9 80 2 20:00 0 21:00 8 33 70 22:00 99 84 23:00 24:00 22 20 85 77 22 11 22 13 52 69 20 \_\_\_\_\_ \_\_\_\_ DAY TOTAL2651021130825431850426772956617577381137939PERCENTS3.3%12.9%16.5%32.0%23.3%5.4%1.0%0.4%0.7%0.8%0.9%1.0%0.5%1.4%100.0%

Statistical Information.

15th Percentile Speed 15.4 mph

Median Speed 22.9 mph

10 MPH Pace Speed 20 mph to 30 mph 4393 vehicles in pace Representing 58.1% of the total vehicles 85th Percentile Speed 29.2 mph

Average Speed 23.7 mph

Vehicles > 65 MPH 0.5%

Page: 2

Station #: 230150000128 Site ID: 11000000103 City: Lynn Location: Rte.129EB, W.of Hanover St/Beacon Hill Av County: speed Direction: EAST Lane: 1 10 15 20 25 30 35 40 45 50 55 60 65 70 250 Total TIME \_\_\_\_\_ \_\_\_\_\_\_ 01:00 3 4 02:00 18 26 Ω 03:00 7 ⊥, 5 14 õ 04:00 05:00 8 14 6 24 17 06:00 0 0 56 29 12 29 07:00 82 1<sup>.</sup> 0 08:00 .194 09:00 10:00 25 29 123 11:00 12:00 43 48 167 13:00 60 158  $\begin{array}{c}1\,4\,1\\1\,4\,4\end{array}$ 14:00 15:00 78 174 16:00 17:00 69 152 18:00 75 177 ó 2 0 19:00 78 163 8 90 1 20:00 ò 59 137 21:00 9 47 43 112 87 22:00 8 26 23:00 24:00 23:00 26 96 84 23 63 20 \_\_\_\_\_ \_ \_ \_ . \_\_\_\_ ·----\_\_\_\_ \_\_\_\_ . \_ \_ \_ \_\_\_\_\_ DAY TOTAL177721925225217684681042820231813321136662PERCENTS2.7%10.8%13.9%33.8%26.5%7.0%1.6%0.4%0.3%0.3%0.2%0.5%1.7%100.0%

Statistical Information ....

15th Percentile Speed 16.3 mph

Median Speed 23.4 mph

10 MPH Pace Speed 20 mph to 30 mph 4020 vehicles in pace Representing 63.1% of the total vehicles 85th Percentile Speed 29.3 mph

Average Speed 23.7 mph

Vehicles > 65 MPH 0.5%

Page: 3

File: D0413003.prn

Station #: 23 Site ID: 1100 Location: Rte Direction: E2 Lane: 1	000000: e.129E1	103	Hanove	er St/1	Beacon	Hill A	v			Cit	e: D04 y: Lyn nty: s		prn		
TIME	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
01.00	1	0	4	07	F 1	10	1.4	0	0	0	0	0	0		100
01:00 02:00	1 1	8 10	4 4	27 14	51 26	19 19	14 5	2	0 1	0	0	0	0	3	129
02:00	1	10	4 3	14 8	∠o 22	19	5 4	2 1	0	0	0	0 0	4 0	4	90
04:00	0	4 5	4	11	13	10	4	1	0	0	0	0	0	1 2	60 48
04:00	1	1	4	4	10	° 15	4 5	0	0	0	0	0	0	2	48 40
06:00	0	3	5	7	13	13	3	0	0	0	0	2	0	0	40
07:00	3	7	4	17	30	13	7	1	0	3	0 0	2	0	4	40 91
08:00	0	12	5	37	65	22	2	Ō	2	0	Ő	0	0	0	145
09:00	3	5	6	44	71	35	2	1	õ	ő	Ő	4	3	2	176
10:00	3	18	30	92	106	22	4	ō	ŏ	õ	õ	2	0	4	281
11:00	2	28	34	102	98	28	4	õ	2	õ	õ	0	õ	2	300
12:00	8	49	29	139	91	20	1	2	0	õ	õ	5	õ	4	348
13:00	2	38	64	168	91	13	1	ō	0	õ	õ	4	õ	Ō	381
14:00	15	34	43	140	96	16	1	0	0	0	0	0	õ	2	347
15:00	13	43.	86	140	76	11	4	0	2	0	1	2	ō	5	383
16:00	13	42	76	152	69	31	2	1	0	0	0	0	0	7	393
17:00	16	47	78	136	83	21	4	1	0	0	0	2	0	6	394
18:00	9	44	50	128	107	8	1	0	2	1	0	2	4	12	368
19:00	4	35	67	185	93	21	7	0	0	0	0	4.	2	0	418
20:00	6	58	107	153	77	10	3	0	0	1	0	2	2	2	421
21:00	7	24	37	97	67	26	1	0	0	0	0	1	2	4	266
22:00	3	31	34	84	71	18	1	3	0	0	0	0	1	4	250
23:00	4	17	19	47	72	27	4	1	0	0	0	2	0	7	200
24:00	4	8	5	36	52	22	10	2	0	0	0	2	2	0	143
DAY TOTAL PERCENTS	119 2.1%	571 10.0%		1968 34.4%	1550 27.1%	454 7.9%	94 1.6%	18 0.3%	9 0.2%	5 0.1%	1 0.0%	36 0.6%	20 0.3%	75 1.3%	5718 100.0%

.

Statistical Information....

15th Percentile Speed 16.6 mph

Median Speed 23.5 mph

10 MPH Pace Speed 20 mph to 30 mph 3518 vehicles in pace Representing 63.7% of the total vehicles 85th Percentile Speed 29.4 mph

Average Speed 23.8 mph Vehicles > 65 MPH 20 0.4%

#### SPEED SUMMARY Mon 4/17/2023

Station #: 230150000128 File: D0413003.prn Site ID: 11000000103 City: Lynn Location: Rte.129EB, W. of Hanover St/Beacon Hill Av County: speed Direction: EAST Lane: 1 TIME 10 15 20 25 30 35 40 45 50 55 60 65 70 250 Total 8 11 37 23 10 3 01:00 0 5 2 5 2 2 3 02:00 03:00 04:00 05:00 06:00 3 17 33 14 07:00 2 26 12 48 76 33 3 08:00 09:00 10:00 30 101 99 114 35 31 11:00 39 101 118 18 12:00 60 145 50 150 52 149 13:00 14:00 15:00 ò 8 6 33 39 160 16:00 10.00 17:00 11 54 77 145 100 13 54 98 162 94 77 19:00 66 159 5 62 117 66 22 114 89 0 0 0 2 20:00 3 21:004 18 24 89 68 12 22:00 23:00 24:00 
 6
 22
 20
 52
 45
 18
 2

 2
 5
 12
 40
 58
 24
 4
 4 151 \_\_\_\_\_ \_\_\_\_ -----\_\_\_\_ \_\_\_\_ \_\_\_\_\_ DAY TOTAL1416297712031172943082235942631625973PERCENTS2.4%10.5%12.9%34.0%28.9%7.2%1.4%0.4%0.1%0.2%0.1%0.4%0.5%1.0%100.0%

Statistical Information .....

15th Percentile Speed 16.5 mph

Median Speed 23.7 mph

10 MPH Pace Speed 20 mph to 30 mph 3760 vehicles in pace Representing 65.2% of the total vehicles 85th Percentile Speed 29.3 mph

Average Speed 23.8 mph Vehicles > 65 MPH 

0.5%

Page: 5

SPEED SUMMARY Tue 4/18/2023

Station #: 2 Site ID: 110 Location: Rt Direction: E Lane: 1	000000 e.129E	103	Hanove	er St/1	Beacon	Hill A	70			Cit	e: D04 y: Lyn nty: s		prn		
TIME	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
01:00	2	2	3	7	29	17	11	3	2	0	0	0	0	7	83
02:00	2	1	1	9	11	16	4	4	0	0	1	0	0	4	53
03:00	1	6	1	4	7	.10	2	0	-0	0	0	0	2	4	34
04:00	ō	2	1	3	12	7	5	õ	õ	õ	õ	Ő	0	2	32
05:00	õ	7	3	5	8	15	4	ĩ	Ő	õ	õ	õ	ŏ	4	47
06:00	Õ	11	8	23	52	24	3	2	õ	ŏ	õ	Ő	0	0	123
07:00	6	39	12	53	84	25	3	0	õ	Õ	2	7	2	3	236
08:00	7	33	44	115	131	44	5	0	Ō	2	2	6	2	õ	391
09:00	6	52	35	116	127	31	5	3	2	0	0	6	3	4	390
10:00	3	4	4	5	29	5	1	0	0	0	0	õ	2	1	54
11:00	0	0	0	0	1	0	0	0	0	0	0	Ō	0	0	1
12:00	0	0	0	0	0	0	0	0	0	0	0	0	0	Ő	<u>,</u> 0
13:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Ō
DAY TOTAL PERCENTS	27 1.9%	157 10.9%	112 7.8%	340 23.5%	491 34.0%	194 13.4%	43 3.0%	13 0.9%	4 0.3%	2 0.1%	5 0.3%	19 1.3%	11 0.8%	26 1.8%	1444 100.0%

Statistical Information...

15th Percentile Speed 17.3 mph

- Median Speed 25.9 mph
- 10 MPH Pace Speed 20 mph to 30 mph 831 vehicles in pace Representing 59.7% of the total vehicles

85th Percentile Speed 32.1 mph

Average Speed 25.9 mph

Vehicles > 65 MPH 11 0.8%

.

Page: 6

SPEED SUMMARY Mon 4/10/2023

Page: 1

Station #: 230150000063 Site ID: 110000000104 Location: Rte.129WB,W.of Hanover St/Beacon Hill Av Direction: WEST Lane: 1

File: D0410015.prn City: Lynn County: speed

					~ ~	<b>0</b> -					~ ~	~ -			
TIME	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
12:00	6	15	33	101	137.	36	6	0	5	5	1	0	0	3	348
13:00	12	24	32	93	117	30	4	0	0	2	0	0	0	0	314
14:00	44	28	52	147	90	16	1	2	4	6	5	0	0	0	395
15:00	85	53	92	130	49	5	0	0	3	2	2	2	0	0	423
16:00	32	38	91	163	86	7	0	1	2	2	4	0	0	0	426
17:00	194	58	66	63	45	3	1	0	2	2	0	0	0	0	434
18:00	66	48	123	114	36	4	0	0	5	0	4	2	0	3	405
19:00	49	55	93	95	37	3	0	2	4	4	0	0	0	0	342
20:00	32	27	89	122	38	2	1	2	3	0	0	0	2	0	318
21:00	12	13	27	86	71	11	0	0	0	0	0	0	0	2	222
22:00	3	11	31	87	69	19	5	1	2	0	0	0	0	12	240
23:00	3	10	9	42	53	22	3	1	3	0	0	0	0	6	152
24:00	4	7	7	14	41	18	0	1	0	1	0	0	0	2	95
DAY TOTAL	 542	387	745	1257	 869	176	21	10	33	24	16	4	2	28	4114
PERCENTS	13.2%	9.4%	18.1%	30.6%		4.3%	0.5%	0.2%	0.8%	0.6%	0.4%	0.1%	0.0%	0.7%	

Statistical Information....

15th Percentile Speed 16.0 mph

- Median Speed 22.6 mph
- 10 MPH Pace Speed 20 mph to 30 mph 2126 vehicles in pace Representing 60.0% of the total vehicles

85th Percentile Speed 28.6 mph Average Speed

22.9 mph

Vehicles > 65 MPH 2 0.1% Station #: 230150000063 File: D0410015.prn Site ID: 110000000104 City: Lynn Location: Rte.129WB, W.of Hanover St/Beacon Hill Av County: speed Direction: WEST Lane: 1 TIME 10 15 20 25 30 35 40 45 50 55 60 65 70 250 Total \_\_\_\_\_ \_\_\_\_\_ -----\_\_\_\_\_ 01:00 1 0 0 0 23 36 02:00 03:00 04:00 0 0 0 05:00 0 0 0 10 06:00 07:00 0 0 0 2 0 13 175 0 0 08:00 Õ 09:00 **11 10 23 106 121** 10:00 7 11:00 10 29 135 117 21 0 2 3 4 12:00 19 65 122 121 10 43 51 124 41 85 110 89 61 13:00 14:00 66 105 137 15:00 
 15:00
 89

 16:00
 135

 17:00
 06
 85 108 115 33 96 54 99 127 39 17:00 
 43
 73
 152
 56

 54
 76
 114
 40
 0 0 18:00 /6 114 66 146 68 0 0 2 2 19:00 20:00 0 0 21:00 13 17 37 110 85 7 17 23 89 64 18 22:00 3 23:00 2 0 2 157 24:00 39 23 \_\_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_ \_\_\_ DAY TOTAL 677 617 1045 2056 1509 336 68 14 29 20 22 12 9 88 6502 PERCENTS 10.4% 9.5% 16.1% 31.6% 23.2% 5.2% 1.0% 0.2% 0.4% 0.3% 0.3% 0.2% 0.1% 1.4% 100.0%

Statistical Information...

15th Percentile Speed 16.2 mph

Median Speed 22.9 mph

10 MPH Pace Speed 20 mph to 30 mph 3565 vehicles in pace Representing 62.1% of the total vehicles 85th Percentile Speed 28.8 mph

Average Speed 23.2 mph Vehicles > 65 MPH 0.2%

Station #: 2 Site ID: 11( Location: Rt Direction: W Lane: 1	00000001 ce.129WE	04	Hanove	er St/1	Beacon	Hill A	v			Cit	e: D04 y: Lyn nty: s	n	prn		
TIME	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
01:00 02:00	1 1	6 5	3 2	9 6	21 18	12 13	3 8	1 4	1	1	0	0	0	0 8	58 65
03:00	ō	Ő	3	õ	12	8	3	Ó	õ	ŏ	õ	Ő	ŏ	Ő	26
04:00	1	1	Ő	3	8	9	8	õ	õ	ŏ	õ	ŏ	Ő	0	30
05:00	1	4	2	7	18	22	12	ı 1	õ	õ	õ	ŏ	Ő	2	69
06:00	5	8	7	22	66	37	15	1	2	Õ	Ō	Ō	õ	2	165
07:00	7	21	34	97	131	23	1	0	0	0	0	2	0	4	320
08:00	28	38	56	125	87	15	4	0	0	0	0	0	2	0	355
09:00	27	35	44	107	77	19	3	1	2	0	0	0	1	2	318
10:00	9	16	21	95	115	29	2	2	0	4	0	0	0	6	299
11:00	7	15	31	100	112	20	3	0	1	0	0	1	0	0	290
12:00	9	16	33	97	116	22	2	1	1	0	0	0	0	0	297
13:00	16	12	52	130	113	22	2	0	0	2	0	0	0	2	351
14:00	50	57	116	99	32	2	2	0	0	0	0	0	0	0	358
15:00	100	71	81	132	55	4	0	0	1	4	0	0	0	0	448
16:00	78	54	110	118	43	4	1	0	2	0	0	0	2	0	412
17:00	123	57	75	118	45	5	1	0	0	2	0	2	0	2	430
18:00	87	64	106	103	45	4	0	0	1	2	0	0	0	1	413
19:00	31	41	87	130	56	7	2	0	4	0	0	0	2	1	361
20:00	13	31	52	130	73	6	1	0	0	1	0	0	0	4	311
21:00	21	22	67	124	65	12	3	0	0	0	0	0	0	0	314
22:00	12	21	41	85	67	16	1	0	0	0	0	0	0	0	243
23:00	6	11	13	33	70	20	2	0	0	0	0	0	2	5	162
24:00	3	4	5	27	43	14	2	2	0	0	0	0	0	10	110
DAY TOTAL PERCENTS	636 10.2%	610 9.8%	1041 16.8%	1897 30.6%	1488 24.0%	345 5.6%	81 1.3%	13 0.2%	15 0.2%	_16 0.3%	0 0.0%	5 0.1%	9 0.1%	49 0.8%	6205 100.0%

15th Percentile Speed 16.1 mph

Median Speed 22.9 mph

10 MPH Pace Speed 20 mph to 30 mph 3385 vehicles in pace Representing 61.3% of the total vehicles 85th Percentile Speed 28.9 mph

Average Speed 23.0 mph Vehicles > 65 MPH 9

0.2%

SPEED SUMMARY Thu 4/13/2023

Station #: 230150000063 File: D0410015.prn Site ID: 11000000104 City: Lynn Location: Rte.129WB, W.of Hanover St/Beacon Hill Av County: speed Direction: WEST Lane: 1 TIME 10 15 20 25 30 35 40 45 50 55 60 65 70 250 Total 01:00 6 14 16 02:00 0 0 0 03:00 69 04:00 0 0 05:00 0 12 10 37 67 34 06:00 0 0 0 07:00 14 31 24 126 104 37 0 0 2 2 4 2 08:00 44 119 69 0 0 09:00 10:00 16 45 122 120 11:00 25 77 105 98 24 12:00 13:00 30 22 55 137 111 Ō 41 68 112 54 8 26 19 18 60 83 127 69 0 14:00 56 15:00 56 00 110 110 70 99 16:00 17:00 96 54 62 50 107 139 45 18:00 58 61 96 127 19:00 
 22
 62
 162

 26
 42
 133

 16
 36
 89
 15 0 0 3 1 0 20:00 21:00 Ō 9 16 36 89 69 6 **17 1**5 45 81 69 15 22:00 23:00 24:00 0 0 6 4 21 59 24 0 0 \_\_\_\_\_ \_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ DAY TOTAL 651 605 995 1971 1452 395 87 22 7 7 0 3 5 35 6235 PERCENTS 10.4% 9.7% 16.0% 31.6% 23.3% 6.3% 1.4% 0.4% 0.1% 0.1% 0.0% 0.0% 0.1% 0.6% 100.0% PERCENTS

Statistical Information...

15th Percentile Speed 16.2 mph

Median Speed 23.0 mph

10 MPH Pace Speed 20 mph to 30 mph 3423 vehicles in pace Representing 61.7% of the total vehicles 85th Percentile Speed 29.0 mph

Average Speed 23.0 mph

Vehicles > 65 MPH 0.1%

Page: 4

Station #: 230150000063 File: D0410015.prn Site ID: 11000000104 City: Lynn Location: Rte.129WB, W.of Hanover St/Beacon Hill Av County: speed Direction: WEST Lane: 1 TIME 10 15 20 25 30 35 40 45 50 55 60 65 70 250 Total 01:00 Ω 3 8 28 3 02:00 03:00 3 14 15 
 2
 4
 1
 2

 1
 3
 4
 8

 1
 5
 7
 27

 18
 20
 21
 83
 04:00 7 13 0 0 0 05:00 8 18 0 0 0 21 16 Ő 2 0 06:00 07:00 08:00 4.1 34 38 104 115 09:00 12 31 30 119 88 22 10:00 9 15 18 88 127 11:00 26 103 õ 0 0 0 12:00 50 52 13:00 14:00 46 60 125 15:00 73 88 99 66 54 62 97 158 79 16:00 43 82 126 85 65 102 40 2 0 17:00 18:00 46 68 118 55 15 19:00 29, 25 80 131 20:00 75 10 21:00 34 55 147 67 11 0 0 75 18 82 29 67 23 22:00 15 52 105 25 1 8 7 0 23:00 24:00 DAY TOTAL 841 662 892 2018 1670 484 112 27 0 3 6720 12.5% 9.9% 13.3% 30.0% 24.9% 7.2% 1.7% 0.4% 0.0% 0.0% 0.1% 0.0% 0.0% 0.0% 100.0% PERCENTS

Statistical Information. ....

15th Percentile Speed 16.2 mph

Median Speed 23.4 mph

10 MPH Pace Speed 20 mph to 30 mph 3688 vehicles in pace Representing 62.8% of the total vehicles 85th Percentile Speed 29.3 mph

Average Speed 23.3 mph

Vehicles > 65 MPH 0.0%

Station #: 2 Site ID: 110 Location: Rte Direction: Wi Lane: 1	0000001 e.129WE	04	Hanov	er St/	Beacon	Hill Æ	٩v			Cit	e: D04 y: Lyr nty: s		prn		
TIME	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
01:00	1	4	1	17	37	24	5	4	2	1	0	0			
02:00	2	3	3	7	26	15	10	2	0	0	0	0	0	0	96
03:00	1	1	1	9	13	22	2	2 4	0	0	0	0 0	0	0	68
04:00	1	3	1	4	8	14	2	2	1	0	0	0	0	0 0	53 36
05:00	1	1	2	2	4	9	9	3	0	0	0	0	0	0	36 31
06:00	1	1	0	12	16	31	13	7	0	1	0	0	0	0	31 82
07:00	4	9	14	39	78	39	12	ó	1	0	0 0	0	0	0	8∠ 196
08:00	4	13	7	52	86	26	8	Ő	2	0	1	0	0	0	196
09:00	7	9	17	73	93	29	11	Ő	0	õ	Ď	0	0	0	239
10:00	9	11	25	97	131	51	5	1	0	0	1	0	0	0	331
11:00	14	22	28	109	117	26	4	Ō	0	0	0	0	0	0	320
12:00	58	41	70	152	64	11	3	1	0	0	0	0	0	0	320 400
13:00	41	25	51	94	96	18	2	Ō	0	0	Ő	0	0	0	327
14:00	55	38	77	120	54	11	1	ŏ	0	0	0	0	0	0	356
15:00	28	34	73	130	74	$17^{-12}$	1	õ	0	0	õ	õ	0	0	357
16:00	15	23	49	125	96	20	4	õ	ĩ	õ	ŏ	Ő	0	ŏ	333
17:00	15	28	30	133	107	19	7	õ	1	õ	õ	Ő	ő	0	340
18:00	26	30	54	115	77	27	4	Õ	ō	õ	1	õ	Ő	0	334
19:00	28	28	71	108	44	21	2	1	õ	õ	ō	0	Ő	ŏ	303
20:00	28	22	43	120	56	14	2	0	Õ	õ	1	Õ	õ	Ő	286
21:00	8	23	57	104	100	14	2	Ō	0	Õ	õ	õ	õ	ő	308
22:00	9	15	47	124	82	16	2	1	õ	0	Õ	õ	õ	ŏ	296
23:00	11	15	24	82	99	29	5	1	0	0	õ	õ	õ	2.	268
24:00	6	11	9	45	44	21	2	1	1	0	0	0	0	0	140
DAY TOTAL PERCENTS	373 6.5%	410 7.2%	754 13.2%	1873 32.9%	1602 28.1%	524 9.2%	118 2.1%	28 0.5%	9 0.2%	2 0.0%	4 0.1%	0.08	0.08	2 0.0%	5699 100.0%

15th Percentile Speed 17.6 mph

Median Speed 24.0 mph

10 MPH Pace Speed 20 mph to 30 mph 3475 vehicles in pace Representing 65.3% of the total vehicles 85th Percentile Speed 29.7 mph

Average Speed 24.0 mph

Vehicles > 65 MPH 0 0.0%

Page: 6

Station #: 2 Site ID: 1100 Location: Rt Direction: W1 Lane: 1	0000001 e.129WE	04	Hanove	er St/1	Beacon	Hill A	74			Cit	e: D04 y: Lyn nty: s		prn		
TIME	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
			<u>,</u>				_								
01:00	3	3	9	21	28	26	6	1	0	0	0	0	0	0	97
02:00	0	9	3	9	38	24	9	4	1	· 0	0	0	0	0	97
03:00	0	1	3	3	21	21	6	1	0	0	0	0	0	0	56
04:00	4	1	2	3	15	11	10	4	1	0	0	0	0	0	51
05:00	0	1	5	4 7	7	9	6	3	1	1	0	0	0	0	37
06:00 07:00	2	2	2 3	9	11	24 29	12	0	0	0	0	0	0	0	60
	4 3	4 4	3 4	36	24		5	2	1	1	0	0	0	0	82
08:00 09:00	3 6	4 5	-		39 57	15	8	1	0	0	2	0	1	1	114
10:00	13	5 13	10 24	40 82	57 107	37 33	6	.0	0	0	0	0	0	0	161
	13	18	24 23			33 26	4	1	0	0	0	0	0	0	277
11:00	8 15	$18 \\ 17$	23 31	90	110		4	0	0	.0	0	0	0	0	279
12:00 13:00	12	26	31 77	107 150	104	23 14	4	0	0	0	0	0	0	0	301
13:00	24	26 23	42	130 144	104 95	14 20	1 2	0	0	0	0	0	0	0	380
15:00	24 52	23 47	42 68	103	95 71	20 15	2	0	0	0	0	0	0	0	350
16:00	15	24	42	105	97	24	3	1 1	0	0	0	÷	0	0	357
17:00	15	24	42 65	116	97 64	24	3 4	0	1	0	0	0	0	0	311
18:00	26	29	38	92	92	17	5	0		0	0	0	0 0	0	310
19:00	23	46	66	116	92 76	16	3	0	0	0	0	0	0	0 0	299
20:00	27	17	66	116	65	12	3	0	0	0	1	0	Ŏ	0	346 307
21:00	10	27	18	90	75	18	5	0	0	0	0	0	0	0	243
22:00	7	15	21	77	78	20	3	3	0	0	0	0	0	0	243
23:00	6	14	11	62	71	24	5	1	0	õ	Ő	0	0	0	224 194
24:00	5	6	3	32	48	22	10	0	0	0	0	0	0	0	194
DAY TOTAL PERCENTS	278 5.5%	373 7.4%	636 12.6%	1614 31.9%	1497 29.6%	502 9.9%	124 2.5%	23 0.5%	5 0.1%	2 0.0%	3 0.1%	0 0.0%	1 0.0%	1 0.0%	 5059 100.0%

15th Percentile Speed 17.7 mph

Median Speed 24.3 mph

10 MPH Pace Speed 20 mph to 30 mph 3111 vehicles in pace Representing 65.1% of the total vehicles 85th Percentile Speed 29.8 mph

Average Speed · 24.2 mph

Vehicles > 65 MPH 1 0.0%

Page: 7

Station #: 23 Site ID: 1100 Location: Rte Direction: WH Lane: 1	0000001 ∋.129WB	04	Hanove	er St/1	Beacon	Hill A	v			Cit	e: D04 y: Lyn nty: s		prn		
TIME	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
	1:														
01:00	1	5	4	14	29	20	15	5	2	0	0	0	0	0	95
02:00	1	6	3	6	36	14	7	3	1	0	0	0	0	0	77
03:00	1	5	0	3	9	10	7	2	2	0	0	0	0	0	39
04:00	0	2	0	6	6	14	9	2	0	0	0	0	0	0	39
05:00	3	5	0	9	16	23	12	5	0	0	1	0	0	0	74
06:00	0	4	3	17	42	32	23	8	1	0	0	0	0	-0	130
07:00	2	16	9	48	116	51	10	2	0	0	0	0	0	0	254
08:00	9	13	11	48	81	36	10	0	1	0	0	0	0	0	209
09:00	10	14	23	65	72	21	11	1	0	0	0	0	0	0	217
10:00	11	16	20	94	105	36	7	1	0	0	0	0	0	0	290
11:00	3	7	26	86	110	24	4	0	0	0	0	0	0	0	260
12:00	16	15	32	86	110	22	2	0	1	0	0	0	0	0	284
13:00	17	20	50	124	90	26	0	0	0	0	0	0	0	0	327
14:00	36	36	62	134	75	8	3	0	0	0	0	0	0	0	354
15:00	19	27	37	138	78	14	4	0	0	0	0	0	0	0	317
16:00	20	29	50	108	95	17	4	0	0	0	0	0	0	0	323
17:00	20	26	57	135	82	13	0	0	0	0	0	0	0	0	333
18:00	46	45	55	109	77	12	2	0	0	0	0	0	0	0	346
19:00	18	26	37	111	88	11	2	0	0	0	0	0	0	0	293
20:00	21	15	36	93	74	15	4	0	0	0	0	0	0	0	258
21:00	7	18	26	109	66	24	1	0	0	0	0	0	0	0	251
22:00	6	10	16	66	71	20	4	1	0	0	0	0	0	0	194
23:00	2	10	14	54	40	26	2	0	0	0	0	0	0	0	148
24:00	2	4	6	18	45	19	6	1	0	0	0	0	0	0	101
DAY TOTAL PERCENTS	271 5.2%	374 7.2%	577 11.1%	1681 32.2%	1613 30.9%	508 9.7%	149 2.9%	31 0.6%	8 0.2%	0 0.0%	1 0.0%	0 0.08	0 0.0%	0 0.0%	5213 100.0%

15th Percentile Speed 18.2 mph

Median Speed 24.5 mph

10 MPH Pace Speed 20 mph to 30 mph 3294 vehicles in pace Representing 66.7% of the total vehicles 85th Percentile Speed 29.9 mph

Average Speed 24.5 mph

Vehicles > 65 MPH 0 0.0%

Station #: 2 Site ID: 110 Location: Rt Direction: W Lane: 1	0000001 e.129WB	04	Hanove	er St/:	Beacon	Hill A	v			Cit	e: D04 y: Lyn nty: s		prn		
TIMË	10	15	20	25	30	35	40	45	50	55	60	65	70	250	Total
01:00 02:00	1	5 2	5 1	3	16 9	12 15	12 10	1 3	0	0	0	0	0	0	55 50
03:00	1	3	ō	Ő	6	11	3	õ	1	õ	Õ	õ	õ	Ő	25
04:00	0	1	1	4	8	10	6	1	1	0	1	Ō	õ	Õ	33
05:00	0	4	1	8	18	21	14	2	1	0	0	0	0	0	69
06:00	0	7	10	24	57	41	13	3	0	0	0	0	0	0	155
07:00	1	13	17	69	128	47	9	3	1	0	0	0	С	0	288
08:00	11	14	14	58	100	47	13	1	1	0	0	0	0	0	259
09:00	12	20	12	72	99	43	8	1	0	0	1	0	0	0	268
DAY TOTAL PERCENTS	27 2.2%	69 5.7%	61 5.1%	247 20.5%	441 36.7%	247 20.5%	88 7.3%	15 1.2%	5 0.4%	0 0.0%	2 0.2%	0.0%	0.0%	0.08	1202 100.0%

15th Percentile Speed 20.9 mph

Median Speed 27.4 mph

10 MPH Pace Speed 20 mph to 30 mph 688 vehicles in pace Representing 58.6% of the total vehicles 85th Percentile Speed 33.7 mph

Average Speed 27.2 mph Vehicles > 65 MPH 0

0.0%

Appendix D: Highway Capacity Manual Methodology

Level of Service	Signalized Intersection Control Delay (seconds per vehicle)	Unsignalized Intersection Control Delay (seconds per vehicle)
A	<10	<10
В	10–20	10–15
С	20–35	15–25
D	35–55	25–35
E	55–80	35–50
F	>80	>50

### Intersection Level of Service Criteria


Source: Highway Capacity Manual 2010.

# HCS Warrants Report

## **Project Information**

Analyst	Julie Dombroski	Date	7/11/2023
Agency	CTPS	Analysis Year	2023
Jurisdiction		Time Period Analyzed	
Project Description			
General			
Major Street Direction	East-West	Population < 10,000	No
Starting Time Interval	6	Coordinated Signal System	No
Median Type	Undivided	Crashes (crashes/year)	8
Major Street Speed (mi/h)	0	Adequate Trials of Crash Exp. Alt.	No
Nearest Signal (ft)	1089		

## Geometry and Traffic



Approach	I	Eastbound	k	١	Vestboun	d	N	lorthboun	d	S	outhboun	ıd	
Movement	L	Т	R	L	Т	R	L	Т	R	L	Т	R	
Number of Lanes, N	0	1	0	0	1	0	0	1	0	0	0	0	
Lane Usage		LTR			LTR			LTR					
Vehicle Volumes Averages (veh/h)	36	182	37	51	177	38	14	91	24	0	0	0	
Pedestrian Averages (peds/h)		7			6			15			11		
Gap Averages (gaps/h)		0			0			0			0		
Delay (s/veh)		0.3			0.5			47.5			0.0		
Delay (veh-hrs)		0.0			0.0			0.0					
School Crossing and Roadway	Netwo	rk											
Number of Students in Highest Hour	0			Т	wo or Mo	re Major I	Routes		No				
Number of Adequate Gaps in Period	0			V	Veekend (	Counts			No				
Number of Minutes in Period	0			5	-year Gro	wth Facto	or (%)		0				
Railroad Crossing													
Grade Crossing Approach	None			F	ail Traffic	(trains/da	ıy)		4				
Highest Volume Hour with Trains	Unknow	n		ŀ	ligh Occu	pancy Bus	ses (%)		0				
Distance to Stop Line (ft)	-			Т	ractor-Tra	iler Trucks	5 (%)		10				

Hour	Major	Minor	Total	Peds/h	Gaps/h	1A	1A	1B	1B	2	3A	3B	4A	4B
	Volume	Volume	Volume			( 100% )	( 80% )	( 100% )	( 80% )	(100%)	( 100% )	( 80% )	( 100% )	( 80%
07 - 08	610	62	672	23	0	No	No	No	Yes	No	No	No	No	No
08 - 09	923	101	1024	43	0	No	No	Yes	Yes	No	No	No	No	No
09 - 10	872	125	997	49	0	No	Yes	Yes	Yes	No	No	No	No	No
10 - 11	726	74	800	55	0	No	No	No	Yes	No	No	No	No	No
11 - 12	0	0	0	0	0	No	No	No	No	No	No	No	No	No
12 - 13	0	0	0	0	0	No	No	No	No	No	No	No	No	No
13 - 14	0	0	0	0	0	No	No	No	No	No	No	No	No	No
14 - 15	0	0	0	0	0	No	No	No	No	No	No	No	No	No
15 - 16 16 - 17	617	255	872 1127	104	0	Yes	Yes	No	Yes	Yes	No	No	No	No
17 - 18	931 997	196 250	1247	91 65	0	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes	No No	No Yes	No No	No No
17 - 18	617	506	11247	67	0	Yes	Yes	No	Yes	Yes	No	Yes	No	No
Total	6293	1569	7862	497	0	4	5	4	8	4	0	2	0	0
	0255	1505	1002	457	0	4	5	4	0	4	0	2	U	0
Warrants														
Narrant 1: I	-													
A. Minimu														
B. Interrup							-					_		
80% Vehic		-			najor appi	roachesa	and high	er minor a	pproach)					
Warrant 2: I													✓	
Four-Hour			oth major	approach	esand	higher mi	nor appro	ach)					✓	
Warrant 3: I													✓	
A. Peak-Ho														
B. Peak-Ho				ajor appro	achesan	id highei	r minor ap	proach)					✓	
Warrant 4: I			2											
A. Four Ho														
B. One-Ho		-												
Warrant 5: S		-												
Gaps Sam		and												
Nearest Tr Warrant 6: (		-											✓	
Degree of			-		th diractic	(nc)								
Warrant 7: (		-				113)								
A. Adequa	-		s ohserva	ince and e	nforceme	nt failed	and							
B. Reporte													√	
C. 80% Vo						enti pene	a, unu-						• •	
Warrant 8: 1													v	
A. Weekda	-			d proiec	ted warra	nts 1, 2, or	3)or							
B. Weeken							, <u>-</u> .							
Warrant 9: (			·····,											
	rossing wi	-	and											
A. Grade C														

Lynn Washington Signal Warrant.xsw

# Appendix E: Washington Street at Hanover Street, Existing Conditions

7.6

### Intersection

Int Delay, s/veh

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		\$			\$			\$					
Traffic Vol, veh/h	67	370	77	131	294	41	19	96	25	0	0	0	
Future Vol, veh/h	67	370	77	131	294	41	19	96	25	0	0	0	
Conflicting Peds, #/hr	17	0	28	33	0	22	28	0	33	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None										
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	73	402	84	142	320	45	21	104	27	0	0	0	

Major/Minor	Major1			Major2		1	Minor1			
Conflicting Flow All	387	0	0	519	0	0	1278	1294	510	
Stage 1	-	-	-	-	-	-	623	623	-	
Stage 2	-	-	-	-	-	-	655	671	-	
Critical Hdwy	4.12	-	-	4.12	-	-	6.42	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	5.42	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	5.42	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1171	-	-	1047	-	-	183	163	563	
Stage 1	-	-	-	-	-	-	535	478	-	
Stage 2	-	-	-	-	-	-	517	455	-	
Platoon blocked, %		-	-		-	-				
Mov Cap-1 Maneuver		-	-	1014	-	-	130	0	528	
Mov Cap-2 Maneuver		-	-	-	-	-	130	0	-	
Stage 1	-	-	-	-	-	-	474	0	-	
Stage 2	-	-	-	-	-	-	414	0	-	
Approach	EB			WB			NB			
HCM Control Delay, s	1.1			2.6			48.1			
HCM LOS							E			
Minor Lane/Major Mvr	mt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR		
Capacity (veh/h)	in the second se	227	1171		LDIX -	1014				
HCM Lane V/C Ratio		0.67	0.062	-	-	0.14	-	-		
HCM Control Delay (s	:)	48.1	8.3	0	-	9.1	0	-		
HCM Lane LOS	<i>,</i> ,	E	0.5 A	A	_	A	A	-		
HCM 95th %tile Q(vel	n)	4.2	0.2	-	_	0.5	-	_		
	7	1.2	0.2			0.0				

16

### Intersection

Int Delay, s/veh

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		4			4			4					
Traffic Vol, veh/h	77	309	63	80	386	82	22	180	48	0	0	0	
Future Vol, veh/h	77	309	63	80	386	82	22	180	48	0	0	0	
Conflicting Peds, #/hr	29	0	32	36	0	33	32	0	36	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None										
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	84	336	68	87	420	89	24	196	52	0	0	0	

Major/Minor	Major1		ſ	Major2		1	Minor1			
Conflicting Flow All	542	0	0	440	0	0	1245	1290	442	
Stage 1	-	-	-	-	-	-	574	574	-	
Stage 2	-	-	-	-	-	-	671	716	-	
Critical Hdwy	4.12	-	-	4.12	-	-	6.42	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	5.42	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	5.42	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1027	-	-	1120	-	-		~ 163	615	
Stage 1	-	-	-	-	-	-	563	503	-	
Stage 2	-	-	-	-	-	-	508	434	-	
Platoon blocked, %		-	-		-	-				
Mov Cap-1 Maneuver	1027	-	-	1082	-	-	142	0	574	
Mov Cap-2 Maneuver	-	-	-	-	-	-	142	0	-	
Stage 1	-	-	-	-	-	-	486	0	-	
Stage 2	-	-	-	-	-	-	436	0	-	
Approach	EB			WB			NB			
HCM Control Delay, s	1.5			1.3			74.4			
HCM LOS							F			
Minor Lane/Major Mvn	nt I	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR		
Capacity (veh/h)		293	1027	-	-	1082	-	-		
HCM Lane V/C Ratio		0.927	0.081	-	-	0.08	-	-		
HCM Control Delay (s)	)	74.4	8.8	0	-	8.6	0	-		
HCM Lane LOS		F	A	A	-	A	A	-		
HCM 95th %tile Q(veh	)	8.9	0.3	-	-	0.3	-	-		
Notes										
~: Volume exceeds ca	pacity	\$: De	elav exc	eeds 30	005	+: Com	putatio	n Not D	efined	*: All major volume in platoon
	paony	φ. D	sidy chu	.0003-00			Patation	not D	unicu	

Appendix F: Freeman Square, Existing Conditions

Intersection	
Intersection Delay, s/veh	12.8
Intersection Delay, s/veh Intersection LOS	В
	_

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4						4			4	
Traffic Vol, veh/h	76	83	35	0	0	0	43	199	59	73	208	95
Future Vol, veh/h	76	83	35	0	0	0	43	199	59	73	208	95
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	83	90	38	0	0	0	47	216	64	79	226	103
Number of Lanes	0	1	0	0	0	0	0	1	0	0	1	0
Approach	EB						NB			SB		
Opposing Approach							SB			NB		
Opposing Lanes	0						1			1		
Conflicting Approach Left	SB						EB					
Conflicting Lanes Left	1						1			0		
Conflicting Approach Right	NB									EB		
Conflicting Lanes Right	1						0			1		
HCM Control Delay	11.5						12.2			14		
HCM LOS	В						В			В		

Lane	NBLn1	EBLn1	SBLn1
Vol Left, %	14%	39%	19%
Vol Thru, %	66%	43%	55%
Vol Right, %	20%	18%	25%
Sign Control	Stop	Stop	Stop
Traffic Vol by Lane	301	194	376
LT Vol	43	76	73
Through Vol	199	83	208
RT Vol	59	35	95
Lane Flow Rate	327	211	409
Geometry Grp	1	1	1
Degree of Util (X)	0.457	0.333	0.558
Departure Headway (Hd)	5.033	5.677	4.913
Convergence, Y/N	Yes	Yes	Yes
Сар	720	633	736
Service Time	3.045	3.712	2.922
HCM Lane V/C Ratio	0.454	0.333	0.556
HCM Control Delay	12.2	11.5	14
HCM Lane LOS	В	В	В
HCM 95th-tile Q	2.4	1.5	3.5

Intersection	
Intersection Delay, s/veh	24.3
Intersection LOS	С

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		\$						\$			\$	
Traffic Vol, veh/h	177	108	23	0	0	0	37	362	43	87	258	92
Future Vol, veh/h	177	108	23	0	0	0	37	362	43	87	258	92
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	192	117	25	0	0	0	40	393	47	95	280	100
Number of Lanes	0	1	0	0	0	0	0	1	0	0	1	0
Approach	EB						NB			SB		
Opposing Approach							SB			NB		
Opposing Lanes	0						1			1		
Conflicting Approach Left	SB						EB					
Conflicting Lanes Left	1						1			0		
Conflicting Approach Right	NB									EB		
Conflicting Lanes Right	1						0			1		
HCM Control Delay	19.3						26.6			25.5		
HCM LOS	С						D			D		

Lane	NBLn1	EBLn1	SBLn1
Vol Left, %	8%	57%	20%
Vol Thru, %	82%	35%	59%
Vol Right, %	10%	7%	21%
Sign Control	Stop	Stop	Stop
Traffic Vol by Lane	442	308	437
LT Vol	37	177	87
Through Vol	362	108	258
RT Vol	43	23	92
Lane Flow Rate	480	335	475
Geometry Grp	1	1	1
Degree of Util (X)	0.778	0.606	0.765
Departure Headway (Hd)	5.829	6.518	5.797
Convergence, Y/N	Yes	Yes	Yes
Сар	615	549	618
Service Time	3.922	4.613	3.891
HCM Lane V/C Ratio	0.78	0.61	0.769
HCM Control Delay	26.6	19.3	25.5
HCM Lane LOS	D	С	D
HCM 95th-tile Q	7.3	4	7

Appendix G: 2030 No Build Analysis

7.7

### Intersection

Int Delay, s/veh

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		\$			\$			\$					
Traffic Vol, veh/h	67	370	77	131	294	41	19	96	25	0	0	0	
Future Vol, veh/h	67	370	77	131	294	41	19	96	25	0	0	0	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Free	Free	Free	
RT Channelized	-	-	None										
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	78	430	90	152	342	48	22	112	29	0	0	0	

Major/Minor	Major1		l	Major2		1	Minor1			
Conflicting Flow All	390	0	0	520	0	0	1301	1325	475	
Stage 1	-	-	-	-	-	-	631	631	-	
Stage 2	-	-	-	-	-	-	670	694	-	
Critical Hdwy	4.12	-	-	4.12	-	-	6.42	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	5.42	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	5.42	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1169	-	-	1046	-	-	178	156	590	
Stage 1	-	-	-	-	-	-	530	474	-	
Stage 2	-	-	-	-	-	-	509	444	-	
Platoon blocked, %		-	-		-	-				
Mov Cap-1 Maneuver	1169	-	-	1046	-	-	131	0	590	
Mov Cap-2 Maneuver	-	-	-	-	-	-	131	0	-	
Stage 1	-	-	-	-	-	-	480	0	-	
Stage 2	-	-	-	-	-	-	414	0	-	
Approach	EB			WB			NB			
HCM Control Delay, s	1.1			2.5			48.9			
HCM LOS							Е			
Minor Lane/Major Mvm	nt I	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR		
Capacity (veh/h)		235	1169	-	-	1046	-	-		
HCM Lane V/C Ratio		0.693	0.067	-	-		-	-		
HCM Control Delay (s)		48.9	8.3	0	-	9	0	-		
HCM Lane LOS		E	А	А	-	А	А	-		

0.5

-

\_

-

4.5

0.2

\_

HCM 95th %tile Q(veh)

15.6

### Intersection

Int Delay, s/veh

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		4			4			4					
Traffic Vol, veh/h	77	309	63	80	386	82	22	180	48	0	0	0	
Future Vol, veh/h	77	309	63	80	386	82	22	180	48	0	0	0	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None										
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	90	359	73	93	449	95	26	209	56	0	0	0	

Conflicting Flow All       544       0       0       432       0       0       1259       1306       396         Stage 1       -       -       -       -       576       576       -         Stage 2       -       -       -       -       683       730       -         Critical Hdwy Stg 1       -       -       4.12       -       6.42       6.52       6.22         Critical Hdwy Stg 2       -       -       -       5.42       5.52       -         Critical Hdwy Stg 2       -       -       -       5.42       5.52       -         Follow-up Hdwy       2.218       -       2.218       -       5.42       5.52       -         Follow-up Hdwy       2.218       -       1128       -       158       -160       653         Stage 1       -       -       -       502       428       -         Platoon blocked, %       -       -       -       146       0       653         Mov Cap-1 Maneuver       1025       -       1128       -       146       0       -         Stage 1       -       -       -       442       0	Major/Minor	Major1		ſ	Major2		1	Minor1			
Stage 2       -       -       -       -       683       730       -         Critical Hdwy       4.12       -       4.12       -       6.42       6.52       6.22         Critical Hdwy Stg 1       -       -       -       5.42       5.52       -         Critical Hdwy Stg 2       -       -       -       5.42       5.52       -         Critical Hdwy Stg 2       -       -       -       5.42       5.52       -         Follow-up Hdwy       2.218       -       2.218       3.518       4.018       3.318         Pot Cap-1 Maneuver 1025       -       1128       -       188       -160       653         Stage 1       -       -       -       -       502       428       -         Nov Cap-1 Maneuver 1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       -       446       0       -         Stage 1       -       -       -       442       0       -         Stage 2       -       -       -       442       0       -         Minor Lane/Major Mvmt       NBLn1       EB	Conflicting Flow All	544	0	0	432	0	0	1259	1306	396	
Critical Hdwy       4.12       -       -       4.12       -       -       6.42       6.52       6.22         Critical Hdwy Stg 1       -       -       -       5.42       5.52       -         Critical Hdwy Stg 2       -       -       -       5.42       5.52       -         Follow-up Hdwy       2.218       -       2.218       -       -       3.518       4.018       3.318         Pot Cap-1 Maneuver       1025       -       1128       -       -       188       -160       653         Stage 1       -       -       -       -       502       428       -         Platoon blocked, %       -       -       -       -       653         Mov Cap-1 Maneuver       1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       -       -       442       0       -         Stage 1       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         Mort Lane/Mojor Mvmt       NBLn1       EB       EB <td>Stage 1</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>576</td> <td>576</td> <td>-</td> <td></td>	Stage 1	-	-	-	-	-	-	576	576	-	
Critical Hdwy Stg 1       -       -       -       5.42       5.52       -         Critical Hdwy Stg 2       -       -       -       5.42       5.52       -         Follow-up Hdwy       2.218       -       2.218       -       3.518       4.018       3.318         Pot Cap-1 Maneuver       1025       -       1128       -       188       ~160       653         Stage 1       -       -       -       562       502       -         Stage 2       -       -       -       502       428       -         Platoon blocked, %       -       -       -       502       428       -         Mov Cap-1 Maneuver       1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       -       446       0       -       -         Stage 1       -       -       -       446       0       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -       -         HCM Control Delay, s       1.5       1.2       72.5	Stage 2	-	-	-	-	-	-	683	730	-	
Critical Hdwy Sig 2       -       -       -       5.42       5.52       -         Follow-up Hdwy       2.218       -       2.218       -       3.518       4.018       3.318         Pot Cap-1 Maneuver       1025       -       1128       -       188       -160       653         Stage 1       -       -       -       502       428       -         Platoon blocked, %       -       -       -       502       428       -         Mov Cap-1 Maneuver       1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       -       -       496       0       -         Stage 1       -       -       -       -       442       0       -         Stage 1       -       -       -       442       0       -         Stage 2       -       -       -       442       0       -         HCM Control Delay, s       1.5       1.2       72.5       -       -         HCM Control Delay, s       1.5       1.2       72.5       -       -         HCM Los       F       -       1128	Critical Hdwy	4.12	-	-	4.12	-	-	6.42		6.22	
Follow-up Hdwy       2.218       -       2.218       -       3.518       4.018       3.318         Pot Cap-1 Maneuver       1025       -       1128       -       188       -160       653         Stage 1       -       -       -       562       502       -         Stage 2       -       -       -       502       428       -         Platoon blocked, %       -       -       -       502       428       -         Mov Cap-1 Maneuver       1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       1128       -       146       0       -         Stage 1       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         Kontrol Delay, s       1.5       1.2       72.5       -       -       -       -         HCM Control Delay, s       1.5       1.2       -       -       -       -       -		-	-	-	-	-	-			-	
Pot Cap-1 Maneuver       1025       -       1128       -       -       188       - 160       653         Stage 1       -       -       -       562       502       -         Stage 2       -       -       -       502       428       -         Platoon blocked, %       -       -       -       502       428       -         Mov Cap-1 Maneuver       1025       -       1128       -       -       146       0       653         Mov Cap-2 Maneuver       1025       -       1128       -       -       146       0       -         Stage 1       -       -       -       -       -       496       0       -         Stage 2       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         McM Control Delay, s       1.5       1.2       72.5       -       -			-	-		-	-				
Stage 1       -       -       -       562       502       -         Stage 2       -       -       -       502       428       -         Platoon blocked, %       -       -       -       502       428       -         Mov Cap-1 Maneuver       1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       -       146       0       -         Stage 1       -       -       -       -       496       0       -         Stage 2       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         Stage 2       -       -       -       -       442       0       -         HCM Control Delay, s       1.5       1.2       72.5       -       -         HCM Los       F       -       -       -       -       -         HCM Los       0.932       0.087       -       1128       -			-	-		-	-		4.018	3.318	
Stage 2       -       -       -       502       428       -         Platoon blocked, %       -       -       -       -       -         Mov Cap-1 Maneuver       1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       -       146       0       -       -         Stage 1       -       -       -       -       446       0       -         Stage 2       -       -       -       -       442       0       -         Approach       EB       WB       NB       -       -       -       442       0       -         HCM Control Delay, s       1.5       1.2       72.5       -       -       -       -       -         Minor Lane/Major Mvmt       NBLn1       EBL       EBT       EBR       WBT       WBR         Capacity (veh/h)       312       1025       -       -       1128       -       -         HCM Lane V/C Ratio       0.932       0.087       -       0.082       -       -       -         HCM Lane LOS       F       A       A       -       A       -		1025	-	-	1128	-	-			653	
Platoon blocked, %       -       -       -         Mov Cap-1 Maneuver       1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       -       146       0       -         Stage 1       -       -       -       -       446       0       -         Stage 2       -       -       -       -       442       0       -         Approach       EB       WB       NB       -       -       -       -         HCM Control Delay, s       1.5       1.2       72.5       -       -       -       -         Minor Lane/Major Mvmt       NBLn1       EBL       EBT       EBR       WBL       WBT       WBR         Capacity (veh/h)       312       1025       -       1128       -       -         HCM Lane V/C Ratio       0.932       0.087       -       0.082       -       -         HCM Control Delay (s)       72.5       8.8       0       -       8.5       0       -         HCM Lane LOS       F       A       A       A       A       -       -		-	-	-	-	-	-			-	
Mov Cap-1 Maneuver       1025       -       1128       -       146       0       653         Mov Cap-2 Maneuver       -       -       -       146       0       -         Stage 1       -       -       -       496       0       -         Stage 2       -       -       -       442       0       -         Approach       EB       WB       NB       -         HCM Control Delay, s       1.5       1.2       72.5       -         HCM LOS       -       -       -       1128       -         Minor Lane/Major Mvmt       NBLn1       EBL       EBT       EBR       WBT       WBR         Capacity (veh/h)       312       1025       -       1128       -       -         HCM Lane V/C Ratio       0.932       0.087       -       0.082       -       -         HCM Control Delay (s)       72.5       8.8       0       -       8.5       0       -         HCM Lane LOS       F       A       A       -       A       A       -		-	-	-	-	-	-	502	428	-	
Mov Cap-2 Maneuver       -       -       -       146       0       -         Stage 1       -       -       -       -       496       0       -         Stage 2       -       -       -       -       442       0       -         Approach       EB       WB       NB       NB         HCM Control Delay, s       1.5       1.2       72.5       -         HCM LOS       F       -       -       1128       -         Minor Lane/Major Mvmt       NBLn1       EBL       EBT       EBR       WBT       WBR         Capacity (veh/h)       312       1025       -       -       1128       -       -         HCM Lane V/C Ratio       0.932       0.087       -       0.082       -       -         HCM Control Delay (s)       72.5       8.8       0       -       8.5       0       -         HCM Lane LOS       F       A       A       -       A       A       -       -	· ·		-	-		-	-				
Stage 1       -       -       -       496       0       -         Stage 2       -       -       -       -       442       0       -         Approach       EB       WB       NB       -       -       442       0       -         HCM Control Delay, s       1.5       1.2       72.5       -       442       0       - <t< td=""><td></td><td>1025</td><td>-</td><td>-</td><td>1128</td><td>-</td><td>-</td><td>146</td><td>0</td><td>653</td><td></td></t<>		1025	-	-	1128	-	-	146	0	653	
Stage 2       -       -       -       -       442       0       -         Approach       EB       WB       NB       -       -       -       442       0       -         Approach       EB       WB       NB       -       -       -       442       0       -         HCM Control Delay, s       1.5       1.2       72.5       -		-	-	-	-	-	-	146	0	-	
ApproachEBWBNBHCM Control Delay, s1.51.272.5HCM LOSFFMinor Lane/Major MvmtNBLn1EBLEBTEBRWBLWBTMinor Lane/Major MvmtNBLn1EBLEBTEBRWBLWBTMinor Lane/Major Mvmt0.9320.087HCM Lane V/C Ratio0.9320.087HCM Control Delay (s)72.58.80-8.50HCM Lane LOSFAA-AA		-	-	-	-	-	-			-	
HCM Control Delay, s       1.5       1.2       72.5         HCM LOS       F         Minor Lane/Major Mvmt       NBLn1       EBL       EBT       EBR       WBL       WBT       WBR         Capacity (veh/h)       312       1025       -       1128       -       -         HCM Lane V/C Ratio       0.932       0.087       -       0.082       -       -         HCM Control Delay (s)       72.5       8.8       0       -       8.5       0       -         HCM Lane LOS       F       A       A       -       A       -       -	Stage 2	-	-	-	-	-	-	442	0	-	
HCM Control Delay, s       1.5       1.2       72.5         HCM LOS       F         Minor Lane/Major Mvmt       NBLn1       EBL       EBT       EBR       WBL       WBT       WBR         Capacity (veh/h)       312       1025       -       1128       -       -         HCM Lane V/C Ratio       0.932       0.087       -       0.082       -       -         HCM Control Delay (s)       72.5       8.8       0       -       8.5       0       -         HCM Lane LOS       F       A       A       -       A       -       -											
HCM LOS       F         Minor Lane/Major Mvmt       NBLn1       EBL       EBT       EBR       WBL       WBT       WBR         Capacity (veh/h)       312       1025       -       1128       -       -         HCM Lane V/C Ratio       0.932       0.087       -       0.082       -       -         HCM Control Delay (s)       72.5       8.8       0       -       8.5       0       -         HCM Lane LOS       F       A       A       -       A       A       -	Approach	EB			WB			NB			
Minor Lane/Major Mvmt         NBLn1         EBL         EBT         EBR         WBL         WBT         WBR           Capacity (veh/h)         312         1025         -         1128         -         -           HCM Lane V/C Ratio         0.932         0.087         -         0.082         -         -           HCM Control Delay (s)         72.5         8.8         0         -         8.5         0         -           HCM Lane LOS         F         A         A         -         A         A         -	HCM Control Delay, s	1.5			1.2			72.5			
Capacity (veh/h)         312         1025         -         1128         -         -           HCM Lane V/C Ratio         0.932         0.087         -         -         0.082         -         -           HCM Control Delay (s)         72.5         8.8         0         -         8.5         0         -           HCM Lane LOS         F         A         A         -         A         A         -	HCM LOS							F			
Capacity (veh/h)         312         1025         -         1128         -         -           HCM Lane V/C Ratio         0.932         0.087         -         -         0.082         -         -           HCM Control Delay (s)         72.5         8.8         0         -         8.5         0         -           HCM Lane LOS         F         A         A         -         A         -											
Capacity (veh/h)         312         1025         -         1128         -         -           HCM Lane V/C Ratio         0.932         0.087         -         -         0.082         -         -           HCM Control Delay (s)         72.5         8.8         0         -         8.5         0         -           HCM Lane LOS         F         A         A         -         A         -	Minor Lane/Major Mvn	nt I	VBLn1	EBL	EBT	EBR	WBL	WBT	WBR		
HCM Lane V/C Ratio       0.932       0.087       -       -       0.082       -       -         HCM Control Delay (s)       72.5       8.8       0       -       8.5       0       -         HCM Lane LOS       F       A       A       A       -       A       -	· · · ·		312	1025	-	-	1128	-	-		
HCM Lane LOS F A A - A A -					-	-		-	-		
HCM Lane LOS F A A - A A -	HCM Control Delay (s)	)			0	-		0	-		
	J . ,					-			-		
TUN 7501 7011E Q(VEII) 9.2 0.3 0.3	HCM 95th %tile Q(veh	)	9.2	0.3	-	-	0.3	-	-		
Notes											
~: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon		pacity	\$: De	elay exc	eeds 30	)0s	+: Com	putatio	n Not D	efined	*: All major volume in platoon

Washington St at Hanover St No Build 2:24 pm 08/16/2023 PM Seth

## Appendix H: Washington Street at Hanover Street, 2030 Alternatives One and Two

# Intersection Delay, s/veh 26.9 Intersection LOS D

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			\$			4				
Traffic Vol, veh/h	67	370	77	131	294	41	19	96	25	0	0	0
Future Vol, veh/h	67	370	77	131	294	41	19	96	25	0	0	0
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	78	430	90	152	342	48	22	112	29	0	0	0
Number of Lanes	0	1	0	0	1	0	0	1	0	0	0	0
Approach	EB			WB			NB					
Opposing Approach	WB			EB								
Opposing Lanes	1			1			0					
Conflicting Approach Left				NB			EB					
Conflicting Lanes Left	0			1			1					
Conflicting Approach Right	NB						WB					
Conflicting Lanes Right	1			0			1					
HCM Control Delay	31.6			26			12.4					
HCM LOS	D			D			В					

Lane	NBLn1	EBLn1	WBLn1
Vol Left, %	14%	13%	28%
Vol Thru, %	69%	72%	63%
Vol Right, %	18%	15%	9%
Sign Control	Stop	Stop	Stop
Traffic Vol by Lane	140	514	466
LT Vol	19	67	131
Through Vol	96	370	294
RT Vol	25	77	41
Lane Flow Rate	163	598	542
Geometry Grp	1	1	1
Degree of Util (X)	0.297	0.86	0.798
Departure Headway (Hd)	6.56	5.178	5.303
Convergence, Y/N	Yes	Yes	Yes
Сар	545	699	683
Service Time	4.622	3.221	3.349
HCM Lane V/C Ratio	0.299	0.856	0.794
HCM Control Delay	12.4	31.6	26
HCM Lane LOS	В	D	D
HCM 95th-tile Q	1.2	10.1	8

# Intersection Delay, s/veh 47.8 Intersection LOS E

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4				
Traffic Vol, veh/h	77	309	63	80	386	82	22	180	48	0	0	0
Future Vol, veh/h	77	309	63	80	386	82	22	180	48	0	0	0
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	90	359	73	93	449	95	26	209	56	0	0	0
Number of Lanes	0	1	0	0	1	0	0	1	0	0	0	0
Approach	EB			WB			NB					
Opposing Approach	WB			EB								
Opposing Lanes	1			1			0					
Conflicting Approach Left				NB			EB					
Conflicting Lanes Left	0			1			1					
Conflicting Approach Right	NB						WB					
Conflicting Lanes Right	1			0			1					
HCM Control Delay	35.8			71.1			18.1					
HCM LOS	E			F			С					

Lane	NBLn1	EBLn1	WBI n1
Vol Left, %	9%	17%	15%
Vol Thru, %	72%	69%	70%
Vol Right, %	19%	14%	15%
Sign Control			
	Stop	Stop	Stop
Traffic Vol by Lane	250	449	548
LT Vol	22	77	80
Through Vol	180	309	386
RT Vol	48	63	82
Lane Flow Rate	291	522	637
Geometry Grp	1	1	1
Degree of Util (X)	0.549	0.863	1.04
Departure Headway (Hd)	6.938	6.076	5.876
Convergence, Y/N	Yes	Yes	Yes
Сар	523	601	625
Service Time	4.938	4.076	3.876
HCM Lane V/C Ratio	0.556	0.869	1.019
HCM Control Delay	18.1	35.8	71.1
HCM Lane LOS	С	E	F
HCM 95th-tile Q	3.3	9.7	17.1

## Washington St at Hanover St Alternative Two

	≯	-	$\mathbf{r}$	1	-	•	•	t	1	1	Ŧ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		\$			\$			\$				
Traffic Volume (vph)	67	370	77	131	294	41	19	96	25	0	0	0
Future Volume (vph)	67	370	77	131	294	41	19	96	25	0	0	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)		4.5			4.5			4.5				
Lane Util. Factor		1.00			1.00			1.00				
Frt		0.98			0.99			0.98				
Flt Protected		0.99			0.99			0.99				
Satd. Flow (prot)		1813			1815			1806				
Flt Permitted		0.88			0.72			0.99				
Satd. Flow (perm)		1606			1332			1806				
Peak-hour factor, PHF	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
	107%	107%	107%	107%	107%	107%	107%	107%	107%	100%	100%	100%
Adj. Flow (vph)	78	430	90	152	342	48	22	112	29	0	0	0
RTOR Reduction (vph)	0	6	0	0	4	0	0	8	0	0	0	0
Lane Group Flow (vph)	0	592	0	0	538	0	0	155	0	0	0	0
Turn Type	Perm	NA	-	Perm	NA	-	Perm	NA	-	-	-	-
Protected Phases	1 01111	4		T OIIII	8		1 onn	2				
Permitted Phases	4	•		8	U		2	-				
Actuated Green, G (s)		33.8		Ŭ	33.8		-	18.9				
Effective Green, g (s)		33.8			33.8			18.9				
Actuated g/C Ratio		0.55			0.55			0.31				
Clearance Time (s)		4.5			4.5			4.5				
Vehicle Extension (s)		3.0			3.0			3.0				
Lane Grp Cap (vph)		879			729			553				
v/s Ratio Prot		077			127			000				
v/s Ratio Perm		0.37			c0.40			0.09				
v/c Ratio		0.67			0.74			0.28				
Uniform Delay, d1		10.0			10.6			16.2				
Progression Factor		1.00			1.00			1.00				
Incremental Delay, d2		2.0			3.9			1.3				
Delay (s)		12.0			14.5			17.5				
Level of Service		B			B			B				
Approach Delay (s)		12.0			14.5			17.5			0.0	
Approach LOS		B			B			B			A	
Intersection Summary												
HCM 2000 Control Delay			13.8	Н	CM 2000	Level of S	Service		В			
HCM 2000 Volume to Capacity	ratio		0.61									
Actuated Cycle Length (s)			61.7	S	um of lost	time (s)			12.0			
Intersection Capacity Utilization	า		65.8%	IC	CU Level o	of Service			С			
Analysis Period (min)			15									
c Critical Lane Group												

## Washington St at Hanover St Alternative Two

Alternative 1 wo												22/2023
	≯	-	$\rightarrow$	¥	-	•	1	1	1	<b>~</b>	Ŧ	-
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBF
Lane Configurations		4			4			4				
Traffic Volume (vph)	77	309	63	80	386	82	22	180	48	0	0	(
Future Volume (vph)	77	309	63	80	386	82	22	180	48	0	0	(
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)		4.5			4.5			4.5				
Lane Util. Factor		1.00			1.00			1.00				
Frt		0.98			0.98			0.97				
Flt Protected		0.99			0.99			1.00				
Satd. Flow (prot)		1812			1812			1806				
Flt Permitted		0.84			0.88			1.00				
Satd. Flow (perm)		1527			1601			1806				
Peak-hour factor, PHF	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Growth Factor (vph)	107%	107%	107%	107%	107%	107%	107%	107%	107%	100%	100%	100%
Adj. Flow (vph)	90	359	73	93	449	95	26	209	56	0	0	(
RTOR Reduction (vph)	0	7	0	0	8	0	0	11	0	0	0	(
Lane Group Flow (vph)	0	515	0	0	629	0	0	280	0	0	0	(
Turn Type	Perm	NA		Perm	NA		Perm	NA				
Protected Phases		4			8			2				
Permitted Phases	4			8			2					
Actuated Green, G (s)		27.3			27.3			13.4				
Effective Green, g (s)		27.3			27.3			13.4				
Actuated g/C Ratio		0.50			0.50			0.24				
Clearance Time (s)		4.5			4.5			4.5				
Vehicle Extension (s)		3.0			3.0			3.0				
Lane Grp Cap (vph)		762			799			442				
v/s Ratio Prot												
v/s Ratio Perm		0.34			c0.39			0.16				
v/c Ratio		0.68			0.79			0.63				
Uniform Delay, d1		10.4			11.3			18.5				
Progression Factor		1.00			1.00			1.00				
Incremental Delay, d2		2.4			5.2			3.0				
Delay (s)		12.7			16.5			21.4				
Level of Service		В			В			С				
Approach Delay (s)		12.7			16.5			21.4			0.0	
Approach LOS		В			В			С			А	
Intersection Summary												
HCM 2000 Control Delay			16.1	Н	CM 2000	Level of	Service		В			
HCM 2000 Volume to Capa	city ratio		0.70									
Actuated Cycle Length (s)			54.7	S	um of losi	t time (s)			12.0			
Intersection Capacity Utiliza	ation		62.7%	IC	CU Level	of Service	<u>;</u>		В			
Analysis Period (min)			15									
c Critical Lane Group												

Appendix I: Freeman Square, Alternatives One and Two

# Intersection Delay, s/veh 14.9 Intersection LOS B

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		\$						\$			\$	
Traffic Vol, veh/h	75	83	35	0	0	0	10	199	59	87	258	75
Future Vol, veh/h	75	83	35	0	0	0	10	199	59	87	258	75
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	87	97	41	0	0	0	12	231	69	101	300	87
Number of Lanes	0	1	0	0	0	0	0	1	0	0	1	0
Approach	EB						NB			SB		
Opposing Approach							SB			NB		
Opposing Lanes	0						1			1		
Conflicting Approach Left	SB						EB					
Conflicting Lanes Left	1						1			0		
Conflicting Approach Right	NB									EB		
Conflicting Lanes Right	1						0			1		
HCM Control Delay	12.2						12.3			17.9		
HCM LOS	В						В			С		

Lane	NBLn1	EBLn1	SBLn1
Vol Left, %	4%	39%	21%
Vol Thru, %	74%	43%	61%
Vol Right, %	22%	18%	18%
Sign Control	Stop	Stop	Stop
Traffic Vol by Lane	268	193	420
LT Vol	10	75	87
Through Vol	199	83	258
RT Vol	59	35	75
Lane Flow Rate	312	224	488
Geometry Grp	1	1	1
Degree of Util (X)	0.447	0.365	0.678
Departure Headway (Hd)	5.164	5.855	5
Convergence, Y/N	Yes	Yes	Yes
Сар	698	615	723
Service Time	3.198	3.893	3.03
HCM Lane V/C Ratio	0.447	0.364	0.675
HCM Control Delay	12.3	12.2	17.9
HCM Lane LOS	В	В	С
HCM 95th-tile Q	2.3	1.7	5.3

# Intersection Delay, s/veh 28.3 Intersection LOS D

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		\$						\$			\$	
Traffic Vol, veh/h	177	108	23	0	0	0	40	362	43	73	208	102
Future Vol, veh/h	177	108	23	0	0	0	40	362	43	73	208	102
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	206	126	27	0	0	0	47	421	50	85	242	119
Number of Lanes	0	1	0	0	0	0	0	1	0	0	1	0
Approach	EB						NB			SB		
Opposing Approach							SB			NB		
Opposing Lanes	0						1			1		
Conflicting Approach Left	SB						EB					
Conflicting Lanes Left	1						1			0		
Conflicting Approach Right	NB									EB		
Conflicting Lanes Right	1						0			1		
HCM Control Delay	22						35.5			24.9		
HCM LOS	С						E			С		

-			
Lane	NBLn1	EBLn1	SBLn1
Vol Left, %	9%	57%	19%
Vol Thru, %	81%	35%	54%
Vol Right, %	10%	7%	27%
Sign Control	Stop	Stop	Stop
Traffic Vol by Lane	445	308	383
LT Vol	40	177	73
Through Vol	362	108	208
RT Vol	43	23	102
Lane Flow Rate	518	358	445
Geometry Grp	1	1	1
Degree of Util (X)	0.862	0.664	0.747
Departure Headway (Hd)	5.997	6.669	6.039
Convergence, Y/N	Yes	Yes	Yes
Сар	606	541	597
Service Time	4.037	4.709	4.082
HCM Lane V/C Ratio	0.855	0.662	0.745
HCM Control Delay	35.5	22	24.9
HCM Lane LOS	E	С	С
HCM 95th-tile Q	9.7	4.9	6.6

Intersection				
Intersection Delay, s/veh	8.7			
Intersection LOS	А			
Approach	EB	WB	NB	SB
Entry Lanes	1	1	1	1
Conflicting Circle Lanes	1	1	1	1
Adj Approach Flow, veh/h	225	0	312	488
Demand Flow Rate, veh/h	230	0	318	498
Vehicles Circulating, veh/h	409	337	291	12
Vehicles Exiting, veh/h	101	272	348	325
Follow-Up Headway, s	3.186	3.186	3.186	3.186
Ped Vol Crossing Leg, #/h	125	78	83	125
Ped Cap Adj	0.978	0.989	0.989	0.972
Approach Delay, s/veh	8.8	0.0	9.0	8.5
Approach LOS	А	-	А	А
Lane	Left	Left	Left	Left
Designated Moves	LTR	Т	LTR	LTR
Assumed Moves	LTR	Т	LTR	LTR
RT Channelized				
Lane Util	1.000	1.000	1.000	1.000
Critical Headway, s	5.193	5.193	5.193	5.193
Entry Flow, veh/h	230	0	318	498
Cap Entry Lane, veh/h	751	807	845	1116
Entry HV Adj Factor	0.979	1.000	0.982	0.980
Flow Entry, veh/h	225	0	312	488
Cap Entry, veh/h	719	798	820	1064
V/C Ratio	0.313	0.000	0.381	0.459
Control Delay, s/veh	8.8	4.5	9.0	8.5
LOS	А	А	А	А
95th %tile Queue, veh	1	0	2	2

Intersection				
Intersection Delay, s/veh	14.2			
Intersection LOS	В			
Approach	EB	WB	NB	SB
Entry Lanes	1	1	1	1
Conflicting Circle Lanes	1	1	1	1
Adj Approach Flow, veh/h	359	0	514	437
Demand Flow Rate, veh/h	367	0	524	446
Vehicles Circulating, veh/h	334	683	426	44
Vehicles Exiting, veh/h	156	267	275	639
Follow-Up Headway, s	3.186	3.186	3.186	3.186
Ped Vol Crossing Leg, #/h	145	88	145	131
Ped Cap Adj	0.968	0.988	0.970	0.969
Approach Delay, s/veh	11.1	0.0	21.4	8.2
Approach LOS	В	-	С	А
Lane	Left	Left	Left	Left
Designated Moves	LTR	Т	LTR	LTR
Assumed Moves	LTR	Т	LTR	LTR
RT Channelized				
Lane Util	1.000	1.000	1.000	1.000
Critical Headway, s	5.193	5.193	5.193	5.193
Entry Flow, veh/h	367	0	524	446
Cap Entry Lane, veh/h	809	571	738	1081
Entry HV Adj Factor	0.979	1.000	0.980	0.980
Flow Entry, veh/h	359	0	514	437
Cap Entry, veh/h	767	564	702	1027
V/C Ratio	0.469	0.000	0.732	0.426
Control Delay, s/veh	11.1	6.4	21.4	8.2
LOS	В	А	С	А
95th %tile Queue, veh	3	0	6	2

Appendix J: Review Comments



## **RE:** [EXTERNAL] Lynn Intersection Studies

1 message

Clausen, Aaron <aclausen@lynnma.gov> To: Seth Asante <sasante@ctps.org> Cc: "Andrew J. Hall" <ahall@lynnma.gov>, "Lauren.Drago" <Lauren.Drago@lynnma.gov> Fri, Oct 13, 2023 at 4:00 PM

Hi Seth,

Thank you for all of your work on this, and providing us with multiple options to consider (both short term & long term). We don't have a ton of comments or questions but wanted to offer up the following:

• Is it possible to provide a general budget for both temporary / short-term implementation projects? It would be helpful for us if we were to put together a grant application for Shared Streets and Spaces grants or the like.

Freeman Sq.

- Although Silsbee is relatively narrow wondering if two-traffic could be accommodated without losing on-street parking to open up connections to the commuter rail station.
- Alternative #1 is there an opportunity to remove or de-emphasize the traffic islands and square up and bump out curb at the east approach to Silsbee? I recognize they create some sense of order through the intersection. Also, is there an ability to bump curb out where there is no parking east bound on Union once through the intersection?

Bus Stop Enhancements

We are working to identify improvements to existing bus stops; primarily by providing new shelters however in many cases, particularly constrained streets like these, we are finding the sidewalks are too narrow to effectively accommodate shelters. Can you look at the ability to introduce new shelters. Can you generally look at feasibility to include new shelters at existing stops? Specifically:

- Westbound on Union in front of Lynn Community Health Center there appears to be some sidewalk space there
- The following would likely need some curb extension to accommodate a shelter but worth looking at: Buffum St. westbound, Union St eastbound, Washington Street stop.

That's all we have,

Thanks again and please feel free to reach out if you have any additional questions.

Aaron

Cc: Andrew J. Hall <ahall@lynnma.gov>; Lauren.Drago <Lauren.Drago@lynnma.gov> Subject: Re: [EXTERNAL] Lynn Intersection Studies

Good morning Aaron,

I just wanted to quickly touch base with you about the Lynn Intersection Studies. Let me know if you need more time to review the memo.

Thanks,

Seth

Seth Asante Chief Transportation Planner Central Transportation Planning Staff Boston Region Metropolitan Planning Organization 857.702.3644 | sasante@ctps.org | bostonmpo.org

On Wed, Sep 27, 2023 at 4:55 PM Clausen, Aaron <aclausen@lynnma.gov> wrote:

Thank you Seth,

Circulating the memo internally and will work to have comments back to you by that time.

Aaron

From: Seth Asante <sasante@ctps.org> Sent: Tuesday, September 26, 2023 10:20 AM To: Clausen, Aaron <aclausen@lynnma.gov> Subject: [EXTERNAL] Lynn Intersection Studies

Good morning, Aaron,

The technical memorandum for the Lynn Intersection Studies is available for review.

Please provide me with your comments by October 4. As usual, let me know if you have any questions.

Thank you, Seth

Seth Asante Chief Transportation Planner Central Transportation Planning Staff Boston Region Metropolitan Planning Organization 857.702.3644 | sasante@ctps.org | bostonmpo.org Please be advised that the Massachusetts Secretary of State considers e-mail to be a public record, and therefore subject to the Massachusetts Public Records Law, M.G.L. c. 66 § 10.

Please be advised that the Massachusetts Secretary of State considers e-mail to be a public record, and therefore subject to the Massachusetts Public Records Law, M.G.L. c. 66 § 10.



### **RE: Lynn Intersection Studies**

1 message

**Snyder, Patrick L. (DOT)** <Patrick.L.Snyder@dot.state.ma.us> To: Seth Asante <sasante@ctps.org> Tue, Oct 3, 2023 at 2:54 PM

Looks good, Seth. Thank you for sending over.

Are there dimensional constraints at these intersections that prevent recommending improved bicycle facilities (beyond sharrows)?

Did you determine if the roundabout alternative for Freeman Square can fit within the existing ROW? Either way, should be mentioned.

Kind regards,

Patrick

Patrick Snyder (he/him)

#### Multimodal Planning | Office of Transportation Planning | MassDOT

10 Park Plaza, Suite 4150, Boston, MA 02116

E: patrick.l.snyder@dot.state.ma.us | T: +1 (857) 301-0804

From: Seth Asante <sasante@ctps.org> Sent: Tuesday, September 26, 2023 10:24 AM To: Snyder, Patrick L. (DOT) <Patrick.L.Snyder@dot.state.ma.us> Subject: Lynn Intersection Studies

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

The technical memorandum for the Lynn Intersection Studies is available for review.

Please provide me with your comments by October 4. As usual, let me know if you have any questions.

Thank you, Seth

Seth Asante Chief Transportation Planner Central Transportation Planning Staff Boston Region Metropolitan Planning Organization 857.702.3644 | sasante@ctps.org | bostonmpo.org

Please be advised that the Massachusetts Secretary of State considers e-mail to be a public record, and therefore subject to the Massachusetts Public Records Law, M.G.L. c. 66 § 10.